





Jersey Turtleneck


Name	Jersey Turtleneck
Style No.	FW25CT020
Division	Mens
Category	Tees
Season	Fall/Winter
Year	2025
Size Scale	M -Sample size XS S M L XL XXL
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Lonz
TD Name	Anastasiya
Created by/Author	6/18/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com



1_B&W-1




2_CLR-1



Comments (6)

- A1** FIT:NB RAINIER JERSEY TURTLENECK (NB22CT003)
- A2** 1X1 RIB W/ FOLDOVER @ NECK
- A3** SELF PANELS @ SIDE SEAM - SEE FOLLOWING PAGES FOR DETAILS
- A4** 1X1 RIB W/ OTTOMAN STITCH @ SLEEVE CUFFS - SEE FOLLOWING PAGES FOR DETAIL
- A5** SELF FABRIC HALF MOON @ CB NECK
- A6** SELF PANELS @ ARMS - SEE FOLLOWING PAGES FOR DETAILS





3_Construction Details-1




Comments (7)

- A1** CLEAN SEAM FINISH @ NECK
- A2** CLEAN SEAM FINISH @ SHOULDER SEAM
- A3** CLEAN SEAM FINISH @ ARMHOLE
- A4** SEE FOLLOWING PAGES FOR STITCH DETAILS
- A5** CLEAN SEAM FINISH @ SLEEVE CUFFS
- A6** 1/4" DN TS @ BOTTOM HEM - TURNBACK FINISH
- A7** SEE FOLLOWING PAGES FOR STITCH DETAILS

4_Stitching Details-1



5_Side View-1



6_Panel Stitch Details-1

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	PPS - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	28 in	27 1/4 in	-3/4 in	0 in	28 in	Back to Spec
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	27 1/4 in	27 1/2 in	1/4 in	0 in	27 1/4 in	
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	1/2 in	3/8 in	-1/8 in	0 in	1/2 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 1/4 in	2 1/4 in	0 in	0 in	2 1/4 in	
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	3 3/8 in	3 in	-3/8 in	-3 3/8 in	0 in	Increase / Fty to Advise
Back Neck Drop	HPS to neck seam	false	Full	1/8 in	3/4 in	5/8 in	-1/8 in	0 in	3/4 in	
Minimum Neck Stretch		true	Half	0 in	0 in	10 1/2 in	10 1/2 in	11 1/2 in	11 1/2 in	Ensure to Meet
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 in	6 3/4 in	-1/4 in	1 in	8 in	Increase
Neck Width at Top of Rib		false	Full	1/8 in	7 3/4 in	7 1/2 in	-1/4 in	1/4 in	8 in	Increase
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	5 in	5 in	0 in	0 in	5 in	
Across Shoulder	Seam to seam	false	Half	1/4 in	18 1/2 in	18 1/4 in	-1/4 in	0 in	18 1/2 in	
Across Front	7" dwn from HPS, Seam to seam	false	Half	1/4 in	16 1/2 in	16 1/4 in	-1/4 in	0 in	16 1/2 in	
Across Back	7" dwn from HPS, Seam to Seam	false	Half	1/4 in	17 in	16 1/4 in	-3/4 in	0 in	17 in	Back to Spec
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	21 in	20 3/4 in	-1/4 in	0 in	21 in	
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/4 in	21 in	20 1/2 in	-1/2 in	0 in	21 in	Back to Spec
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	3/8 in	34 in	33 7/8 in	-1/8 in	1/2 in	34 1/2 in	Increase
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	11 3/4 in	11 1/2 in	-1/4 in	0 in	11 3/4 in	
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	8 in	8 in	0 in	1/4 in	8 1/4 in	Increase
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	6 1/4 in	6 1/8 in	-1/8 in	1/4 in	6 1/2 in	Increase
Sleeve Opening Width- At Seam	Width at Seam	false	Half	1/4 in	4 3/4 in	4 1/8 in	-5/8 in	0 in	4 3/4 in	Increase
Sleeve Opening Width- At Edge	At edge	false	Half	1/4 in	3 3/4 in	3 1/2 in	-1/4 in	0 in	3 3/4 in	
Sleeve Cuff Height	Cuff edge to seam	false	Full	1/8 in	2 3/4 in	2 7/8 in	1/8 in	0 in	2 3/4 in	
Half Moon Height at CB		false	Full	1/8 in	2 1/2 in	2 3/8 in	-1/8 in	0 in	2 1/2 in	
Half Moon Width at CB	Straight Along Neck Seam	false	Full	1/8 in	5 1/4 in	5 in	-1/4 in	0 in	5 1/4 in	Back to Spec
Side Panel Width		true	Full	1/8 in	5 1/2 in	5 3/4 in	1/4 in	0 in	5 1/2 in	Back to Spec
Loop Label Placement at Sideseam	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	6 1/4 in	6 1/8 in	-1/8 in	0 in	6 1/4 in	
Collar Artwork Placement from CF		false	Full	1/8 in	0 in	0 in	0 in	1 3/4 in	1 3/4 in	Add
Collar Artwork Placement from Bottom Edge to Bottom Edge of Artwork		false	Full	1/8 in	0 in	0 in	0 in	3/4 in	3/4 in	Add

PPS - Anastasiya Zolotova

CREATED ON JUN 17, 2025 2:45 PM

PPS: SIZE:M, CREATED AT: 06-17-2025

FW25CT020 Jersey Turtleneck

FITTING DATE: 6/17/25**MODEL/ATTENDEES:** Jessica, Cal, Anthony, Wes, Megan, Jeni, Anastasiya, Sarah**STATUS:** PPS Requesting 2nd PPS or Images on ALD Form for Approval**Fit Comments:**

- | | |
|---|---|
| 1. Front body length came in -3/4", go back to spec. | 1. Chiều dài thân trước bị thiếu 3/4 inch, điều chỉnh lại theo thông số kỹ thuật. |
| 2. The neck is too small and tight. See below revisions to improve fit. | 2. Phần cổ quá nhỏ và chật. Xem các chỉnh sửa bên dưới để cải thiện độ ôm. a. Độ hạ cổ trước bị thiếu 3/8 inch. Rập đo được 3 7/8 inch. Phần bo cổ dẹt phẳng là một miếng thẳng nên nó làm tăng số đo trên mẫu. Nhà máy có thể điều chỉnh rập một chút để độ hạ cổ trước trên mẫu tăng thêm khoảng 1/4 inch - 3/8 inch. Xem hình ảnh. |
| a. Front neck drop came in -3/8". The pattern measures 3 7/8". The flat knit trim at neck is straight piece so its bringing up the measurement on sample. Can fty slightly adjust pattern so that the front neck drop on sample increase ~1/4"-3/8". See image. | b. Độ co giãn tối thiểu của cổ không đạt, vui lòng đảm bảo mẫu tiếp theo đạt độ co giãn tối thiểu của cổ là 11 1/2 inch. |
| b. Minimum neck stretch isn't met, please ensure next sample meets minimum neck stretch of 11 1/2". | c. Tăng rộng cổ lên 8 inch. |
| c. Increase neck width to 8". | d. Tăng rộng cổ tại đỉnh bo lên 8 inch. |
| d. Increase neck width at top of rib to 8". | |
| 3. Across back came in -3/4", go back to spec. | 3. Rộng ngang lưng bị thiếu 3/4 inch, điều chỉnh lại theo thông số kỹ thuật. |
| 4. Bottom opening came in -1/2" go back to spec. | 4. Rộng glai bị thiếu 1/2 inch, điều chỉnh lại theo thông số kỹ thuật. |
| 5. Increase sleeve length to 34 1/2". | 5. Tăng chiều dài tay áo lên 34 1/2 inch. |
| 6. Increase bicep to 8 1/4". | 6. Tăng rộng bắp tay lên 8 1/4 inch. |
| 7. Increase forearm to 6 1/2". | 7. Tăng rộng cẳng tay lên 6 1/2 inch. |
| 8. Sleeve opening at seam came in -5/8", go back to spec. | 8. Rộng miệng tay áo tại đường may bị thiếu 5/8 inch, điều chỉnh lại theo thông số kỹ thuật. |
| 9. Back to spec on half moon height and width | 9. Điều chỉnh lại chiều cao và chiều rộng miếng đắp hình bán nguyệt về đúng thông số kỹ thuật. |
| 10. Please adjust collar artwork to be 1 3/4" away from CF | 10. Vui lòng điều chỉnh vị trí hình in/thêu cổ áo cách giữa thân trước 1 3/4 inch. |
| 11. Adjust collar artwork to be 1/2" from collar edge to bottom of artwork. | 11. Điều chỉnh vị trí hình in/thêu cổ áo cách mép cổ đến đáy hình in/thêu 1/2 inch. |
| 12. Blue body side panel and sleeve insert should be 2" . Ensure to adjust the pattern so that the blue panel is 2" width all the way down. | 12. Phần đắp sườn thân màu xanh và phần đắp chèn tay áo phải rộng 2 inch. Đảm bảo điều chỉnh rập để phần đắp xanh có chiều rộng 2 inch kéo dài xuống hết. |

Construction/Workmanship:

- | | |
|--|---|
| 1. Please press open the cuff seam allowance like the collar, see image. | 1. Vui lòng ủi rẽ đường may bo tay như cổ áo, xem hình ảnh. |
| 2. Please tack the cuff seam allowance at top edge like the collar, see image. | 2. Vui lòng đính đường may bo tay ở mép trên như cổ áo, xem hình ảnh. |
| 3. Hem is wavy, see image please improve. | 3. Đường lai bị gợn sóng, vui lòng xem hình ảnh và cải thiện. |
| 4. Please improve workmanship at under sleeve, it should look more continuous and align better at edges. | |
| 4. Vui lòng cải thiện chất lượng gia công ở phần dưới tay áo, nó phải trông liền mạch hơn và thẳng hàng hơn ở các mép. | |





Screen Shot 2025-06-17 at 4.08.51 PM.jpg

- Độ co giãn tối thiểu của cổ không đạt, vui lòng đảm bảo mẫu tiếp theo đạt độ co giãn tối thiểu của cổ là 11 1/2 inch.
- Tăng rộng cổ lên 8 inch.
- Tăng rộng cổ tại đỉnh bo lên 8 inch.

FW25CT020 Jersey Turtleneck

- Minimum neck stretch isn't met, please ensure next sample meets minimum neck stretch of 11 1/2".
- Increase neck width to 8".
- Increase neck width at top of rib to 8".



Screen Shot 2025-06-18 at 1.59.47 PM.jpg


Phần cổ quá nhỏ và chật. Xem các chỉnh sửa bên dưới để cải thiện độ ôm.

Độ hạ cổ trước bị thiếu $\frac{3}{8}$ inch. Rập đo được $3\frac{7}{8}$ inch. Phần bo cổ dệt phẳng là một miếng thẳng nên nó làm tăng số đo trên mẫu. Nhà máy có thể điều chỉnh rập một chút để độ hạ cổ trước trên mẫu tăng thêm khoảng $\frac{1}{4}$ inch - $\frac{3}{8}$ inch

FW25CT020 Jersey Turtleneck

The neck is too small and tight. See below revisions to improve fit.

Front neck drop on sample came in $-\frac{3}{8}$ ". The pattern measures $3\frac{7}{8}$ ". The flat knit trim at neck is straight piece so its bringing up the measurement. Can fty slightly adjust pattern so that the front neck drop on sample increase $\sim\frac{1}{4}$ "- $\frac{3}{8}$ ".




Screen Shot 2025-06-18 at 2.05.34 PM.jpg

1. Vui lòng ủi rã đường may bo tay như cổ áo, xem hình ảnh.
2. Vui lòng đính đường may bo tay ở mép trên như cổ áo, xem hình ảnh.

FW25CT020 Jersey Turtleneck

1. Please press open the cuff seam allowance like the collar, see image.
2. Please tack the cuff seam allowance at top edge like the collar, see image.



Screen Shot 2025-06-18 at 2.08.38 PM.jpg

Đường lai bị gợn sóng, vui lòng xem hình ảnh và cải thiện.

FW25CT020 Jersey Turtleneck
-Hem is wavy, see image please improve. .



Screen Shot 2025-06-18 at 2.10.38 PM.jpg

FW25CT020 Jersey Turtleneck



-Blue body side panel and sleeve insert should be 2" .
Ensure to adjust the pattern so that the blue panel is 2" width all the way down.

- Please improve workmanship at under sleeve, it should look more continuous and align better at edges.

- Phần dải sườn thân màu xanh và phần dải chèn tay áo phải rộng 2 inch. Đảm bảo điều chỉnh rập để phần dải xanh có chiều rộng 2 inch kéo dài xuống hết.

- Vui lòng cải thiện chất lượng gia công ở phần dưới tay áo, nó phải trông liền mạch hơn và thẳng hàng hơn ở các mép.

Screen Shot 2025-06-18 at 2.46.15 PM.jpg