


Script Crewneck - Style #FW26CS019

Mens, Sweatshirts, Fall/Winter, 2026

Summary

02-06-2026



Name Script Crewneck

Style No. FW26CS019

Division Mens

Category Sweatshirts

Season Fall/Winter

Year 2026

Size Scale **M** -Sample size

XS S M L XL XXL

Style Status Adopted

Factory UN-AVAILABLE

COO VIETNAM

Designer Name Nils

TD Name Anastasiya

Created by/Author 2/6/2026

Sarah Tota

sarah.tota@aimeleondore.com


Script Crewneck



1_B&W-1




2_CLR-1



Comments (6)

- A1** FIT: LARGE SCRIPT CREWNECK (FW25CS007)
- A2** HERRINGBONE TAPE @ CB NECK
- A3** 2X2 RIB DOUBLED @ NECK TRIM
- A4** PRINTED ARTWORK @ CF BODY
- A5** 2X2 RIB @ SIDE SEAM - ONE PANEL CONSTRUCTION - DOUBLE THE RIB PANEL
- A6** 2X2 RIB DOUBLED @ SLEEVE CUFFS & BOTTOM HEM

3_Construction Details-1



Comments (7)

- A1 COVERLOCK STITCH @ NECK
- A2 COVERLOCK STITCH @ SHOULDER
- A3 COVERLOCK STITCH @ ARMHOLE
- A4 COVERLOCK STITCH @ SET IN PANEL
- A5 COVERLOCK STITCH @ SLEEVE CUFFS
- A6 COVERLOCK STITCH @ BOTTOM HEM
- A7 COVERLOCK STITCH @ SET IN PANEL

4_Stitching Details-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	M	L	XL	XXL
Front Body Length	S&K01	HPS to bottom edge	true	Full	1/2 in	-7/8 in	-7/8 in	27 in	7/8 in	7/8 in	7/8 in
Back Body Length	S&K02	CB neck seam to bottom edge	true	Full	1/2 in	-7/8 in	-7/8 in	25 3/4 in	7/8 in	7/8 in	7/8 in
Shoulder Seam Forward	S&K07	HPS to seam	false	Full	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Slope	S&K08	Shoulder point perpendicular to HPS	true	Full	1/4 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Front Neck Drop	S&K04	HPS to neck seam	true	Full	1/8 in	-1/8 in	-1/8 in	4 in	1/8 in	1/8 in	1/8 in
Back Neck Drop	S&K05	HPS to neck seam	true	Full	1/8 in	0 in	0 in	1 1/4 in	0 in	0 in	0 in
Back Neck Width	S&K06	Seam to seam at back neck, at HPS point	true	Full	1/4 in	-1/4 in	-1/4 in	7 3/4 in	1/4 in	1/4 in	1/4 in
Neck Trim Height	S&K020	Neck Seam to trim edge	false	Full	1/8 in	0 in	0 in	13/16 in	0 in	0 in	0 in
Minimum Neck Stretch	S&K199		true	Half	0 in	0 in	0 in	11 1/2 in	0 in	0 in	0 in
Across Shoulder	S&K09	Seam to seam	true	Half	1/4 in	-3/4 in	-3/4 in	20 1/2 in	3/4 in	1 in	1 in
Across Front/Across Back Position from HPS	eos7YR		true	Full	0 in	-1/4 in	-1/4 in	7 in	1/4 in	1/4 in	1/4 in
Across Front	S&K010	Down from HPS, Seam to seam	true	Half	1/4 in	-3/4 in	-3/4 in	19 in	3/4 in	1 in	1 in
Across Back	S&K011	Down from HPS, Seam to Seam	true	Half	1/4 in	-3/4 in	-3/4 in	19 1/2 in	3/4 in	1 in	1 in
Chest Width	S&K012	1" Below armhole- edge to edge	true	Half	1/4 in	-1 in	-1 in	22 3/4 in	1 in	1 1/2 in	1 1/2 in
Bottom Opening 2" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	-1 in	-1 in	21 3/4 in	1 in	1 1/2 in	1 1/2 in
Bottom Opening Width- Along Seam Relaxed	S&K108		false	Half	1/2 in	-1 in	-1 in	20 1/4 in	1 in	1 1/2 in	1 1/2 in
Bottom Opening Width- At Edge	S&K013	At bottom edge	true	Half	1/4 in	-1 in	-1 in	17 in	1 in	1 1/2 in	1 1/2 in
Bottom Hem Height	S&K014	Bottom edge to stitch line or trim seam	false	Full	1/8 in	0 in	0 in	2 3/4 in	0 in	0 in	0 in
Side Panel Body Width - Total	eMtOy2	Seam to Seam	false	Full	1/8 in	0 in	0 in	5 1/2 in	0 in	0 in	0 in
Sleeve Length from CB Neck	S&K032	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	-1 in	-1 in	35 in	1 in	1 in	1 in
Sleeve Cap Height	S&K102		false	Full	1/8 in	0 in	0 in	0 in	0 in	0 in	0 in
Armhole Drop	S&K016	Below HPS - measure perpendicular	true	Full	1/4 in	-3/8 in	-3/8 in	12 1/2 in	3/8 in	1/2 in	1/2 in
Bicep Width	S&K017	1" below armhole- edge to edge	true	Half	1/4 in	-3/8 in	-3/8 in	9 1/2 in	3/8 in	1/2 in	1/2 in
Forearm Width	S&K033	9" up from sleeve cuff edge	true	Half	1/4 in	-1/4 in	-1/4 in	7 1/4 in	1/4 in	3/8 in	3/8 in
Sleeve Opening Width 1" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	-1/4 in	-1/4 in	5 3/8 in	1/4 in	1/4 in	1/4 in
Sleeve Opening Width- At Seam	S&K034	Width at Seam	false	Half	1/4 in	-1/4 in	-1/4 in	4 3/4 in	1/4 in	1/4 in	1/4 in
Sleeve Opening Width- At Edge	S&K73	At edge	true	Half	1/4 in	0 in	-1/4 in	3 3/4 in	0 in	1/4 in	0 in
Sleeve Cuff Height	S&K36	Cuff edge to seam	false	Full	1/8 in	0 in	0 in	2 3/4 in	0 in	0 in	0 in
CF Artwork Placement below CF Neckline	S&K112	From CF Neck Seam to Top Edge of Artwork	true	Full	1/8 in	-1/8 in	-1/8 in	3 1/2 in	1/8 in	1/8 in	1/8 in
Loop Label Placement at Sideseam	S&K023	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	0 in	0 in	7 in	0 in	0 in	0 in

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	M	L	XL	XXL
Front Body Length	S&K01	HPS to bottom edge	true	Full	1/2 in	25 1/4 in	26 1/8 in	27 in	27 7/8 in	28 3/4 in	29 5/8 in
Back Body Length	S&K02	CB neck seam to bottom edge	true	Full	1/2 in	24 in	24 7/8 in	25 3/4 in	26 5/8 in	27 1/2 in	28 3/8 in
Shoulder Seam Forward	S&K07	HPS to seam	false	Full	1/8 in	1/2 in					
Shoulder Slope	S&K08	Shoulder point perpendicular to HPS	true	Full	1/4 in	1 3/4 in	1 3/4 in	1 3/4 in	1 3/4 in	1 3/4 in	1 3/4 in
Front Neck Drop	S&K04	HPS to neck seam	true	Full	1/8 in	3 3/4 in	3 7/8 in	4 in	4 1/8 in	4 1/4 in	4 3/8 in
Back Neck Drop	S&K05	HPS to neck seam	true	Full	1/8 in	1 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Back Neck Width	S&K06	Seam to seam at back neck, at HPS point	true	Full	1/4 in	7 1/4 in	7 1/2 in	7 3/4 in	8 in	8 1/4 in	8 1/2 in
Neck Trim Height	S&K020	Neck Seam to trim edge	false	Full	1/8 in	13/16 in	13/16 in	13/16 in	13/16 in	13/16 in	13/16 in
Minimum Neck Stretch	S&K199		true	Half	0 in	11 1/2 in	11 1/2 in	11 1/2 in	11 1/2 in	11 1/2 in	11 1/2 in
Across Shoulder	S&K09	Seam to seam	true	Half	1/4 in	19 in	19 3/4 in	20 1/2 in	21 1/4 in	22 1/4 in	23 1/4 in
Across Front/Across Back Position from HPS	eos7YR		true	Full	0 in	6 1/2 in	6 3/4 in	7 in	7 1/4 in	7 1/2 in	7 3/4 in
Across Front	S&K010	Down from HPS, Seam to seam	true	Half	1/4 in	17 1/2 in	18 1/4 in	19 in	19 3/4 in	20 3/4 in	21 3/4 in
Across Back	S&K011	Down from HPS, Seam to Seam	true	Half	1/4 in	18 in	18 3/4 in	19 1/2 in	20 1/4 in	21 1/4 in	22 1/4 in
Chest Width	S&K012	1" Below armhole- edge to edge	true	Half	1/4 in	20 3/4 in	21 3/4 in	22 3/4 in	23 3/4 in	25 1/4 in	26 3/4 in
Bottom Opening 2" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	19 3/4 in	20 3/4 in	21 3/4 in	22 3/4 in	24 1/4 in	25 3/4 in
Bottom Opening Width- Along Seam Relaxed	S&K108		false	Half	1/2 in	18 1/4 in	19 1/4 in	20 1/4 in	21 1/4 in	22 3/4 in	24 1/4 in
Bottom Opening Width- At Edge	S&K013	At bottom edge	true	Half	1/4 in	15 in	16 in	17 in	18 in	19 1/2 in	21 in
Bottom Hem Height	S&K014	Bottom edge to stitch line or trim seam	false	Full	1/8 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in
Side Panel Body Width - Total	eMtOy2	Seam to Seam	false	Full	1/8 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in
Sleeve Length from CB Neck	S&K032	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	33 in	34 in	35 in	36 in	37 in	38 in
Sleeve Cap Height	S&K102		false	Full	1/8 in	0 in	0 in	0 in	0 in	0 in	0 in
Armhole Drop	S&K016	Below HPS - measure perpendicular	true	Full	1/4 in	11 3/4 in	12 1/8 in	12 1/2 in	12 7/8 in	13 3/8 in	13 7/8 in
Bicep Width	S&K017	1" below armhole- edge to edge	true	Half	1/4 in	8 3/4 in	9 1/8 in	9 1/2 in	9 7/8 in	10 3/8 in	10 7/8 in
Forearm Width	S&K033	9" up from sleeve cuff edge	true	Half	1/4 in	6 3/4 in	7 in	7 1/4 in	7 1/2 in	7 7/8 in	8 1/4 in
Sleeve Opening Width 1" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	4 7/8 in	5 1/8 in	5 3/8 in	5 5/8 in	5 7/8 in	6 1/8 in
Sleeve Opening Width- At Seam	S&K034	Width at Seam	false	Half	1/4 in	4 1/4 in	4 1/2 in	4 3/4 in	5 in	5 1/4 in	5 1/2 in
Sleeve Opening Width- At Edge	S&K73	At edge	true	Half	1/4 in	3 1/2 in	3 1/2 in	3 3/4 in	3 3/4 in	4 in	4 in
Sleeve Cuff Height	S&K36	Cuff edge to seam	false	Full	1/8 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in	2 3/4 in
CF Artwork Placement below CF Neckline	S&K112	From CF Neck Seam to Top Edge of Artwork	true	Full	1/8 in	3 1/4 in	3 3/8 in	3 1/2 in	3 5/8 in	3 3/4 in	3 7/8 in
Loop Label Placement at Sideseam	S&K023	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	7 in	7 in	7 in	7 in	7 in	7 in

Measured Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	PPS - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	S&K01	HPS to bottom edge	true	Full	1/2 in	27 in	27 1/4 in	1/4 in	0 in	27 in	
Back Body Length	S&K02	CB neck seam to bottom edge	true	Full	1/2 in	25 3/4 in	26 in	1/4 in	0 in	25 3/4 in	
Shoulder Seam Forward	S&K07	HPS to seam	false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	
Shoulder Slope	S&K08	Shoulder point perpendicular to HPS	true	Full	1/4 in	1 3/4 in	1 3/4 in	0 in	0 in	1 3/4 in	
Front Neck Drop	S&K04	HPS to neck seam	true	Full	1/8 in	4 in	4 1/8 in	1/8 in	0 in	4 in	
Back Neck Drop	S&K05	HPS to neck seam	true	Full	1/8 in	1 1/4 in	1 1/8 in	-1/8 in	0 in	1 1/4 in	
Back Neck Width	S&K06	Seam to seam at back neck, at HPS point	true	Full	1/4 in	7 3/4 in	7 1/4 in	-1/2 in	0 in	7 3/4 in	back to spec
Neck Trim Height	S&K020	Neck Seam to trim edge	false	Full	1/8 in	13/16 in	13/16 in	0 in	0 in	13/16 in	
Minimum Neck Stretch	S&K199		true	Half	0 in	11 1/2 in	11 1/2 in	0 in	0 in	11 1/2 in	
Across Shoulder	S&K09	Seam to seam	true	Half	1/4 in	20 1/2 in	20 3/4 in	1/4 in	0 in	20 1/2 in	
Across Front/Across Back Position from HPS	eos7YR		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front	S&K010	Down from HPS, Seam to seam	true	Half	1/4 in	19 in	19 1/2 in	1/2 in	0 in	19 in	back to spec
Across Back	S&K011	Down from HPS, Seam to Seam	true	Half	1/4 in	19 1/2 in	19 1/2 in	0 in	0 in	19 1/2 in	
Chest Width	S&K012	1" Below armhole- edge to edge	true	Half	1/4 in	22 3/4 in	23 in	1/4 in	0 in	22 3/4 in	
Bottom Opening 2" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	21 3/4 in	21 3/4 in	0 in	0 in	21 3/4 in	
Bottom Opening Width- Along Seam Relaxed	S&K108		false	Half	1/2 in	20 1/4 in	19 1/2 in	-3/4 in	0 in	20 1/4 in	back to spec
Bottom Opening Width- At Edge	S&K013	At bottom edge	true	Half	1/4 in	17 in	17 1/4 in	1/4 in	0 in	17 in	
Bottom Hem Height	S&K014	Bottom edge to stitch line or trim seam	false	Full	1/8 in	2 3/4 in	2 7/8 in	1/8 in	0 in	2 3/4 in	
Side Panel Body Width - Total	eMtOy2	Seam to Seam	false	Full	1/8 in	5 1/2 in	5 3/4 in	1/4 in	0 in	5 1/2 in	back to spec
Sleeve Length from CB Neck	S&K032	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	35 in	35 in	0 in	0 in	35 in	
Sleeve Cap Height	S&K102		false	Full	1/8 in	0 in	5 in	5 in	5 in	5 in	Keep As Sample
Armhole Drop	S&K016	Below HPS - measure perpendicular	true	Full	1/4 in	12 1/2 in	12 1/2 in	0 in	0 in	12 1/2 in	
Bicep Width	S&K017	1" below armhole- edge to edge	true	Half	1/4 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in	
Forearm Width	S&K033	9" up from sleeve cuff edge	true	Half	1/4 in	7 1/4 in	7 1/4 in	0 in	0 in	7 1/4 in	
Sleeve Opening Width 1" Above Rib Knit Seam - Extended	S&K		true	Half	1/4 in	5 3/8 in	5 3/8 in	0 in	0 in	5 3/8 in	
Sleeve Opening Width- At Seam	S&K034	Width at Seam	false	Half	1/4 in	4 3/4 in	4 3/4 in	0 in	0 in	4 3/4 in	
Sleeve Opening Width- At Edge	S&K73	At edge	true	Half	1/4 in	3 3/4 in	3 5/8 in	-1/8 in	0 in	3 3/4 in	
Sleeve Cuff Height	S&K36	Cuff edge to seam	false	Full	1/8 in	2 3/4 in	2 3/4 in	0 in	0 in	2 3/4 in	
CF Artwork Placement below CF Neckline	S&K112	From CF Neck Seam to Top Edge of Artwork	true	Full	1/8 in	3 1/2 in	3 1/2 in	0 in	0 in	3 1/2 in	
Loop Label Placement at Sideseam	S&K023	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	7 in	6 7/8 in	-1/8 in	0 in	7 in	

PPS - Sarah Tota

CREATED ON FEB 3, 2026 10:59 PM

PPS: SIZE:M, CREATED AT: 01-27-2026

FW26CS019 Script Crewneck

FITTING DATE: 1/29/2026**MODEL/ATTENDEES:** Jeni, Anastasiya, Sarah, Hyeyoung, Lombardo, Elena, Megan**STATUS:** PPS approved to TOP**Fit Comments:**

1. Neck width came in $-1/2"$, go back to spec
2. Across front came in $+1/2"$, go back to spec
3. Bottom opening along seam came in $-3/4"$, go back to spec
4. Side panel body width came in $+1/4"$, go back to spec

Construction/Workmanship:

1. Please remove dorito stitching @ CF neck, not in spec or sketch. Thank you!

1. Rộng cổ bị thiếu $-1/2"$, yêu cầu điều chỉnh về lại đúng thông số.
2. Rộng ngực trước bị dư $+1/2"$, yêu cầu điều chỉnh về lại đúng thông số.
3. Rộng lai đo dọc theo đường may bị thiếu $-3/4"$, yêu cầu điều chỉnh về lại đúng thông số.
4. Độ rộng của mảnh phối sườn (side panel) bị dư $+1/4"$, yêu cầu điều chỉnh về lại đúng thông số.

1. Vui lòng loại bỏ đường may trang trí hình tam giác tại giữa cổ trước, chi tiết này không có trong bảng thông số hay hình vẽ mô tả. Cảm ơn!



Screenshot 2026-02-03 at 6.17.55 PM.jpg