



Sonny Performance Hoodie

Name	Sonny Performance Hoodie
Style No.	FW26CH022
Division	Mens
Category	Hoodies
Season	Fall/Winter
Year	2026
Size Scale	M -Sample size <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> XXL
Style Status	Development
Factory	UN-AVAILABLE
Designer Name	Nils
TD Name	Anastasiya
Created by/Author	11/10/2025 Jeni Fitzgerald jeni.fitzgerald@aimleondore.com




1_B+W-1



MAIN BODY: BLACK OYSTER (19-0205 TCX)
CONTRAST SET IN PANELS: JET BLACK (19-0303 TCX)
PIPING: REFLECTIVE


2_CLR-1




3_CONSTRUCTION DETAILS-1

Comments (15)

- A1 ELASTIC BINDING @ HOOD OPENING
- A2 1/8" REFLECTIVE PIPING @ HOODIE SET IN PANEL
SET IN HOOD PANEL - CONTRAST FABRIC - TOP & BOTTOM HOOD PANELS ARE 2 PLY SELF - HOOD PANELS CLEAN FINISH CONTRAST FABRIC SEAM
- A3 1/8" REFLECTIVE PIPING @ HOODIE SET IN PANEL
- A4 NECK SEAM BOUND W/ STRETCH TAPE
- A5 SET IN SIDE PANEL - BODY FABRIC - CONTRAST COLOR - NO SIDE SEAM
- A6 REFLECTIVE SILICONE HEAT TRANSFER @ LEFT CHEST - SEE ATTACHMENT FOR ARTWORK FILES
- A7 SET IN SIDE PANEL @ SLEEVE - SELF FABRIC - CONTRAST COLOR
- A8 ZIPPER POCKETS W/ ZIPPER GARAGE - SELF PALM SIDE BAG - CONTRAST FABRIC KNUCKLESIDE BAG - #3 ZIPPER
- A9 SELF CUFF - SET IN ELASTIC @ CUFF
- A10 DRAWCORD TUNNEL W/ 3mm BUNGEE CORD & CLEAR SILICONE STOPPER @ INTERIOR HEM - USE BLACK METAL EYELETS
- A11 REFLECTIVE SILICONE HEAT TRANSFER @ RIGHT SLEEVE - SEE ATTACHMENT FOR ARTWORK FILES
- A12 REFLECTIVE SILICONE HEAT TRANSFER @ RIGHT CHEST - SEE ATTACHMENT FOR ARTWORK FILES
- A13 TWO WAY ZIPPER - BOUND ZIPPER TAPE @ INSIDE - #5 ZIPPER
- A14 REFLECTIVE SILICONE HEAT TRANSFER @ CENTER BACK NECK - SEE ATTACHMENT FOR ARTWORK FILES



1. thun viền miệng nón
2. diễu 1/8" tại piping phản quang tại phổi nón
3. Nón có panel sử dụng vải phổi – panel trên và panel dưới của nón dùng 2 lớp vải chính – đường may giữa các panel nón được hoàn thiện sạch sẽ bằng vải phổi.
4. diễu 1/8" tại piping phản quang tại phổi nón
5. cổ được viền bằng dây tape
6. phổi sườn bằng vải chính-khác màu - không đường may sườn
7. artwork tại ngực trái
8. phổi tay dưới bằng vải chính - khác màu
9. dây kéo túi với garage - lót túi mặt lòng bàn tay bằng vải chính - mặt mu bàn tay bằng vải chính khác màu-dây kéo #3
10. lai tay bằng vải chính - thun tại lai tay
11. thun 3mm, con chặn, cục chặn mắt cáo metal tại lai áo
12. artwork tại tay phải
13. artwork tại ngực phải
15. dây kéo giữa 2 đầu răng 5
16. artwork thân sau




4_STITCHING DETAILS-1

Comments (12)

- A1 CLEAN SEAM @ HOOD
- A2 1/8" SN TS @ SET IN HOOD PANEL
- A3 1/8 " SN TS @ SET IN HOOD PANEL
- A4 EDGE STITCH AT ELASTIC BINDING
- A5 1/8 SN TS @ TOP ARM HOLE
- A6 1/8" SN TS @ SLEEVE PANEL
- A7 1/8" SN TS @ SIDE PANEL
- A8 1/8" SN TS @ POCKET ZIPPERS - BAR TACKS @ TOP & BOTTOM OPENING
- A9 1/4" DN TS @ SLEEVE CUFF
- A10 1/4" DN TS @ HEM
- A11 1/4 SN TS @ CENTER ZIPPER
- A12 EDGE STITCH @ NECK TAPING - TOP EDGE STITCH IS STITCH IN THE DITCH

1. may sạch tại nón
2. diễu 1 kim 1/8" tại phoi nón cạnh trên
3. diễu 1 kim 1/8" tại phoi nón cạnh dưới
4. mí diễu tại viền nón
5. diễu 1 kim 1/8" tại nách trên
6. diễu 1 kim 1/8" tại phoi tay
7. diễu 1 kim 1/8" tại phoi sườn
8. diễu 1 kim 1/8" tại dây kéo túi - bọ tại cạnh trên và cạnh dưới miệng túi
9. diễu 2 kim 1/4" tại lai tay
10. diễu 2 kim 1/4" tại lai áo
11. diễu 1 kim 1/4" tại dây kéo giữa trước
12. mí diễu tại tape cổ

CORD-LOCK/BUNGEE CALLOUT



08_DETAIL-1-1

cấu trúc lai áo

CUFF CONSTRUCTION REFERENCE



7 CUFF CONSTRUCTION REFERENCE-1

PANELING DESIGN REFERENCE

FOLLOW BLUE TAPE FOR PANEL LINES

FRONT



BACK



9_Paneling Design Reference-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
Front Body Length	S&K01	HPS to bottom edge	true	Full	1/2 in	28 3/4 in
Back Body Length	S&K02	CB neck seam to bottom edge	true	Full	1/2 in	29 1/4 in
CF Zipper Length	S&K03	From neck to bottom edge	false	Full	1/4 in	28 1/2 in
Back Neck Width	S&K06	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 1/2 in
Front Neck Drop	S&K	HPS to neck seam	true	Full	1/8 in	3 1/4 in
Back Neck Drop	S&K05	HPS to neck seam	false	Full	1/8 in	1/2 in
Raglan Shoulder Slope	S&K037	9 1/2" out from CB, at HPS line	false	Full	1/8 in	2 in
Front Raglan Seam Placement at Neck	S&K038	HPS to raglan seam straight down	false	Full	1/8 in	2 3/4 in
Back Raglan Seam Placement at Neck	S&K039	HPS to raglan seam straight down	false	Full	1/8 in	2 1/4 in
Across Front/Across Back Position from HPS	eos7YR		true	Full	0 in	7 in
Across Front	S&K010	Down from HPS, Seam to seam	false	Half	3/8 in	14 in
Across Back	S&K011	Down from HPS, Seam to Seam	false	Half	3/8 in	14 1/2 in
Chest Width	S&K012	1" Below armhole- edge to edge	true	Half	1/2 in	21 in
Bottom Opening Width- At Edge	S&K013	At bottom edge	true	Half	1/2 in	21 in
Turnback Height	S&K83		false	Full	1/8 in	7/8 in
Shirt Tail Height	S&K099		true	Full	1/8 in	2 in
Sleeve Length from CB Neck	S&K032	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	35 in
Armhole Drop	S&K016	Below HPS - measure perpendicular	false	Full	1/4 in	11 1/2 in
Bicep Width	S&K017	1" below armhole- edge to edge	false	Half	1/4 in	8 in
Forearm Width	S&K033	9" up from sleeve cuff edge	false	Half	1/4 in	0 in
Sleeve Opening Width- At Seam	S&K034	Width at Seam	false	Half	1/4 in	4 1/4 in
Sleeve Opening Width- At Edge	S&K73	At edge	false	Half	1/4 in	4 in
Elastic Length	3cAnGJ		false	Full	1/8 in	2 3/4 in
Sleeve Cuff Height	S&K36	Cuff edge to seam	false	Full	1/8 in	1 1/4 in
Total Hood Length	LTUKXr		true	Full	1/4 in	18 1/2 in
Hood Opening	S&K40		false	Half	3/8 in	10 in
Hood Height at HPS	S&K170		false	Full	1/8 in	12 in
Hood Width 6" Below Top Edge	S&K41	Straight from CF edge to CB seam- 6" down	false	Half	3/8 in	8 1/4 in
Hood Mesh Height @ Hood Opening	hlBIBc		false	Full	1/8 in	2 1/4 in
Hood Mesh Panel Height @ CB	S&K183		false	Full	1/8 in	3 in
Hood Opening Binding Width	h3SCpy		false	Full	1/8 in	1/4 in
CF Collar Height	wSY2fS		true	Full	1/8 in	3 in
Zipper Pocket Length	VtO6JE		true	Full	1/8 in	7 1/2 in
Pocket Placement from Hem Edge	hCCi1T		true	Full	1/8 in	4 1/4 in
Pocket Forward from Side Panel Seam	7XaZ2y		false	Full	1/8 in	1/4 in
Center Sleeve Artwork on Sleeve Fold	lXyXNf		false	Full	1/8 in	0 in
WR Sleeve Artwork from Neck Seam	hhUFIU		false	Full	1/8 in	10 1/2 in
WL Chest Artwork Placement from HPS to Top Edge	S&K103		true	Full	1/8 in	7 1/2 in
WL Chest Artwork Placement Out from CF Line	S&K252		false	Full	1/8 in	2 1/4 in
WR Chest Artwork Placement from HPS to Top Edge	S&K1002		false	Full	1/8 in	7 7/8 in
WR Chest Artwork Placement Out from CF Line	S&K252		false	Full	1/8 in	3 in
CB Artwork Placement below CB Neck Seam	S&K109	From CB Neck Seam to Top Edge of Artwork	false	Full	1/8 in	1 in

Development Notes - Anastasiya Zolotova

CREATED ON NOV 7, 2025 2:55 PM

FW26CH022 Sonny Performance Hoodie

Date: 11/7/25

TD: Anastasiya

Sample Request: Requesting 1st Proto

Fit: Please follow measurement page, design sketch, and reference sample for taped paneling at side panel and sleeve.

- Set bungee into back side panel seam
- Finish pocket bag into CF/hem turn back/ and side panel seam.

fit: follow trang thông số, sketch, và mẫu tham khảo cho đường dây tape dán tại phổi sườn và tay

- đính đường may bungee và đường may sườn thân sau
- Hoàn thiện lót túi bằng cách kẹp vào đường gấp thân trước và vào đường may phổi sườn.



Screen Shot 2025-11-07 at 10.31.56 AM.jpg

COMPONENT	QTY	FABRIC	1.  PROTO
1 40/S COTTON + 75D/36F + 30D SPANDEX INTERLOCK CODE: TINT01500379 Placement: BODY, SLEEVES, SLEEVE CUFFS, DOUBLED AT HOOD, PALM SIDE POCKET BAGS, ZIPPER GARAGE AT POCKETS Supplier: UNAVAILABLE Width: 66 Weight: 360 GSM Country of Origin: VIETNAM			 Black Oyster Custom Code: 19-0205 TCX Price: 0.00
2 40/S COTTON + 75D/36F + 30D SPANDEX INTERLOCK CODE: TINT01500379 Placement: CONTRAST SIDE PANELS, KNUCKLE SIDE POCKET BAGS Supplier: UNAVAILABLE Width: 66 Weight: 360 GSM Country of Origin: VIETNAM			 Jet Black Custom Code: 19-0303 TCX Price: 0.00
3 HM230407 CODE: HM230407 Placement: CONTRAST HOOD PANEL Supplier: UNAVAILABLE Width: 64.5" Weight: 290-300 GSM			 Jet Black Custom Code: 19-0303 TCX Price: 0.00
4 IN DEV CODE: TBD Placement: SET IN PANEL SEAMS Notes: 1/8" REFLECTIVE PIPING, PLS ADVISE ARTICLE #			- IN DEV Price: 0.00
5 IN DEV CODE: TBD Placement: HOOD OPENING Notes: ELASTIC BINDING, PLS ADVISE ARTCLE #			- IN DEV Price: 0.00
6 ELASTIC CODE: ELASTIC Placement: SLEEVE CUFF INSERTS Supplier: Factory Sourced			 BLACK WIDTH: 1" Price: 0.00
7 2-24162A002-S0010 CODE: UA 3/8" Poly Neck Tape Placement: BACK NECK TAPE Supplier: UNAVAILABLE Country of Origin: VIETNAM			 Black Oyster Custom Code: 19-0205 TCX Price: 0.00
8 IN DEV CODE: TBD Placement: BOTTOM HEM TUNNEL Notes: 3MM ELASTIC BUNGEE			- IN DEV Price: 0.00
9 IN DEV CODE: TBD Placement: INTERIOR HEM @ SIDE SEAMS Notes: 2X CLEAR SILICONE STOPPER			- IN DEV Price: 0.00
10 IN DEV CODE: TBD Placement: INTERIOR HEM @ SIDE SEAMS Notes: BLACK METAL EYELETS			- IN DEV Price: 0.00
11 2-2431A007-S0010 CODE: UA 1/4"W X 1/2"L, NYLON GROSGRAIN Placement: @ BOTTOM HEM BUNGEE CORD LOCK Notes: NYLON GROSGRAIN TAB Supplier: UNAVAILABLE			 Jet Black Custom Code: 19-0303 TCX Price: 0.00
12 IN DEV CODE: TBD Placement: @ BUNGEE ENDS Notes: PLASTIC SQUARE GRIP			- IN DEV Price: 0.00

COMPONENT	QTY	1.  PROTO
		CODE
13 IN DEV CODE:  TBD Placement: POCKET OPENINGS, CF ZIPPER Notes: METAL ZIPPER HEAD AS REFERENCE		- IN DEV Price: 0.00
14 YKK COIL CLOSED END ZIPPER CODE:  TBD Placement: POCKET OPENINGS Supplier: YKK		-  Undefined SIZE: 3GG Price: 0.00
15 YKK 1-WAY COIL OPEN END ZIPPER CODE:  TBD Placement: CF ZIPPER		- YKK 1-WAY COIL OPEN END ZIPPER SIZE: 5GG Price: 0.00
16 YKK Zipper Tape CODE:  YKK Placement: CF ZIPPER		-  Undefined Price: 0.00
17 ARTWORK CODE:  AS CORRESPONDING FILE Placement: WL CHEST Notes: FOLLOW ARTWORK FILE AND POM Supplier: Factory Sourced		- ARTWORK Price: 0.00
18 ARTWORK CODE:  AS CORRESPONDING FILE Placement: WR CHEST Notes: FOLLOW ARTWORK FILE AND POM Supplier: Factory Sourced		- ARTWORK Price: 0.00
19 ARTWORK CODE:  AS CORRESPONDING FILE Placement: WR SLEEVE Notes: FOLLOW ARTWORK FILE AND POM Supplier: Factory Sourced		- ARTWORK Price: 0.00
20 ARTWORK CODE:  AS CORRESPONDING FILE Placement: CB Notes: FOLLOW ARTWORK FILE AND POM Supplier: Factory Sourced		- ARTWORK Price: 0.00
LABEL AND TRIM PACKAGE		
21 ALD X NB Masaryk Printed Label CODE:  210518 Placement: INTERIOR CB NECK Supplier: Colonial Country of Origin: CHINA	1	- ALD X NB Masaryk Printed Label Price: 0.00
Components 21		Total 0.00