





Golf Cordura Double Pleated Pant


Name	Golf Cordura Double Pleated Pant
Style No.	SS26WP024
Division	Mens
Category	Pants
Season	Spring/Summer
Year	2026
Size Scale	32 -Sample size 28 30 32 34 36 38
Style Status	Development
Designer Name	Quinton
Created by/Author	4/18/2025 Cristina Loukopoulos cristina@aimeleondore.com



01_BLACK AND WHITE SKETCH-1



02_COLOR-1




04_STITCH DETAIL-1

Comments (12)

- A1** EDGESTITCH @ TOP OF WB AND 1/4" DN TS @ BOTTOM OF WB
- A2** 1/4" DN TS @ CENTER OF BELT LOOPS WITH BARTACK REINFORCMENT
- A3** EDGESTITCH @ CF
- A4** 3/8" SN TS @ HAND POCKETS WITH BARTACK REINFORCEMENTS
- A5** CLEAN FINISH @ OUTSEAM
- A6** EDGESTITCH @ INSEAM
- A7** 3/4" SN TS @ HEM
- A8** CLEAN FINISH @ BACK DARTS
- A9** EDGESTITCH @ WL BACK WELT POCKET AND 1/8" SN TS @ POCKET FLAP - BARTACK REINFORCEMENTS AT SIDES OF WELT
- A10** EDGESTITCH @ WR BACK WELT POCKET - BARTACK REINFORCEMENTS AT SIDES OF WELT
- A11** EDGESTITCH @ CB
- A12** SN TS @ J-STITCH w/ BARTACK REINFORCMENT

1. mí điều tại đầu lưng và điều 2 kim 1/4" tại cạnh dưới lưng quần
2. điều 2 kim tại đai quần với bộ cạnh dưới như sketch
3. mí điều tại giữa trước
4. điều 1 kim 3/8" tại miệng túi trước với bộ cạnh trên và cạnh dưới túi
5. may sạch sườn ngoài
6. mí điều sườn trong
7. điều 1 kim 3/4" tại lai quần
8. may sạch tại xẻ đồ sau
9. mí điều tại cơi túi sau trái và điều 1 kim 1/8" tại nắp túi - bộ tại 2 cạnh bên của cơi túi như sketch
10. mí điều tại cơi túi sau phải - bộ 2 cạnh bên của cơi túi như sketch
11. mí điều tại giữa lưng sau
12. điều 1 kim tại nếp với bộ tại điểm dưới như sketch




05_CONSTRUCTION DETAIL-1

Comments (14)

- A1** BUTTON CLOSURE @ CF WAISTBAND
- A2** 5 BELTS LOOPS @ WB
- A3** FIXED WAISTBAND CONSTRUCTION WITH FUSIBLE
- A4** SLASH HAND POCKETS
- A5** FUNCTIONAL ZIPPER FLY CONSTRUCTION
- A6** CF RISE
- A7** DOUBLE PLEAT CONSTRUCTION @ FRONT LEGS
- A8** BUNGEE AND CORD-LOCK CONSTRUCTION @ BOTH HEMS
- A9** CORDURA WOVEN LOOP LABEL @ WL BACK WAISTBAND
- A10** DOUBLE DART CONSTRUCTION @ BACK WAIST
- A11** TBD DIRECT EMBROIDERED ARTWORK @ WR BACK
- A12** DOUBLE WELT POCKET WITH POCKET FLAP AND BUTTON CLOSURE @ WL BACK
- A13** DOUBLE WELT POCKET WITH BUTTON CLOSURE @ WR BACK
- A14** CB RISE

1. nút tại giữa lưng quần
2. lưng quần gồm 5 đai lưng
3. cấu trúc lưng quần có ép keo
4. túi trước xéo
5. dây kéo tại nếp giữa trước
6. đáy giữa trước
7. cấu trúc 2 dập li tại ống quần trước
8. dây thun tròn và con chặn tại lai quần
9. nhãn women may kẹp tại lưng quần sau trái
10. cấu trúc 2 ben ở thân sau
11. hình thêu tại thân sau phải
12. coi túi 2 lớp với nắp túi và nút tại thân sau trái
13. coi túi 2 lớp tại thân sau phải
14. đáy sau



06_BUNGEE CONSTRUCTION-1


FRONT POCKET DETAIL VIEW

thêm túi đắp tại lót túi mặt
lòng bàn tay túi trái, dây kéo
ẩn tại đường may nếp túi

TOP APPLIED PATCH POCKET
AT WL PALM SIDE POCKET BAG.
- INVISIBLE ZIPPER AT
POCKET FACING SEAM

POCKET FACING

nếp túi



07_DETAIL-1

Sample Size: 32

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	32
WAISTBAND HEIGHT	WV101		true	Full	1/8 in	1 1/2 in
WAIST CIRCUMFERENCE AT TOP EDGE	DQSI32		true	Full	1/2 in	33 1/2 in
FRONT RISE FROM CROTCH SM TO TOP EDGE	WV105	FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND	true	Full	1/4 in	13 in
BACK RISE FROM CROTCH SM TO TOP EDGE	WV106	FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND	true	Full	1/4 in	17 3/4 in
LOW HIP POSITION BELOW WB TOP EDGE	WV107	MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND	true	Full	0 in	8 in
LOW HIP CIRCUMFERENCE	WV	3PT MEAS. - FROM WR SIDE SEAM, CF, TO WL SIDE SEAM	true	Full	1/2 in	45 1/4 in
THIGH CIRC. AT 1" BELOW CROTCH SM	WV109	MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	3/8 in	29 in
KNEE CIRC. AT 12" BELOW CROTCH SM	WV110	MEAS. AT 12" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/4 in	23 3/4 in
LEG OPENING CIRC. AT BOTTOM EDGE	WV111	MEASURE AT LEG EDGE	true	Full	1/4 in	20 1/2 in
INSEAM LENGTH	WV112	MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE	true	Full	1/2 in	30 in
"J" STITCH LENGTH AT CF	WV		false	Full	1/4 in	6 3/4 in
"J" STITCH WIDTH	WV		false	Full	1/8 in	1 3/8 in
CF ZIPPER LENGTH	WV003	FROM ZIPPER TIP TO TIP	false	Full	1/4 in	6 1/4 in
BELT LOOP LENGTH	WV118		false	Full	1/8 in	2 1/8 in
BELT LOOP WIDTH	WV117		false	Full	1/8 in	3/4 in
FRONT POCKET OPENING FROM SIDE SEAM ALONG WAIST SEAM	WV		false	Full	1/8 in	1 1/4 in
FRONT POCKET OPENING LENGTH	WV	MEAS. ALONG SIDE SEAM FROM WAISTBAND SEAM	false	Full	1/4 in	6 1/2 in
FRONT POCKET BAG LENGTH	WV121	MEAS. FROM SEAM TO POCKET BAG EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	11 3/4 in
FRONT POCKET BAG WIDTH	WV122	MEASURE FROM SEAM TO WIDEST EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	6 1/2 in
BACK POCKET PLACEMENT FROM WAISTBAND SEAM	xB0dxl		false	Full	1/8 in	2 1/4 in
BACK POCKET PLACEMENT FROM CB	WV		false	Full	1/8 in	2 1/2 in
BACK POCKET WELT HEIGHT, TOTAL	OcRc2V		false	Full	1/8 in	1/2 in
BACK WELT POCKET OPENING LENGTH	WV127		false	Full	1/8 in	5 1/2 in
BACK POCKET BAG LENGTH	WV	FROM SEAM TO EDGE	false	Full	1/4 in	9 1/2 in
BACK POCKET FLAP WIDTH AT TOP	WV		false	Full	1/4 in	5 1/2 in
BACK POCKET FLAP HEIGHT AT CENTER	WV	MEASURE AT CENTER FROM WELT SEAM	false	Full	1/8 in	2 1/4 in
BACK POCKET FLAP HEIGHT AT SIDES	WV		false	Full	1/8 in	1 1/2 in
1ST PLEAT POSITION FROM TRUE CF	WV	FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	4 1/4 in
1ST PLEAT DEPTH	WV		false	Half	1/8 in	1 in
2ND PLEAT DEPTH	WV		false	Half	1/8 in	3/4 in
PLEAT SPACING	WV	FACTORY GRADE FOR PRODUCTION	false	Full	1/8 in	1 5/8 in

Development - 1st Proto Request - Kilsy Morocho

CREATED ON APR 14, 2025 5:11 PM

Status: Submit 1st Proto

Development Notes:

1. Create a pattern using the measurements and sketch provided.
1. làm rập dựa vào thông số và sketch

INTERNAL NOTES

1. Overall fit base: FW25 Officer Pant with double pleats and new design details.

Golf Cordura Double Pleated Pant - Style #SS26WP024

Mens, Pants, Spring/Summer, 2026

BOM > Set 1 of 1

04-18-2025

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	1044110 CODE: 1044110 Placement: BODY / POCKET BAGS / TAB INTERIOR BUNGEE Supplier: Takisada Width: 142CM Weight: 162GSM Country of Origin: JAPAN		Not used
2	IN DEV CODE: TBD Placement: WB FACING Notes: MESH 100% POLYESTER QUALITY, AROUND 60 GSM IN WEIGHT, PLEASE SEND OPTIONS FOR APPROVAL		Not used
3	ALD Faux Horn Button - Edge – COLORED CODE: IT11459 Placement: 1 @ CF / 1 SPARE @ COO LABEL Supplier: ITS Country of Origin: CHINA		Not used SIZE: 28L
4	ALD Faux Horn Button - Face – COLORED CODE: IT11458 Placement: 1 @ EACH BACK POCKET / 1 SPARE @ COO LABEL Supplier: ITS Country of Origin: CHINA		Not used SIZE: Undefined
5	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: CF Supplier: YKK Country of Origin: China		Not used SIZE: 5GG
6	YKK Zipper Tape CODE: YKK Placement: CF ZIPPER		Not used
7	YKK DS6 Zipper Slider CODE: DS6 Placement: CF ZIPPER Supplier: YKK		Not used
8	IN DEV CODE: TBD Placement: @ EACH INTERIOR LEG HEM Notes: TBD 2.5MM ELASTIC BUNGEE; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
9	IN DEV CODE: TBD Placement: 1 @ EACH BUNGEE END Notes: TBD CYLINDER CORD LOCK; PLEASE FOLLOW REF PHOTO AND SEND LOCAL OPTIONS FOR APPROVAL		Not used
10	IN DEV CODE: TBD Placement: 1 @ EACH BUNGEE END Notes: TBD PLASTIC SQUARE BEAD; PLEASE FOLLOW REF PHOTO AND SEND LOCAL OPTIONS FOR APPROVAL		Not used
11	IN DEV CODE: TBD Placement: @ CYLINDER CORD LOCK Notes: TBD 1/4" NYLON GROSGRAIN; SEND LOCAL OPTIONS FOR APPROVAL		Not used
12	IN DEV CODE: TBD Placement: 1 @ EACH BUNGEE EXIT Notes: TBD 14L METAL EYELET; PLS SEND LOCAL OPTIONS FOR APPROVAL		Not used
13	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: 100% POLY THREAD; TEX SIZE: T-40 SPI: 8-10 Supplier: Factory Sourced		Not used
Components 13			Total 0.00