





Golf Easy Polo


|                   |                                                                                                                   |
|-------------------|-------------------------------------------------------------------------------------------------------------------|
| Name              | Golf Easy Polo                                                                                                    |
| Style No.         | SS26CT031                                                                                                         |
| Division          | Mens                                                                                                              |
| Category          | Polos                                                                                                             |
| Season            | Spring/Summer                                                                                                     |
| Year              | 2026                                                                                                              |
| Size Scale        | <div>M</div> -Sample size <div><div>XS</div><div>S</div><div>M</div><div>L</div><div>XL</div><div>XXL</div></div> |
| Style Status      | Adopted                                                                                                           |
| Factory           | UN-AVAILABLE                                                                                                      |
| Drop              | Golf                                                                                                              |
| Designer Name     | Wes                                                                                                               |
| TD Name           | Anastasiya                                                                                                        |
| Created by/Author | 10/24/2025<br>Anastasiya Zolotova<br>anastasiya.zolotova@aimeleondore.com                                         |



1\_B&W-1



2\_CLR-1




Comments (7)

- A1** FIT: SS PRINTED GOLF POLO (SS25CT042)
- A2** COLLAR: RIB @ COLLAR - COTTON/POLY TAPE ALONG BACK NECK
- A3** GROWN ON PLACKET W/ BUTTON CLOSURE - 3X  
BUTTONS TOTAL; 2 @ CF, 1. EXTRA - SIZE: 20L
- A4** EMBROIDERED ARTWORK @ WL CHEST - SEE SEPARATE FILE FOR ARTWORK DETAILS
- A5** 1X1 RIB @ SLEEVE OPENING
- A6** VENT @ SIDE SEAMS
- A7** EMBROIDERED ARTWORK @ CB NECK - SEE ADDITIONAL FILE FOR ARTWORK DETAILS

1. fit: tham khảo SS25CT042
2. rib cotton/poly, dây tape viền cổ sau.
3. nẹp liền với 2 nút tại nẹp giữa trước và 1 nút tại nhãn thành phần (xem cách đính nút tại nhãn trang sau
4. hình thêu tại ngực trái
5. rib tại lai tay
6. xẻ tà tại đường may sườn
7. hình thêu tại giữa cổ sau

3\_Construction Details-1



Comments (7)

- A1** STRADDLE STITCH @ SHOULDER
- A2** CLEAN SEAM @ ARMHOLE
- A3** 1/8" SN TS @ PLACKET
- A4** 1/8" SN TS @ SLEEVE CUFFS
- A5** CLEAN SEAM FINISH @ SIDE SEAMS
- A6** 1/4" DN TS @ BOTTOM HEM - TURN BACK W/ COVERLOCK STITCH
- A7** EDGESTITCH @ HALF MOON

1. điều rã tại vai
2. may sạch tại nách
3. điều 1 kim 1/8" tại nẹp
4. điều 1 kim 1/8" tại lai tay
5. may sạch tại đường may sườn
6. điều 2 kim 1/4" tại lai áo
7. mí điều tại bán nguyệt đô sau

4\_Stitching Details-1

Measured Size: M

| POINT OF MEASURE                             | HOW TO MEASURE                                                | CRITICAL | TYPE | TOLERANCE | EXPECTED  | 1ST PROTO - RCVD | VARIANCE | ADJUST BY +/- | REVISED SPEC | MEASUREMENT NOTES |
|----------------------------------------------|---------------------------------------------------------------|----------|------|-----------|-----------|------------------|----------|---------------|--------------|-------------------|
| Front Body Length                            | HPS to bottom edge                                            | true     | Full | 1/4 in    | 28 1/2 in | 28 1/4 in        | -1/4 in  | 0 in          | 28 1/2 in    |                   |
| Back Body Length                             | CB neck seam to bottom edge                                   | true     | Full | 1/4 in    | 28 in     | 28 in            | 0 in     | 0 in          | 28 in        |                   |
| Shoulder Seam Forward                        | HPS to seam                                                   | false    | Full | 1/8 in    | 3/8 in    | 3/8 in           | 0 in     | 0 in          | 3/8 in       |                   |
| Shoulder Slope                               | Shoulder point perpendicular to HPS                           | false    | Full | 1/4 in    | 2 in      | 2 in             | 0 in     | 0 in          | 2 in         |                   |
| Front Neck Drop                              | HPS to neck seam                                              | false    | Full | 1/8 in    | 3 1/2 in  | 3 1/4 in         | -1/4 in  | 0 in          | 3 1/2 in     | go back to spec   |
| Back Neck Drop                               | HPS to neck seam                                              | false    | Full | 1/8 in    | 1/2 in    | 3/4 in           | 1/4 in   | 0 in          | 1/2 in       | go back to spec   |
| Back Neck Width                              | Seam to seam at back neck, at HPS point                       | false    | Full | 1/4 in    | 6 1/4 in  | 6 1/8 in         | -1/8 in  | 0 in          | 6 1/4 in     |                   |
| Across Shoulder                              | Seam to seam                                                  | false    | Half | 1/4 in    | 17 3/4 in | 17 3/4 in        | 0 in     | 0 in          | 17 3/4 in    |                   |
| Across Front/Across Back Position from HPS   |                                                               | true     | Full | 0 in      | 7 in      | 7 in             | 0 in     | 0 in          | 7 in         |                   |
| Across Front                                 | Down from HPS, Seam to seam                                   | false    | Half | 1/4 in    | 16 in     | 16 1/2 in        | 1/2 in   | 0 in          | 16 in        | go back to spec   |
| Across Back                                  | Down from HPS, Seam to Seam                                   | false    | Half | 1/4 in    | 16 3/4 in | 16 3/4 in        | 0 in     | 0 in          | 16 3/4 in    |                   |
| Chest Width                                  | 1" Below armhole- edge to edge                                | true     | Half | 1/4 in    | 21 in     | 21 1/2 in        | 1/2 in   | 1/2 in        | 21 1/2 in    | keep as sample    |
| Bottom Opening Width- At Edge                | At bottom edge                                                | true     | Half | 1/4 in    | 21 in     | 21 1/2 in        | 1/2 in   | 1/2 in        | 21 1/2 in    | keep as sample    |
| Bottom Hem Height                            | Bottom edge to stitch line or trim seam                       | false    | Full | 1/8 in    | 3/4 in    | 3/4 in           | 0 in     | 0 in          | 3/4 in       |                   |
| Sleeve Length from CB Neck                   | 3-point measure from CB Neck to shoulder point to sleeve edge | true     | Full | 1/2 in    | 18 3/4 in | 19 1/4 in        | 1/2 in   | 0 in          | 18 3/4 in    |                   |
| Armhole Drop                                 | Below HPS - measure perpendicular                             | false    | Full | 1/4 in    | 11 1/2 in | 11 1/2 in        | 0 in     | 0 in          | 11 1/2 in    |                   |
| Bicep Width                                  | 1" below armhole- edge to edge                                | false    | Half | 1/4 in    | 8 in      | 8 in             | 0 in     | 0 in          | 8 in         |                   |
| Sleeve Opening Width- At Edge                | At edge                                                       | false    | Half | 1/4 in    | 6 1/4 in  | 6 1/4 in         | 0 in     | 0 in          | 6 1/4 in     |                   |
| Cuff Height                                  | Cuff edge to seam                                             | false    | Full | 1/8 in    | 1/2 in    | 1/2 in           | 0 in     | 0 in          | 1/2 in       |                   |
| Collar Point Length                          | Neck seam to collar point, along edge                         | false    | Full | 1/8 in    | 2 1/2 in  | 2 3/4 in         | 1/4 in   | 0 in          | 2 1/2 in     | go back to spec   |
| Collar Height at CB                          | Neck seam to collar edge at CB                                | false    | Full | 1/8 in    | 3 in      | 3 1/8 in         | 1/8 in   | 0 in          | 3 in         |                   |
| Collar Length along the edge                 | Collar point to collar point, along the edge                  | false    | Full | 3/8 in    | 16 1/2 in | 16 1/4 in        | -1/4 in  | 0 in          | 16 1/2 in    |                   |
| CF Placket Length                            | CF neck drop to bottom of placket                             | true     | Full | 1/8 in    | 5 in      | 4 7/8 in         | -1/8 in  | 0 in          | 5 in         |                   |
| CF Placket Width                             | Width of placket edge to edge                                 | false    | Full | 1/8 in    | 1 1/4 in  | 1 1/4 in         | 0 in     | 0 in          | 1 1/4 in     |                   |
| 1st Button Below Neck Seam                   | From top of placket edge to center of 1st Button              | false    | Full | 1/8 in    | 3/8 in    | 1/2 in           | 1/8 in   | 0 in          | 3/8 in       |                   |
| 2nd Button Placement from Placket Edge       | To Placket edge to center of button                           | true     | Full | 0 in      | 2 in      | 1 7/8 in         | -1/8 in  | 0 in          | 2 in         | go back to spec   |
| Side Slit Height                             | From bottom edge to top of slit                               | false    | Full | 1/8 in    | 1 1/2 in  | 1 1/2 in         | 0 in     | 0 in          | 1 1/2 in     |                   |
| WL Chest Logo Placement from HPS             |                                                               | true     | Full | 1/8 in    | 8 in      | 7 1/2 in         | -1/2 in  | 0 in          | 8 in         | go back to spec   |
| WL Chest Logo Placement out from the CF Line |                                                               | false    | Full | 1/8 in    | 3 1/4 in  | 3 1/8 in         | -1/8 in  | 0 in          | 3 1/4 in     |                   |
| CB Artwork Placement below CB Neck Seam      | From CB neck seam to top Artwork                              | false    | Full | 1/8 in    | 1 in      | 1 in             | 0 in     | 0 in          | 1 in         |                   |

1st Proto - Sarah Tota

CREATED ON OCT 17, 2025 5:03 PM  
1ST PROTO: SIZE:M, CREATED AT: 10-15-2025

SS26CT031 Easy Golf Polo  
**FITTING DATE:** 10/16/2024  
**MODEL/ATTENDEES:** Jessica, Cal, Bigs, Jeni, Anastasiya, Sarah, Hyeyoung  
**STATUS:** 1st Proto Approved to 1st Fit

Fit Comments:

- 1. Front neck drop came in -1/4", go back to spec
- 2. Back neck drop came in +1/4", go back to spec
- 3. Across front came in +1/2, go back to spec
- 4. Keep chest width as sample at 21 1/2"
- 5. Keep bottom opening at edge as sample at 21 1/2"
- 6. Collar point length came in +1/4", go back to spec
- 7. 2nd button placement from placket edge came in -1/8", go back to spec
- 8. WL chest logo placement from HPS came in -1/2", go back to spec

Construction Comments:

- 1. Please use performance thread approved for golf performance tee

fit comments:

- 1. hạ cổ trước hụt -1/4", điều chỉnh thông số trong dung sai
- 2. hạ cổ sau dư 1/4", điều chỉnh thông số trong dung sai
- 3. ngang thân trước dư 1/2", điều chỉnh thông số trong dung sai
- 4. giữ rộng ngực như mẫu 21 1/2"
- 5. giữ ngang lai tại mép như mẫu 21 1/2"
- 6. dài điểm lá cổ dư 1/4", điều chỉnh thông số trong dung sai
- 7. vị trí nút thứ 2 từ mép nếp hụt -1/8", điều chỉnh thông số trong dung sai
- 8. định vị hình thêu ngực trái từ đỉnh vai hụt -1/2", điều chỉnh thông số trong dung sai

cấu trúc:


- 1. dùng 2 loại chỉ bao gồm chỉ tơ và chỉ poly 40/2 để cải thiện độ co giãn tại đường may (Anh Ngân advise vị trí may cho từng loại chỉ)

Nút dự phòng được đính ở cạnh trên nhãn thành phần bên trên dòng chữ "Aime Leon Dore". Xin vui lòng chỉ đính nó qua lớp trên cùng của nhãn thành phần. Chỉ nên không thấy chỉ ở mặt sau nơi có hướng dẫn chăm sóc.


## Spare Button Placement - Sweaters, Shirts, Knit Tops

Spare button/buttons applied to the top of care label above the "Aime Leon Dore" verbiage. Please only apply it through the top layer of the care label. Thread should not be visible at the back side where the care instructions are.

nút size từ 18L  
Up to 18 L



nút size từ 24L  
Up to 24 L





Screenshot 2025-10-17 at 1.03.03 PM.jpg