


Golf Performance Short


Golf Performance Short Name Style No. SS26WR018 Mens Division Category Shorts Season Spring/Summer Year 2026 M -Sample size Size Scale XS S M L XL XXL Designer Name Quinton Created by/Author 5/5/2025 Cristina Loukopoulos

cristina@aimeleondore.com





01_BLACK AND WHITE SKETCH-1



COCONUT MILK / TATTERSAIL PRINT



JET BLACK / TATTERSAIL PRINT

02_COLOR-1

Mens, Shorts, Spring/Summer, 2026

FABRIC / TRIM LEGEND:

FABRIC LEGEND:

SELF FABRIC: AT BODY / POCKET BAGS / BELT LOOP MILL: LEVER ARTICLE NUMBER: 1WTT008220184 QUANTTY: FTY TO ADVISE

LINING FABRIC: AT INTERIOR
MILL: LEVERSTYLE - 1KAK001220002
ARTICLE NUMBER: TBD
QUANTITY: FTY TO ADVISE

TRIM LEGEND:

CF ZIPPER TAPE: AT CF FLY VENDOR: YKK ARTICLE NUMBER: YKK - COLOR TBD QUANTITY: 01

CF ZIPPER SLIDER: AT CF FLY VENDOR: YKK ARTICLE NUMBER: YKK DS6 QUANTITY: 01

CF ZIPPER TEETH: AT CF FLY VENDOR: YKK ARTICLE NUMBER: YKK #5 COIL CLOSED END ZIPPER QUANTITY: 01

HIDDEN SNAP: AT CF WAIST VENDOR: TBD ARTICLE NUMBER: TBD 20L QUANTITY: 01

INVISIBLE ZIPPER TAPE: AT WL SIDEPOCKET / WR BACK POCKET VENDOR: YKK ARTICLE NUMBER: YKK - COLOR TBD

QUANTITY: 02

INVISIBLE ZIPPER SLIDER: AT WL SIDEPOCKET / WR BACK POCKET VENDOR: YKK
ARTICLE NUMBER: INVISIBLE TEAR DROP PULLER
QUANTITY: 02

INVISIBLE ZIPPER TEETH: AT WL SIDEPOCKET / WR BACK POCKET VENDOR: YKK
ARTICLE NUMBER: YKK #3 INVISIBLE ZIPPER
QUANTITY: 02


LASER PERFORATION: AT SIDE PANELS VENDOR: LEVER ARTICLE NUMBER: FTY SOURCED QUANTITY: FTY TO ADVISE

ARTWORK: AT WL SIDE HEM VENDOR: LEVER ARTICLE NUMBER: FTY SOURCED QUANTITY: FTY TO ADVISE

HYDRO-LOCK BUCKLE: AT OF WAISTBAND WEBBING VENDOR: LEVER ARTICLE NUMBER: CCKOU0335 QUANTITY: FTY TO ADVISE


NYLON WEBBING BELT (SILICONE DIPPED END): AT CF WAISTBAND VENDOR: LEVER
ARTICLE NUMBER: LH1539
QUANTITY: FTY TO ADVISE

03 FABRIC AND TRIM LEGEND-1



Comments (8)

- HYDRO-LOCK BUCKLE W/ SILICONE DIPPED END AND NYLON WEBBING BELT @ WAISTBAND SEE CALLOUT PAGE AND REFERENCE IMAGE FOR DETAILS
- A2 SELF FABRIC BELT LOOP @ WL FRONT WAISTBAND
- A3 SLASH POCKETS
- A4 TBD ARTWORK @ WL SIDE
- A5 EXPOSED NYLON WEBBING BELT @ CB WAISTBAND
- A6 BACK YOKE CONSTRUCTION
- A7 INVISIBLE ZIPPER @ WR BACK POCKET
- A8 LASER PERFORATION @ SIDES
- 1. cục khóa và dây tape nylon tại lưng quần xem hình tham khảo bên dưới
- 2. đai quần bằng vải chính bên trái lưng quần trước người mặc
- 3. túi xéo trước
- 4. hình thêu tại sườn trái
- 5. dây tape nylon lộ ra giữa lưng sau
- 6. đô sau
- 7. dây kéo ẩn túi sau phải người mặc
- 8. laser tại sườn




Comments (7)

- EDGSTITCH @ TOP OF WAISTBAND AND SN TS @ BOTTOM OF WAISTBAND
- BARTACK @ WR SIDE OF FRONT BELT EXIT SEE CALLOUT PAGE FOR DETAILS
- A3 CLEAN FINISH @ FRONT POCKET SEAMS
- CLEAN FINISH @ HEM TURNBACK HEM AND EDGESTITCH AT INTERIOR LINING
- A5 CLEAN FINISH @ BACK YOKE
- A6 CLEAN FINISH @ CB RISE
- A7 CLEAN FINISH @ CF RISE

1.mí diễu tại cạnh trên lưng quần và diễu kim tại cạnh dưới lưng

- 2. bọ tại cạnh phải của cục khóa xem chi tiết trang sau
- 3. may sạch tại túi trước
- 4. may sạch tại lai gập đôi lai và mí diễu tại lót trong
- 5. may sạch tại đô sau
- 6. may sạch tại đáy sau
- 7. may sạch tại đáy trước

SIDE VIEW



Comments (2)

- A1 CLEAN FINISH @ SIDE SEAMS
- LASER PERFORATION @ SIDES
- 1. may sạch tại đường may sườn
- 2. laser tại cạnh thân sau

ARTWORK DETAILS

- ARTWORK IS A DIRECT EMBRODIERY - SEE SEPARATE FILE FOR ACTUAL SIZE ARTWORK



NAVY MULTI PRINT COLORWAY



SERAFIL: #2000

JET BLACK COLORWAY



SERAFIL: #416

07_DETAIL-1

tham khảo

GARMENT REFERENCE



08_DETAIL-1

tham khảo cục khóa

CLOSURE REFERENCE






09_DETAIL-1

HYDRO-LOCK BUCKLE DETAIL VIEW

bọ tại cạnh phải cục chặn

BARTACK REINFORCEMENTS AT WR BELT OPENING



10_HYDRO-LOCK BUCKLE DETAIL

05-05-2025

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
WAISTBAND HEIGHT	WV101		true	Full	1/8 in	1 1/2 in
WAISTBAND CIRCUMFERENCE - RELAXED	WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	32 3/4 in
WAISTBAND CIRCUMFERENCE - EXTENDED	WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	44 in
DRAWCORD EXIT APART, CENTER TO CENTER - RELAXED	WV		false	Full	1/8 in	1 3/4 in
WAIST DRAWCORD LENGTH - TOTAL	WV104		true	Full	1 in	54 in
FRONT RISE FROM CROTCH SM TO TOP EDGE	WV105	FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND	true	Full	1/4 in	12 1/4 in
BACK RISE FROM CROTCH SM TO TOP EDGE	WV106	FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND	true	Full	1/2 in	15 3/4 in
LOW HIP POSITION BELOW WB TOP EDGE	WV107	MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND	true	Full	1/2 in	8 in
LOW HIP CIRCUMFERENCE	WV108	3PT MEAS FROM WR SIDE SEAM, CF, TO WL SIDE SEAM	true	Full	1/2 in	46 in
THIGH CIRC. AT 1" BELOW CROTCH SM	WV109	MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/2 in	29 1/2 in
LEG OPENING CIRC. AT BOTTOM EDGE (SHORTS)	WV130	MEASURE AT LEG EDGE	true	Full	3/8 in	28 in
LEG OPENING TURNBACK HEM HEIGHT	WV113		false	Full	1/8 in	1 in
INSEAM (SHORTS)	WV131	MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE	true	Full	1/4 in	7 in
FRONT POCKET PLACEMENT BELOW WB TOP EDGE ALONG FRONT CUT SEAM	WVPKT	ALONG FRONT CUT SEAM FROM WB TOP EDGE TO POCKET TOP EDGE	false	Full	1/8 in	2 1/2 in
FRONT POCKET OPENING LENGTH	WV FRONT POCKET	MEASURE ALONG SIDE SEAM FROM WB SEAM	false	Full	1/4 in	6 1/2 in
FRONT POCKET BAG LENGTH	WV121	MEAS. FROM SEAM TO POCKET BAG EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	12 in
FRONT POCKET BAG WIDTH	WV122	MEASURE FROM SEAM TO WIDEST EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	6 3/4 in
BACK YOKE HEIGHT AT CB	WVBOTTOMS	MEASURE ALONG CB FROM WB TOPSTITCH	false	Full	1/4 in	1 7/8 in
BACK YOKE HEIGHT AT SIDE CLOSEST TO SIDE SEAM	WVBOTTOMS	ALONG BACK CUT SEAM FROM WB TOPSTITCH TO YOKE SEAM	false	Full	1/4 in	2 1/4 in
BACK POCKET PLACEMENT BELOW WB TOP EDGE ALONG BACK CUT SEAM	WVPKT	ALONG BACK CUT SEAM FROM WB TOP EDGE TO POCKET TOP EDGE	false	Full	1/8 in	4 1/2 in
BACK POCKET ZIPPER LENGTH	WV		false	Full	1/8 in	5 1/2 in
BACK POCKET BAG LENGTH	WV	FROM SEAM TO EDGE	false	Full	1/4 in	7 in
BACK POCKET BAG WIDTH	wv	*FTY TO ADVISE ON HTM POCKET BAG WIDTH*	false	Full	1/4 in	7 in
FRONT ARTWORK PLACEMENT FROM HEM BOTTOM EDGE	WV		false	Full	1/4 in	1 3/8 in
FRONT ARTWORK PLACEMENT FROM SIDE SEAM	WV		false	Full	1/4 in	2 7/8 in

05-05-2025

Development - 1st Proto Request (UA) - Kilsy Morocho

CREATED ON MAY 2, 2025 4:00 PM

Status: Submit 1st Proto

Development Notes:

1. Please create a pattern based on the measurements and sketch provided.

1. làm rập dựa trên thông số và sketch

	COMPONENT	QTY 1. NO	COLOR ASSIGNED
1	IN DEV CODE: TBD Placement: BODY / POCKET BAGS / BELT LOOP Notes: TBD BODY QUALITY: FOLLOW REF CUTTING AND SEND COMPARABLE OPTIONS FOR APPROVAL	Not u	sed
2	IN DEV CODE: TBD Placement: LINING Notes: 100% POLYESTER MESH, AROUND 60GSM; PLEASE SEND COMP OPTIONS FOR APPROVAL	Not u	sed
3	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: @ CF FLY Supplier: YKK Country of Origin: China	Not u SIZE	ised : 5GG
4	YKK Zipper Tape CODE: YKK Placement: @ CF FLY ZIPPER	Not u	sed
5	YKK DS6 Zipper Slider CODE: DS6 Placement: @ CF FLY ZIPPER Supplier: YKK	Not u	sed
6	IN DEV CODE: TBD Placement: @ CF WAIST Notes: TBD 24L HIDDEN SNAP; PLEASE PROCEED WITH LOCAL OPTION FOR APPROVAL	Not u	sed
7	YKK INVISIBLE ZIPPER CODE: TBD Placement: @ W/L SIDE POCKET Notes: TEARDROP SLIDER Supplier: YKK	Not u SIZE	ised : 3GG
8	YKK Zipper Tape CODE: YKK Placement: @ W/L SIDE POCKET ZIPPER	Not u	sed
9	YKK INVISIBLE ZIPPER CODE: TBD Placement: @ W/R BACK POCKET Notes: TEARDROP SLIDER Supplier: YKK	Not u SIZE	ised : 3GG
10	YKK Zipper Tape CODE: YKK Placement: @ W/R BACK POCKET ZIPPER	Not u	sed
11	IN DEV CODE: TBD Placement: @ CF WB WEBBING Notes: TBD BUCKLE CLOSURE; PLEASE FOLLOW REFERENCE AND PROCEED WITH SIMILAR OPTION FOR PROTO	Not u	sed
12	IN DEV CODE: TBD Placement: @ CF WB Notes: TBD NYLON WEBBING W/ SILICONE DIPPED END; PLEASE FOLLOW REFERENCE AND PROCEED WITH SIMILAR OPTION FOR PROTO	Not u	sed
13	ARTWORK CODE: PERFORATION Placement: @ SIDE PANELS Notes: TBD A/W Supplier: Factory Sourced	Not u	sed
14	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ W/L SIDE HEM Notes: TBD A/W Supplier: Factory Sourced	Not u	sed
	Components 14		Total 0.00