



Name	Mesh Muscle Tank
Style No.	SS26CT021
Division	Mens
Category	Tees
Season	Spring/Summer
Year	2026
Size Scale	<div>M</div> -Sample size <div><div>XS</div><div>S</div><div>M</div><div>L</div><div>XL</div><div>XXL</div></div>
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	7/9/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com


Mesh Muscle Tank



1\_B&W-1




2\_CLR-1



- Comments (5)
- A1** FIT: SONNY WARM UP TANK (FW24CT041)
  - A2** 1X1 KNIT RIB BINDING @ NECK
  - A3** 1X1 KNIT RIB BINDING @ ARMHOLE
  - A4** ALD WOVEN LABEL @ SIDE SEAM
  - A5** TURN BACK @ BOTTOM HEM
1. fit: tham khảo FW24CT041  
 2. rib tại cổ  
 3. rib tại nách  
 4. nhãn cờ tại sườn ngoài trái  
 5. lai gấp đôi

3\_Construction Details-1



Comments (5)

- A1** 1/8" DN TS @ BINDING
- A2** STRADDLE STITCH @ SHOULDER
- A3** 1/8 " DN TS @ BINDING
- A4** CLEAN SEAM FINISH @ SIDE SEAM
- A5** 1/4" DNTS @ TURNBACK

- 1. điều 2 kim 1/8" tại cổ
- 2. điều rẽ tại vai
- 3. điều 2 kim 1/8" tại nách
- 4. may sạch tại đường may sườn
- 5. điều 2 kim 1/4" tại lai

4\_Stitching Details-1

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	27 1/2 in	27 3/4 in	1/4 in	-1/2 in	27 in	Follow Revised
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	26 3/4 in	26 3/4 in	0 in	-1/2 in	26 1/4 in	Follow Revised
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	4 3/8 in	5 in	5/8 in	1/8 in	4 1/2 in	Follow Revised
Back Neck Drop	HPS to neck seam	false	Full	1/8 in	3/4 in	1 1/8 in	3/8 in	0 in	3/4 in	Back to Spec
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 3/4 in	8 5/8 in	7/8 in	1/4 in	8 in	Follow Revised
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	3/4 in	7/8 in	1/8 in	0 in	3/4 in	
Minimum Neck Stretch		true	Half	0 in	11 1/2 in	0 in	0 in	0 in	11 1/2 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 in	1 7/8 in	-1/8 in	0 in	2 in	
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	
Across Shoulder	Edge to edge	false	Half	1/4 in	17 in	16 1/2 in	-1/2 in	0 in	17 in	Back to Spec
Across Front/Across Back Position from HPS		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front - Edge to Edge		true	Full	1/4 in	15 1/2 in	15 1/4 in	-1/4 in	-1/4 in	15 1/4 in	Keep As Sample
Across Back - Edge to Edge		false	Full	1/4 in	16 in	15 1/2 in	-1/2 in	-1/2 in	15 1/2 in	Keep As Sample
Chest Width	1" Below armhole- edge to edge	true	Half	1/2 in	22 in	21 in	-1 in	-1 in	21 in	Keep As Sample
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/2 in	22 in	20 3/4 in	-1 1/4 in	-1 in	21 in	Follow Revised
Bottom Hem Height		false	Full	1/8 in	1/2 in	1/2 in	0 in	3/8 in	7/8 in	Increase
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	12 1/2 in	12 1/4 in	-1/4 in	0 in	12 1/2 in	
Sleeve Binding Width		false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	

## 1st Proto - Anastasiya Zolotova

CREATED ON JUL 9, 2025 8:41 PM

1ST PROTO: SIZE:M, CREATED AT: 06-27-2025

SS26CT021 Mesh Muscle Tank

**FITTING DATE:** 7/8/25**MODEL/ATTENDEES:** Jessica, Anthony, Wes, Jeni, Anastasiya, Sarah**STATUS:** 1st Proto Approved to 1st Fit**Fit Comments:**

1. Follow revised front body length of 27".
2. Follow revised back body length of 26 1/4".
3. Follow revised front neck drop of 4 1/2".
4. Back neck drop came in +3/8", go back to spec.
5. Follow revised neck width to 8".
6. Shoulder came in -1/2", go back to spec.
7. Keep across front as sample at 15 1/4"
8. Keep across back as sample at 15 1/2"
9. Keep chest as sample at 21"
10. Increase bottom opening to 21".
11. Follow revised turn back height of 7/8".

**Construction:**

1. Change bottom opening to turn back construction, remove binding.

**cấu trúc:**

1. thay đổi cấu trúc lại gập đôi, bỏ rib

**fit comments:**

1. thay đổi dài áo thân trước 27"
2. thay đổi dài áo thân sau 26 1/4"
3. thay đổi hạ cổ trước 4 1/2"
4. hạ cổ sau dư 3/8", điều chỉnh thông số trong dung sai
5. thay đổi rộng cổ 8"
6. vai thiếu -1/2", điều chỉnh thông số trong dung sai
7. giữ ngang thân trước như mẫu 15 1/4"
8. giữ ngang thân sau như mẫu 15 1/4"
9. giữ rộng ngực như mẫu 21"
10. tăng ngang lại 21"
11. thay đổi lại gập đôi cao 7/8"



Screen Shot 2025-07-09 at 11.35.33 AM.jpg