



Name	LS Rally Tee
Style No.	SS26CT025
Division	Mens
Category	Tees
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size
	XS S M L XL XXL
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	7/21/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com


LS Rally Tee



1_B&W (3)-1



2_CLR (1)-1




Comments (6)

- A1 LS MOTO JERSEY (SS25CT031)
- A2 1X1 RIB DOUBLED @ NECK
- A3 SET IN MESH PANEL @ BODY & SLEEVES
- A4 ARTWORK @ MESH PANEL
- A5 ALD WOVEN LABEL @ SIDE SEAM
- A6 1X1 COTTON RIB DOUBLED @ SLEEVE CUFF

1. fit: tham khảo SS25CT031
2. Rib 1x1 2 lớp tại cổ
3. vải phối tại thân và tay
4. hình in tại thân trước
5. nhãn cò tại sườn ngoài
6. rib 1x1 2 lớp tại lai tay

3_Construction Details-1



Comments (6)

- A1 1/4" SN TS @ NECK
- A2 CLEAN SEAM @ SHOULDER
- A3 CLEAN SEAM @ ARMHOLE
- A4 SNES ON BODY SIDE @ PANEL
- A5 CLEAN SEAM @ SLEEVE CUFF
- A6 1/4" DN TS @ BOTTOM HEM

1. điều 1 kim 1/4" tại cổ
2. may sạch tại vai
3. may sạch tại nách
4. mí điều 1 kim tại phối
5. may sạch tại lại tay
6. điều 2 kim 1/4" tại lại áo

4_Stitching Details-1

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	27 1/2 in	27 1/4 in	-1/4 in	0 in	27 1/2 in	
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	26 3/4 in	26 1/4 in	-1/2 in	0 in	26 3/4 in	
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	1/2 in	3/8 in	-1/8 in	0 in	1/2 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 in	2 in	0 in	0 in	2 in	
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	4 1/4 in	4 1/8 in	-1/8 in	-1/2 in	3 3/4 in	Reduce
Back Neck Drop	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	3/4 in	7/8 in	1/8 in	0 in	3/4 in	
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 1/4 in	7 in	-1/4 in	1/4 in	7 1/2 in	Increase
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	1 1/4 in	1 1/4 in	0 in	0 in	1 1/4 in	
Across Shoulder Width- Seam to seam	Seam to Seam	false	Full	1/4 in	18 in	17 3/4 in	-1/4 in	0 in	18 in	
Across Front/Across Back Position from HPS		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front	Straight Down from HPS, Seam Center to Seam Center	false	Half	1/4 in	15 3/4 in	16 1/4 in	1/2 in	0 in	15 3/4 in	Back to Spec
Across Back	Straight Down from HPS, Seam Center to Seam Center	false	Half	1/4 in	16 1/4 in	16 1/4 in	0 in	0 in	16 1/4 in	
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	21 1/2 in	21 1/4 in	-1/4 in	0 in	21 1/2 in	
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/4 in	21 in	20 1/2 in	-1/2 in	0 in	21 in	Back to Spec
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	1 in	1 in	0 in	0 in	1 in	
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	34 in	33 1/2 in	-1/2 in	0 in	34 in	
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	11 1/2 in	11 3/4 in	1/4 in	0 in	11 1/2 in	
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	8 3/4 in	8 3/4 in	0 in	0 in	8 3/4 in	
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	6 1/2 in	6 1/2 in	0 in	0 in	6 1/2 in	
Sleeve Opening Width 1" Above Rib Knit Seam		true	Half	1/4 in	5 1/4 in	5 1/4 in	0 in	0 in	5 1/4 in	
Sleeve Opening Width- At Edge	At edge	false	Half	1/4 in	3 3/4 in	3 3/4 in	0 in	0 in	3 3/4 in	
Cuff Height	Cuff edge to seam	false	Full	1/8 in	2 in	1 7/8 in	-1/8 in	0 in	2 in	
Side Slit Height	From bottom edge to top of slit	false	Full	1/8 in	1 3/8 in	1 3/8 in	0 in	0 in	1 3/8 in	
Panel Placement from HPS		true	Full	1/8 in	9 1/2 in	9 1/4 in	-1/4 in	-1/2 in	9 in	Follow Revised
Panel Height at Body and Sleeve		true	Full	1/8 in	5 in	5 in	0 in	1/2 in	5 1/2 in	Increase
Sleeve Panel Placement from Sleeve Cap		true	Full	1/8 in	0 in	3 3/4 in	3 3/4 in	5 3/4 in	5 3/4 in	Move Down
Loop Label Placement at Sideseam	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	7 in	6 3/4 in	-1/4 in	0 in	7 in	Back to Spec
Center Artwork on Panel		true	Full	1/8 in	-	-		-	-	

1st Proto - Anastasiya Zolotova

CREATED ON JUL 21, 2025 8:07 PM

1ST PROTO: SIZE:M, CREATED AT: 07-15-2025

SS26CT025 LS Rally Tee

FITTING DATE: 7/17/25**MODEL/ATTENDEES:** Jessica, Anthony, Wes, Jeni, Megan, Hyeyoung, Anastasiya, Sarah**STATUS:** 1st Proto Approved to 1st Fit**Fit Comments:**

1. Follow revised front neck drop of 3 3/4"
2. Follow revised neck width of 7 1/2"
3. Across front came in +1/2", go back to spec.
4. Bottom opening came in -1/2", go back to spec.
5. Follow revised panel placement of 9" from HPS
6. Increase panel at sleeve and body
7. Follow revised panel placement at sleeve to be 5 3/4" from top of cap, panel should align with bottom of cap/armhole drop point

Construction Comments:

1. Please stitch panel seam allowance as follow
 - a. Top of panel add SNES on body side capturing panel seam allowance
 - b. Bottom of panel add SNES on body side capturing panel seam allowance

fit comments:

1. thay đổi hạ cổ trước 3 3/4"
2. thay đổi rộng cổ 7 1/2"
3. ngang thân trước dư 1/2", điều chỉnh thông số trong dung sai
4. ngang lai âm -1/2", điều chỉnh thông số trong dung sai
5. thay đổi vị trí phối từ đỉnh vai 9"
6. tăng phối tại tay và thân
7. thay đổi vị trí phối tại tay từ đầu tay 5 3/4", phối phải thẳng hàng với lai tay

cấu trúc:

1. thay đổi đường may tại phối theo bên dưới:
 - a. thêm mí điều tại cạnh trên miếng phối, phía thân áo để giữ phần dư đường may khi ráp nối giữa thân với phối
 - b. thêm mí điều tại cạnh dưới miếng phối, phía thân áo để giữ phần dư đường may khi ráp nối giữa thân với phối



Screen Shot 2025-07-21 at 2.00.38 PM.jpg