

Soccer Jersey


Name	Soccer Jersey
Style No.	SS26CT014
Division	Mens
Category	Tees
Season	Spring/Summer
Year	2026
Size Scale	<div>M</div> -Sample size <div><div>XS</div><div>S</div><div>M</div><div>L</div><div>XL</div><div>XXL</div></div>
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	9/18/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com



1_B&W-1



2_CLR-1



Comments (8)

- A1 FIT: NOVELTY JERSEY (SS24CT025)
- A2 FNR @ COLLAR - SEE ADDITIONAL PAGE FOR COLLAR CONSTRUCTION DETAILS - POLY TAPE ALONG NECK
- A3 PRINTED ARTWORK @ BODY & SLEEVES - SEE ADDITIONAL FILE FOR ARTWORK DETAILS
- A4 PIECED ON SELF CUFF @ SLEEVE CUFF
- A5 ARTWORK @ CF - SEE ADDITIONAL FILE FOR ARTWORK DETAILS
- A6 VENT @ SIDE SEAM - TURNBACK W/ COVERLOCK
- A7 PRINTED ARTWORK @ BODY & SLEEVES - SEE ADDITIONAL FILE FOR LAYOUT DETAILS
- A8 SELF @ COLLAR PLACKET

3_Construction Details-1



Comments (6)

- A1 1/4" SN TS @ NECK - EDGESTITCH @ PLACKET
- A2 CLEAN SEAM FINISH @ RAGLAN SEAM
- A3 1/4" DNTS @ CUFF
- A4 CLEAN SEAM @ SIDE SEAM
- A5 SN TS @ VENT
- A6 1/4" SN TS @ BOTTOM HEM

4_Stitching Details-1

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST FIT - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	28 in	27 3/4 in	-1/4 in	0 in	28 in	
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	27 1/4 in	27 in	-1/4 in	0 in	27 1/4 in	
Raglan Shoulder Slope	9 1/2" out from CB, at HPS line	false	Full	1/8 in	2 1/2 in	2 1/2 in	0 in	0 in	2 1/2 in	
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	6 1/2 in	3 1/4 in	-3 1/4 in	-3 in	3 1/2 in	Measured to Neckline Seam
Back Neck Drop	HPS to neck seam	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 in	7 in	0 in	-1/4 in	6 3/4 in	Reduce
Minimum Neck Stretch		true	Half	0 in	11 1/2 in	0 in	0 in	0 in	11 1/2 in	
CF Placket Length	CF neck drop to bottom of placket	true	Full	1/8 in	3 1/4 in	3 in	-1/4 in	0 in	3 1/4 in	Back to Spec
CF Placket Width @ Bottom Edge of Placket		false	Full	1/8 in	1 3/4 in	1 5/8 in	-1/8 in	0 in	1 3/4 in	
Front Raglan Seam Placement at Neck	HPS to seam straight down	false	Full	1/8 in	3 1/2 in	3 1/4 in	-1/4 in	0 in	3 1/2 in	Back to Spec
Back Raglan Seam Placement at Neck	HPS to seam straight down	false	Full	1/8 in	2 1/4 in	2 1/4 in	0 in	0 in	2 1/4 in	
Across Front	7" dwn from HPS, Seam to seam	false	Half	1/4 in	12 1/2 in	12 3/4 in	1/4 in	0 in	12 1/2 in	
Across Back	7" dwn from HPS, Seam to Seam	false	Half	1/4 in	14 in	14 in	0 in	0 in	14 in	
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	22 1/2 in	22 3/4 in	1/4 in	0 in	22 1/2 in	
Bottom Opening Width- At Edge	Straight with seam relaxed	true	Half	1/4 in	22 1/2 in	22 1/2 in	0 in	0 in	22 1/2 in	
Side Slit Height	From bottom edge to top of slit	false	Full	1/8 in	0 in	2 in	2 in	2 in	2 in	Keep As Sample
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	3/8 in	18 1/2 in	18 1/2 in	0 in	0 in	18 1/2 in	
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	11 3/4 in	11 3/4 in	0 in	0 in	11 3/4 in	
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	8 3/4 in	8 5/8 in	-1/8 in	0 in	8 3/4 in	
Sleeve Opening Width- At Edge	At edge	false	Half	1/4 in	7 in	7 in	0 in	0 in	7 in	
Sleeve Cuff Height		false	Full	1/8 in	7/8 in	7/8 in	0 in	0 in	7/8 in	
Collar Point Length	Neck seam to collar point, along edge	false	Full	1/8 in	2 1/2 in	2 1/2 in	0 in	0 in	2 1/2 in	
Collar Height at CB	Neck seam to collar edge at CB	false	Full	1/8 in	2 1/2 in	2 1/2 in	0 in	0 in	2 1/2 in	
Collar Length along the edge	Collar point to collar point, along the edge	false	Full	3/8 in	17 in	16 3/4 in	-1/4 in	0 in	17 in	
CF Artwork Placement below Placket - Queens Crest		false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
CF Artwork Placement below CF Placket - "Leon Dore Aime"		false	Full	1/8 in	5 in	5 in	0 in	0 in	5 in	
CB Artwork Placement below CB Neck Seam	From CB Neck Seam to Top Edge of Artwork	false	Full	1/8 in	4 1/2 in	5 1/2 in	1 in	1 in	5 1/2 in	Keep As Sample
WL Chest Artwork Placement from HPS to Top Edge		true	Full	1/8 in	6 3/4 in	7 1/2 in	3/4 in	3/4 in	7 1/2 in	Keep As Sample
WL Chest Artwork Placement Out from CF Line		false	Full	1/8 in	2 1/4 in	3 in	3/4 in	3/4 in	3 in	Keep As Sample
WR Chest Artwork Placement from HPS to Top Edge		false	Full	1/8 in	6 3/4 in	7 in	1/4 in	1/4 in	7 in	Keep As Sample
WR Chest Artwork Placement Out from CF Line		false	Full	1/8 in	2 in	1 3/4 in	-1/4 in	-1/4 in	1 3/4 in	Keep As Sample
WR Sleeve Artwork Placement from Hem to Bottom Edge of Artwork		false	Full	1/8 in	2 in	2 3/4 in	3/4 in	0 in	2 in	Back to Spec

WR Sleeve Artwork Centered on Sleeve Fold		true	Full	1/8 in	0 in	0 in	0 in	0 in	0 in	
-------------------------------------------	--	------	------	--------	------	------	------	------	------	--

1st Fit - Anastasiya Zolotova

CREATED ON SEP 17, 2025 6:46 PM

1ST FIT: SIZE:M, CREATED AT: 09-16-2025

SS26CT014 Soccer Jersey

FITTING DATE: 9/16/25

MODEL/ATTENDEES: Jessica, Anthony, Cal, Jeni, Anastasiya, Hyeyoung, Sarah

STATUS: 1st Fit Approved to PPS

Construction:

1. Reinforce side slit with bar tack at the top edge.
2. The self placket at cut away point tore when our fit model took it off, can you please reinforce that area with a bar tack?
3. I found a very light weight fusible at the self placket interior, is it possible to use a slightly heavier fusible?

Fit Comments:

1. The neck is standing away from wearer at the neck sides and at the back, please change the shape as shown in image to get the neck and collar to better.
2. Change neckline - font neck drop to top edge is 3 1/4", scoop out to 3 1/2". Change POM to measure to neckline rather than bottom edge of placket.
3. Reduce neck width to 6 3/4"
4. Increase back panel to be 4" along curve at neck, increase 1/2" on both sides by shifting the seam to 0" at across back point 7" from HPS
5. The sleeve width came in smaller than reference sample please increase sleeve width by 1/4" above armhole drop, see image
6. CF placket length came in -1/4", go back to spec.
7. Increase cutaway length by +1/4", sample came in 1 3/4" adjust to 2".
8. Front raglan placement came in -1/4", go back to spec.
9. Keep side slit as sample at 2".
10. Keep CB artwork placement as sample at 5 1/2"
11. Keep WL chest artwork placement from HPS as sample at 7 1/2".
12. Keep WL chest artwork from CF as sample at 3".
13. Keep WR chest artwork from HPS as sample at 7"
14. Keep WR chest artwork from CF as sample at 1 3/4"
15. Sleeve artwork came in +3/4", go back to spec to be 2" above sleeve hem edge.

Artwork:

1. Please ensure when printing the artwork, it is printed centered to the panels. Currently on 1st fit the border around the artwork is different widths because it wasn't printed centered. See image.

XEM BẢNG DỊCH TRANG SAU

CẤU TRÚC Construction):

1. Tăng cường độ chắc chắn cho xẻ tà bên hông bằng bộ ở đầu đỉnh xẻ tà
2. Nẹp thân trước ở điểm xẻ góc cổ bị rách khi người mẫu cởi ra. Vui lòng tăng cường độ chắc chắn cho khu vực đó bằng một bộ?
3. Tôi thấy chất liệu keo ép được dùng cho mặt trong nẹp tự thân quá mỏng. Có thể sử dụng keo ép dày hơn một chút được không? (**Phòng ráp gợi ý keo cho MER đặt hàng**)

NHÂN XÉT VỀ FORM (Fit Comments):

1. Phần cổ áo bị đứng, cách xa người mặc ở hai bên và phía sau. Vui lòng thay đổi hình dáng như hình ảnh đã chỉ ra để phần cổ và bo cổ nằm tốt hơn.
2. Thay đổi đường viền cổ: Hạ cổ trước từ đường may trên cùng là 3 1/4", điều chỉnh khoét sâu xuống 3 1/2". Thay đổi điểm đo để đo đến đường viền cổ thay vì mép dưới nẹp.
3. Giảm rộng cổ xuống 6 3/4".
4. Tăng thân sau thêm 4" dọc theo đường cong ở cổ, tăng thêm 1/2" ở cả hai bên bằng cách dịch chuyển đường may về 0" tại điểm ngang lưng cách đỉnh vai 7".
5. Rộng tay áo nhỏ hơn mẫu đối chiếu, vui lòng tăng rộng tay thêm 1/4" phía trên hạ nách, xem hình ảnh.
6. Dài nẹp giữa thân trước bị ngắn hơn 1/4" (-1/4"), vui lòng quay lại số đo tiêu chuẩn.
7. Tăng dài phần xẻ góc (+1/4"), mẫu đang là 1 3/4", vui lòng điều chỉnh thành 2".
8. Vị trí đường raglan trước bị ngắn hơn 1/4" (-1/4"), vui lòng quay lại số đo tiêu chuẩn.
9. Giữ nguyên xẻ tà bên hông theo mẫu là 2".
10. Giữ nguyên vị trí hình in thân sau theo mẫu là 5 1/2".
11. Giữ nguyên vị trí hình in ngực trái từ đỉnh vai theo mẫu là 7 1/2".
12. Giữ nguyên vị trí hình in ngực trái từ giữa trước theo mẫu là 3".
13. Giữ nguyên vị trí hình in ngực phải từ đỉnh vai theo mẫu là 7".
14. Giữ nguyên vị trí hình in ngực phải từ giữa trước theo mẫu là 1 3/4".
15. Vị trí hình in tay áo bị dài hơn 3/4" (+3/4"), vui lòng quay lại số đo tiêu chuẩn là 2" phía trên mép lai tay.

HÌNH IN (Artwork):

Vui lòng đảm bảo khi in, hình in phải được đặt chính giữa các chi tiết. Hiện tại trên mẫu fit lần 1, viền xung quanh hình in có độ rộng khác nhau do nó không được in chính giữa. Vui lòng xem hình ảnh.



Screen Shot 2025-09-17 at 12.28.42 PM.jpg

Phần cổ áo bị đứng, cách xa người mặc ở hai bên và phía sau. Vui lòng thay đổi hình dáng như hình ảnh đã chỉ ra để phần cổ và bo cổ nằm tốt hơn.

SS26CT014 Soccer Jersey

1. The neck is standing away from wearer at the neck sides and at the back, please change the shape as shown in image to get the neck and collar to better.

Reference:



1st Fit:



Screen Shot 2025-09-18 at 11.39.33 AM.jpg

SS26CT014 Soccer Jersey

1. Phần cổ áo bị đứng, cách xa người mặc ở hai bên và phía sau. Vui lòng thay đổi hình dáng như hình ảnh đã chỉ ra để phần cổ và bo cổ nằm tốt hơn.

2. Thay đổi đường viền cổ: Hạ cổ trước từ đường may trên cùng là $3\frac{1}{4}$ ", điều chỉnh khoét sâu xuống $3\frac{1}{2}$ ". Thay đổi điểm đo để đo đến đường viền cổ thay vì mép dưới nếp.


3. Giảm rộng cổ xuống $6\frac{3}{4}$ ".

1. The neck is standing away from wearer at the neck sides and at the back, please change the shape as shown in image to get the neck and collar to better.
2. Change neckline - front neck drop to top edge is $3\frac{1}{4}$ ", scoop out to $3\frac{1}{2}$ ". Change POM to measure to neckline rather than bottom edge of placket.
3. Reduce neck width to $6\frac{3}{4}$ "

Reference:



1st Fit:




Screen Shot 2025-09-18 at 11.44.59 AM.jpg

SS26CT014 Soccer Jersey

Tăng thân sau thêm 4" dọc theo đường cong ở cổ, tăng thêm 1/2" ở cả hai bên bằng cách dịch chuyển đường may về 0" tại điểm ngang lưng cách đỉnh vai 7".

Increase back panel to be 4" along curve at neck, increase 1/2" on both sides by shifting the seam to 0" at across back point 7" from HPS



Screen Shot 2025-09-18 at 11.55.57 AM.jpg

1. Nẹp tự thân ở điểm xẻ góc bị rách khi người mẫu cởi ra. Vui lòng tăng cường độ chắc chắn cho khu vực đó bằng một bộ?
2. Tăng dài phần xẻ góc (+1/4"), mẫu đang là 1 3/4", vui lòng điều chỉnh thành 2"

SS26CT014 Soccer Jersey

1. The self placket at cut away point tore when our fit model took it off, can you please reinforce that area with a bar tack?
2. Increase cutaway length by +1/4", sample came in 1 3/4" adjust to 2".



Screen Shot 2025-09-18 at 11.58.43 AM.jpg

SS26CT014 Soccer Jersey

The sleeve width came in smaller than reference sample please increase sleeve width by 1/4" above armhole drop.

Rộng tay áo nhỏ hơn mẫu đối chiếu, vui lòng tăng rộng tay thêm 1/4" phía trên hạ nách, xem hình ảnh.



Screen Shot 2025-09-18 at 12.03.13 PM.jpg

SS26CT014 Soccer Jersey

- Hình in ở giữa thân trước không nằm chính giữa viền, bị lệch gần về phía mép ngực trái và khoảng trống ở phía dưới ít hơn phía trên.
- Hình in ở ngực trái cũng không nằm chính giữa, khoảng trống viền ở phía trên nhiều hơn phía dưới.

CF artwork isnt sitting centered in the border, closer to WL edge and less space at the bottom than the top.
WL chest artwork is also not sitting centered, more space of the border at the top then bottom edge.



Screen Shot 2025-09-18 at 12.07.51 PM.jpg

Hình in đã không được in chính giữa viền, khoảng trống viền ở phía trên nhiều hơn phía dưới. Yêu cầu là hình in phải nằm chính giữa

SS26CT014 Soccer Jersey

The artwork wasnt printed centered on the border, there is more border space at the top then the bottom intent is to have artwork sit centered.



Screen Shot 2025-09-18 at 12.06.22 PM.jpg