




SS26NBWJ000 NB RUN JACKET

Name	SS26NBWJ000 NB RUN JACKET
Style No.	SS26NBWJ000
Division	Mens
Category	Outerwear
Season	SS26
Year	2026
Size Scale	M -Sample size
	<div>XS S M L XL XXL</div>
Style Status	Development
Created by/Author	5/1/2025 Cristina Loukopoulos cristina@aimeleondore.com





01\_BLACK AND WHITE SKETCH-1



02\_COLOR-1

FABRIC / TRIM LEGEND:

FABRIC LEGEND:

**SELF OPTION 01:** AT FRONT PANEL, BACK FLOATING YOKE, TOP SLEEVES, COLLAR, WIND/CHINGAURD, CF FACING, HEM FACING, INTERNAL SHOCKCORD TUNNEL, INTERNAL LOCKER LOOP  
**MILL:** YOUNGTEX  
**ARTICLE NUMBER:** SNE-40BR2  
**QUANTITY:** FTY TO ADVISE

**SELF OPTION 02:** AT FRONT PANEL, BACK YOKE, TOP SLEEVES, COLLAR, WIND/CHINGAURD, CF FACING, HEM FACING, INTERNAL SHOCKCORD TUNNEL, INTERNAL LOCKER LOOP  
**MILL:** YOUNGTEX  
**ARTICLE NUMBER:** RESNY4X20C  
**QUANTITY:** FTY TO ADVISE

**CONTRAST FABRIC 01:** AT COLLAR FACING, UNDERSLEEVES, BACK PANEL, POCKET BAGS  
**MILL:** GRAND BOTH TEXTILE  
**ARTICLE NUMBER:** 75-100GSM VERSION OF GS-K8900  
**QUANTITY:** FTY TO ADVISE

**CONTRAST FABRIC 02:** AT AT HIDDEN STORAGE POCKETS  
**MILL:** TBD POWER MESH  
**ARTICLE NUMBER:** TBD  
**QUANTITY:** FTY TO ADVISE

TRIM LEGEND:

**INTERIOR CB LABEL:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** TBD  
**QUANTITY:** 01

**CF ZIPPER TAPE:**  
**VENDOR:** YKK  
**ARTICLE NUMBER:** 5G REVERSE COIL  
2 WAY OPEN, LEFT INSERT + REFLECTIVE  
TICKING AS PER REFERENCE  
**QUANTITY:** 01

**CF ZIPPER HEAD:**  
**VENDOR:** YKK  
**ARTICLE NUMBER:** DFBW TOP HEAD / DFBW  
BOTTOM HEAD, SHINY ENAMEL COATED  
**QUANTITY:** 01

**POCKET ZIPPERS:**  
**VENDOR:** YKK  
**ARTICLE NUMBER:** 3G REVERSE COIL 1 WAY CLOSED  
**QUANTITY:** 04

**POCKET ZIPPER HEADS:**  
**VENDOR:** YKK  
**ARTICLE NUMBER:** DFBW HEAD, SHINY ENAMEL COATED  
**QUANTITY:** 04

**ZIPPER PULL CORDS:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** ROUND ZIPPER PULL CORDS WITH  
PU DIPPED TIPS, AS PER REFERENCE PHOTO  
**QUANTITY:** 05

**THUMB LOOP ELASTIC:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** 3/8" WIDTH BRUSHED ELASTIC  
**QUANTITY:** FTY TO ADVISE

**SLEEVE OPENING ELASTIC:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** 3/8" WIDTH LIGHTWEIGHT ELASTIC  
**QUANTITY:** FTY TO ADVISE

**SHOCKCORD:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** 2.5MM SHOCKCORD  
**QUANTITY:** FTY TO ADVISE

**CORDLOCK:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** 2.5MM SHOCKCORD-COMPATIBLE  
CORDLOCK, AS PER REFERENCE PHOTO  
**QUANTITY:** 02

**SHOCKCORD BEAD:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** 2.5MM SHOCKCORD-COMPATIBLE  
SHOCKCORD BEAD, AS PER REFERENCE PHOTO  
**QUANTITY:** 02

**EYELETS:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** SHINY ENAMEL COATED EYELETS,  
COMPATIBLE WITH 2.5MM SHOCKCORD  
**QUANTITY:** 04

**CONTRAST COLOR TOP STITCHING THREAD:**  
**VENDOR:** TBD  
**ARTICLE NUMBER:** TEX40 TOP STITCHING THREAD  
**QUANTITY:** 04  
\*\*\*FOR FIRST PROTO PLEASE USE WHITE THREAD  
COLOR FOR ALL CONTRAST TOP STITCHING\*\*\*

- Comments (9)
- A1 \*\*\*ALL BODY SEAMS ARE BOUND WITH BIAS-CUT SELF BINDING (1/4" FINISHED) AT INSIDE + EDGE STITCH UNLESS OTHERWISE NOTED\*\*\*
  - A2 CONTRAST COLOR TOP STITCH
  - A3 CONTRAST COLOR TOP STITCH
  - A4 CONTRAST COLOR TOP STITCH
  - A5 CONTRAST COLOR TOP STITCH
  - A6 CONTRAST COLOR TOP STITCH
  - A7 CONTRAST COLOR TOP STITCH
  - A8 CONTRAST COLOR TOP STITCH
  - A9 CONTRAST COLOR TOP STITCH



04\_STITCH DETAIL-1




- Comments (9)
- \*\*\*PLEASE REFER TO ARTWORK FILES FOR ALL SIZING, TECHNIQUES AND COLORWAYS REQUESTED FOR ALL GRAPHICS ON THIS STYLE\*\*\*
  - A1
  - A2 CF / COLLAR: SEE DETAIL SKETCH
  - A3 HAND POCKETS: SEE DETAIL SKETCH
  - A4 BACK POCKETS: SEE DETAIL SKETCH
  - A5 HEM: SEE DETAIL SKETCH
  - A6 SLEEVE OPENING: SEE DETAIL SKETCH
  - A7 FLOATING BACK YOKE: SEE DETAIL SKETCH
  - A8 SEE DETAIL SKETCH
  - A9 POCKET BAG SHAPE SHOWN IN RED

05\_CONSTRUCTION DETAIL-1

Comments (1)

CF/ COLLAR: -SELF COLLAR, CONTRAST FABRIC 01  
COLLAR FACING -COLLAR EDGE ROLLS 1/8" TO INSIDE +  
1/4" DOUBLE NEEDLE UNDERSTITCH -EDGE STITCH AT  
NECKLINE SEAM -EXPOSED ZIPPER AT CF: ZIPPER HAS  
REFLECTIVE TICKING AS PER REFERENCE PHOTO -  
ZIPPER STITCHED CLEAN FROM BEHIND + UNDERSTITCH  
AT FACING AND 1/4" SINGLE NEEDLE TOP STITCH  
THROUGH ALL LAYERS -BAR TACKS AT TOP AND BOTTOM  
STITCHING -ZIPPER PULL CORD AT TOP ZIPPER HEAD -  
FOLDED SELF KISSING WELTS AT INSIDE ZIPPER WRAP  
TO OUTSIDE TO BECOME CHIN GUARDS -SELF FACING  
CLEAN FINISHES ZIPPER AT CF -FACING IS STITCHED TO  
BODY WITH CONTRAST FABRIC THREAD (SHOWN IN  
GREEN)

A1



A1




CF ZIPPER  
TAPE QUALITY

06\_CF AND COLLAR DETAIL-1



Comments (1)


HAND POCKETS: -LAPPED POCKET OPENING WITH HIDDEN ZIPPER -ZIPPER PULL CORD AT ZIPPER HEAD - BAR TACKS AT TOP AND BOTTOM POCKET OPENING - CONTRAST FABRIC 01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG SHAPE SHOWN IN RED -POCKET BAG STITCHED TO BODY WITH CONTRAST COLOR THREAD, SHOWN IN GREEN -POCKET BAG EXTENDS TO HEM + HIDDEN STITCH AT SIDE SEAM TO REDUCE USABLE POCKET AREA -CONTRAST FABRIC 02 STORAGE POCKETS APPLIED TO PALM SIDE HAND POCKET BAGS WITH 1/4" COVERSTITCH (TOP& BOTTOM LOOPER) -1/2" SELF TURNBACK POCKET OPENING + BAR TACKS TO SECURE AT BOTH STORAGE POCKETS -WR STORAGE POCKET HAS FOLDED CONTRAST FABRIC 02 FLAP + BAR TACKS TO REINFORCE -WR STORAGE POCKET FLAP IS SEWN DOWN TO PALM SIDE BAG AT SIDES AND TOP



07\_HAND POCKET DETAIL-1

Comments (1)


- A1** BACK POCKETS: -LAPPED POCKET OPENING WITH HIDDEN ZIPPER -ZIPPER PULL CORD AT ZIPPER HEAD - BAR TACKS AT TOP AND BOTTOM POCKET OPENING - CONTRAST FABRIC 01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG STITCHED TO BODY WITH CONTRAST COLOR THREAD, SHOWN IN GREEN



08\_BACK POCKET DETAIL-1

Comments (1)


- A1** HEM: -HIGH/LOW HEM -SELF FACING (3/4" FINISHED):  
UNDERSTITCH AT EDGE AND SINGLE NEEDLE TOP  
STITCH AT TOP, THROUGH ALL LAYERS -ENCASED  
SHOCKCORD AND SELF SHOCKCORD TUNNEL (3/8"  
FINISHED) AT INSIDE HEM -EYELETS AT SHOCKCORD  
EXITS -SHOCKCORD LOOPS THROUGH CORDLOCK,  
WHICH IS ANCHORED WITH TAPE INTO BODY SEAM -PULL  
TAB AT SHOCKCORD



09\_HEM SHOCKCORD DETAIL-1

- Comments (1)
- A1


SLEEVE HEM: -DOUBLE SELF TURNBACK SLEEVE HEM (3/8" FINISHED) WITH ENCASED UNDERCUT ELASTIC - FOLDED ELASTIC THUMB LOOP SANDWICHED BETWEEN INSIDE BODY AND SLEEVE HEM TURNBACK + HIDDEN BAR TACK TO SECURE



10\_SLEEVE OPENING DETAIL-1

Comments (2)

- A1** SELF LOCKER LOOP AT INSIDE CB NECK
- A2** FLOATING BACK YOKE: -SELF FLOATING BACK YOKE - CONTRAST FABRIC 01 BACK PANEL EXTENDS UNDERNEATH YOKE AND CONNECTS TO NECKLINE/ SHOULDERS (PANEL SHAPE SHOWN IN RED) -BACK PANEL RACERBACK EDGES ARE CLEAN FINISHED WITH 1/4" DOUBLE TURNBACK + SINGLE NEEDLE TOP STITCH - BOTTOM OF YOKE IS FINISHED WITH 1/4" DOUBLE TURNBACK + DOUBLE NEEDLE TOP STITCH -TOP ROW OF TOPSTITCHING IS CONTRAST COLOR, SHOWN IN GREEN -5 BAR TACKS AT YOKE EDGE THROUGH ALL LAYERS SECURE YOKE TO BACK PANEL -CONTRAST COLOR TOPSTITCH LINE AT NECK (SHOWN IN GREEN) THROUGH ALL LAYERS SECURES YOKE TO BACK PANEL



11\_BACK DETAIL-1

FIT REFERENCE



12\_FIT REFERENCE-1

HEAT TRANSFER ARTWORK: QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	<b>BRONZE METALLIC:</b> PANTONE: 8382 C		<b>PUNCH YELLOW:</b> COLORO: 041-96-51		<b>NORDIC GREEN</b> COLORO: 076-24-10
	<b>GOLD METALLIC:</b> PANTONE: 10354 C		<b>ALKALINE GREEN:</b> COLORO: 053-89-50		<b>TEAM RED</b> COLORO: 010-35-35
	<b>DARK SILVER METALLIC:</b> PANTONE: 8402 C		<b>NB VIBRANT ORANGE:</b> 180604-655		<b>ATLANTIC BLUE:</b> COLORO: 119-31-22
	<b>BLACK:</b> COLORO: 145-17-00		<b>BRILLIANT WHITE:</b> PANTONE: 11-4001 TCX		

QUEENS\_CREST\_NB\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - GRADIENT REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



**NORDIC GREEN / BLACK GRADIENT:**  
NORDIC GREEN: COLORO: 076-24-10  
BLACK: COLORO: 145-17-00



**ATLANTIC BLUE / BLACK GRADIENT:**  
ATLANTIC BLUE: COLORO: 119-31-22  
BLACK: COLORO: 145-17-00



**TEAM RED / BLACK GRADIENT:**  
TEAM RED: COLORO: 010-35-35  
BLACK: COLORO: 145-17-00




GRADIENT\_QUEENS\_CREST\_NB\_LOGO\_01\_HEAT\_TRANSFER-1














HEAT TRANSFER ARTWORK: *ALD NB ARC LOGO 01*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED




COLORS:

	<b>BRONZE METALLIC:</b> PANTONE: 8382 C		<b>PUNCH YELLOW:</b> COLORO: 041-96-51		<b>NORDIC GREEN</b> COLORO: 076-24-10
	<b>GOLD METALLIC:</b> PANTONE: 10354 C		<b>ALKALINE GREEN:</b> COLORO: 053-89-50		<b>TEAM RED</b> COLORO: 010-35-35
	<b>DARK SILVER METALLIC:</b> PANTONE: 8402 C		<b>NB VIBRANT ORANGE:</b> 180604-655		<b>ATLANTIC BLUE:</b> COLORO: 119-31-22
	<b>BLACK:</b> COLORO: 145-17-00		<b>BRILLIANT WHITE:</b> PANTONE: 11-4001 TCX		

ALD\_NB\_ARC\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB ARC LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:  
NORDIC GREEN: COLORO: 076-24-10  
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:  
ATLANTIC BLUE: COLORO: 119-31-22  
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:  
TEAM RED: COLORO: 010-35-35  
BLACK: COLORO: 145-17-00



GRADIENT\_ALD\_NB\_ARC\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: *ALD NB STACK LOGO 01*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	<b>BRONZE METALLIC:</b> PANTONE: 8382 C		<b>PUNCH YELLOW:</b> COLORO: 041-96-51		<b>NORDIC GREEN</b> COLORO: 076-24-10
	<b>GOLD METALLIC:</b> PANTONE: 10354 C		<b>ALKALINE GREEN:</b> COLORO: 053-89-50		<b>TEAM RED</b> COLORO: 010-35-35
	<b>DARK SILVER METALLIC:</b> PANTONE: 8402 C		<b>NB VIBRANT ORANGE:</b> 180604-655		<b>ATLANTIC BLUE:</b> COLORO: 119-31-22
	<b>BLACK:</b> COLORO: 145-17-00		<b>BRILLIANT WHITE:</b> PANTONE: 11-4001 TCX		


ALD\_NB\_STACK\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



GRADIENT\_ALB\_NB\_STACK\_LOGO\_01\_HEAT\_TRANSFER-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
FRONT BODY LENGTH	WV001	FROM HPS TO BOTTOM EDGE	true	Full	1/2 in	27 in
BACK BODY LENGTH	WV002	FROM CB NECK SEAM TO BOTTOM EDGE	true	Full	1/2 in	27 1/2 in
CF ZIPPER LENGTH	WV003	FROM ZIPPER TIP TO TIP	true	Full	1/4 in	24 1/2 in
FRONT NECK DROP	WV004	FROM HPS LEVEL STRAIGHT DOWN TO CF NECK SEAM	true	Full	1/8 in	4 in
BACK NECK DROP	WV005	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	5/8 in
BACK NECK WIDTH	WV006	FROM SEAM TO SEAM AT BACK PANEL HPS LEVEL	true	Full	1/4 in	7 in
SHOULDER SEAM FORWARD	WV007	FROM HPS TO SHOUDLER SEAM AT NECK	false	Full	1/8 in	3/4 in
SHOULDER SLOPE	WV008	FROM HPS LEVEL STRAIGHT DOWN TO TOP OF ARMHOLE SM	true	Full	1/8 in	2 3/8 in
ACROSS SHOULDER	WV009	FROM ARMHOLE SEAM TO SEAM AT BACK PANEL	true	Full	1/4 in	19 in
ACROSS FRONT	WV010	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	16 1/2 in
ACROSS BACK	WV011	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	18 in
CHEST CIRCUMFERENCE	WV012	MEASURE 1" BELOW ARMHOLE	true	Full	1/2 in	46 in
BOTTOM OPENING CIRCUMFERENCE	WV	MEASURE AT BOTTOM HEM EDGE	true	Full	1/2 in	44 1/2 in
BOTTOM HEM TOPSTITCHING HEIGHT	WV016		false	Full	1/8 in	3/4 in
ARMHOLE DROP	WV017	FROM HPS LEVEL STRAIGHT DOWN TO UNDERARM SEAM	true	Full	1/4 in	12 1/4 in
BICEP CIRCUMFERENCE	WV018	MEASURE AT 1" BELOW ARMHOLE	true	Full	1/4 in	18 3/4 in
FOREARM CIRCUMFERENCE	WV019	MEASURE AT 9" ABOVE SLEEVE HEM EDGE	true	Full	1/4 in	15 1/4 in
SLEEVE OPENING CIRCUMFERENCE, STRETCHED	WV020-1	MEASURE AT SLEEVE EDGE	true	Full	1/4 in	12 1/2 in
SLEEVE OPENING CIRCUMFERENCE, RELAXED	WV020		true	Full	1/4 in	8 1/2 in
SLEEVE LENGTH	WV026	3PT MEAS. FROM CB NECK, ARMHOLE TO SLEEVE HEM EDGE	true	Full	1/2 in	35 1/2 in
SLEEVE HEM TOPSTITCHING HEIGHT	WV		false	Full	1/8 in	3/8 in
COLLAR HEIGHT AT CF/CB	WV022		false	Full	1/8 in	2 in
COLLAR LENGTH ALONG OUTER EDGE	WV025		false	Full	1/4 in	0 in
FRONT POCKET POSITION ABOVE BOTTOM HEM ALONG SEAM	WV		false	Full	1/8 in	3 in
FRONT POCKET ZIPPER LENGTH	iTx80u		false	Full	1/4 in	7 in
BACK POCKET POSITION ABOVE BOTTOM HEM ALONG SEAM	0Kkcl9		false	Full	1/8 in	3 in
BACK POCKET ZIPPER LENGTH	QNDoxs		false	Full	1/4 in	6 1/2 in
BACK YOKE HEIGHT AT CB	WVYOKE	FROM CB NECK SEAM TO YOKE SEAM	false	Full	1/4 in	12 in
W/L CHEST ARTWORK POSITION FROM HPS	w2uFrK		false	Full	1/4 in	0 in
W/L CHEST ARTWORK POSITION FROM TRUE CF	qmWnr3		false	Full	1/8 in	0 in
W/L SLEEVE ARTWORK POSITIOM ABOVE SLEEVE HEM EDGE	2ftbBX		false	Full	1/8 in	0 in
CB ARTWORK ABOVE BACK YOKE BOTTOM EDGE	o1gpR3		false	Full	1/8 in	0 in

## Development - Hyeyoung Cho

CREATED ON APR 21, 2025 6:20 PM


Date : 4/21/25

TD : Hyeyoung Cho

Status : Submit 1st Proto

Development notes :

1. Create a pattern following sketches and spec measurements.
2. Collar length at top edge is TBD. Will review the proto sample collar length and revise/confirm the length.
3. All pocket bag size to follow sketch proportion - will add pocket bag size is needed after reviewing the proto sample.
4. Add extra pockets to palm side of each front pocket bags. See detail sketches. Apply an envelope pocket opening to W/R extra pocket.



Screenshot 2025-04-21 at 2.10.19 PM.jpg

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	<b>SNE-40BR2</b> CODE: SNE-40BR2 Placement: @ FRONT PANEL / BACK FLOATING YOKE / TOP SLEEVES / COLLAR WIND / CHIN GUARD / CF FACING / HEM FACING / INTERNAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP Notes: OPTION 1 Country of Origin: CHINA		Not used
2	<b>RESNY4X20C</b> CODE: RESNY4X20C Placement: @ FRONT PANEL / BACK FLOATING YOKE / TOP SLEEVES / COLLAR WIND / CHIN GUARD / CF FACING / HEM FACING / INTERNAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP Notes: OPTION 2		Not used
3	<b>IN DEV</b> CODE: TBD Placement: @ COLLAR FACING / UNDER SLEEVES / BACK PANEL / POCKET BAGS Notes: CONTRAST QUALITY #1; FOLLOW REFERENCE QUALITY + WEIGHT (75-100 GSM) AND SEND COMP OPTIONS FOR APPROVAL		Not used
4	<b>MKD8604</b> CODE: MKD8604 Placement: @ HIDDEN STORAGE POCKETS Supplier: TEIJIN FRONTIER CO.,LTD. Width: 58" Weight: 172gsm Country of Origin: KOREA		Not used
5	<b>YKK 2-WAY COIL OPEN END ZIPPER</b> CODE: TBD Placement: CF Notes: *REVERSE* Supplier: YKK		Not used SIZE: 5GG
6	<b>YKK Zipper Tape</b> CODE: YKK Placement: CF ZIPPER Notes: FOLLOW REF PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
7	<b>YKK DFBW Zipper Slider</b> CODE: DFBW Placement: CF ZIPPER Notes: SHINY ENAMEL		Not used
8	<b>YKK COIL CLOSED END ZIPPER</b> CODE: TBD Placement: 1 @ EACH POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
9	<b>YKK Zipper Tape</b> CODE: YKK Placement: 1 @ EACH POCKET ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
10	<b>YKK DFBW Zipper Slider</b> CODE: DFBW Placement: 1 @ EACH POCKET ZIPPER Notes: SHINY ENAMEL		Not used
11	<b>IN DEV</b> CODE: TBD Placement: @ ALL ZIPPER SLIDERS Notes: TBD ROUND ZIPPER PULL CORD WITH PU DIPPED ENDS; FOLLOW REF PHOTO AND SEND OPTIONS FOR APPROVAL		Not used
12	<b>IN DEV</b> CODE: TBD Placement: @ EACH SLEEVE HEM Notes: TBD 3/8" THUMB LOOP ELASTIC, BRUSHED; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
13	<b>IN DEV</b> CODE: TBD Placement: INTERIOR HEM Notes: 2.5MM SHOCK CORD; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
14	<b>IN DEV</b> CODE: TBD Placement: BUNGEE ENDS Notes: TBD CORD LOCK; PLEASE FOLLOW REF PHOTO IN TP AND PROCEED WITH COMPARABLE OPTION FOR PROTO		Not used



COMPONENT		QTY	1. NO COLOR ASSIGNED
15	<b>IN DEV</b> CODE: TBD Placement: BUNGEE ENDS Notes: TBD PLASTIC SQUARE BEAD		Not used
16	<b>IN DEV</b> CODE: TBD Placement: BUNGEE EXITS Notes: 14L METAL EYELET; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
17	<b>THREAD</b> CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX40 PLEASE PROCEED WITH WHITE THREAD COLOR FOR ALL TOP STITCHING Supplier: Factory Sourced		Not used
18	<b>IN DEV</b> CODE: TBD Placement: @ CYLINDER CORD LOCK Notes: 1/4" NYLON GROSGRAIN; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
19	<b>ARTWORK</b> CODE: AS CORRESPONDING FILE Placement: @ WEARERS LEFT CHEST Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
20	<b>ARTWORK</b> CODE: AS CORRESPONDING FILE Placement: ABOVE WEARERS LEFT SLEEVE Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
21	<b>ARTWORK</b> CODE: AS CORRESPONDING FILE Placement: @ CB Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
Components		21	Total 0.00