


SS26NBWJ001 NB RUN HZ HOOD

Name	SS26NBWJ001 NB RUN HZ HOOD
Style No.	SS26NBWJ001
Division	Mens
Category	Outerwear
Season	SS26
Year	2026
Size Scale	M -Sample size

XS S M L XL XXL

Created by/Author 5/1/2025
Cristina Loukopoulos
cristina@aimeleondore.com




01_BLACK AND WHITE SKETCH-1




02_COLOR-1

- Comments (6)
- A1 ***ALL BODY SEAMS ARE BOUND WITH BIAS-CUT SELF BINDING (1/4" FINISHED) AT INSIDE + EDGE STITCH UNLESS OTHERWISE NOTED***
 - A2 CONTRAST COLOR TOP STITCH
 - A3 CONTRAST COLOR TOP STITCH
 - A4 CONTRAST COLOR TOP STITCH
 - A5 CONTRAST COLOR TOP STITCH
 - A6 CONTRAST COLOR TOP STITCH



04_STITCH DETAIL-1


- Comments (8)
- A1 ***PLEASE REFER TO ARTWORK FILES FOR ALL SIZING, TECHNIQUES AND COLORWAYS REQUESTED FOR ALL GRAPHICS ON THIS STYLE***
 - A2 HOOD ADJUSTER: SEE DETAIL SKETCH
 - A3 HOOD / CF: SEE DETAIL SKETCH
 - A4 HEM: SEE DETAIL SKETCH
 - A5 FLOATING BACK YOKE: SEE DETAIL SKETCH
 - A6 HAND POCKETS: SEE DETAIL SKETCH
 - A7 BACK POCKET: SEE DETAIL SKETCH
 - A8 SLEEVE OPENING: SEE DETAIL SKETCH




05_CONSTRUCTION DETAIL-1

Comments (1)

A1 HOOD WIDTH ADJUSTER: -SELF HOOD WIDTH FACING BECOMES SHOCKCORD TUNNEL: HOOD WIDTH FACING IS 3/4" FINISHED AT ITS THINNEST -ENCASED SHOCKCORD -LAPPED PANEL AT CB HOOD HIDES SHOCKCORD EXIT -EYELETS, CORDLOCK AND BEAD AT SHOCKCORD EXIT




06_HOOD ADJUSTER DETAIL-1



Comments (1)

HOOD: -SELF HOOD, SELF HOOD FACING AT CF HOOD PANELS -SELF FACING AT HOOD OPENING (3/8" FINISHED) + ENCASED ELASTIC -ELASTIC RUNS THE ENTIRETY OF HOOD OPENING BUT IS NOT UNDERCUT AT CF HOOD PANELS -HIDDEN BAR TACKS AT INSIDE CF HOOD SEAMS SECURE ELASTIC -EDGE STITCH AT NECKLINE SEAM CF ZIPPER: -EXPOSED ZIPPER AT CF: ZIPPER HAS REFLECTIVE TICKING AS PER REFERENCE PHOTO -HOOD, HOOD FACING AND CF FACING CLEAN FINISH ZIPPER -EDGE STITCH AROUND ZIPPER -BAR TACKS AT TOP OF ZIPPER THROUGH ALL LAYERS - FOLDED SELF KISSING WELTS AT INSIDE ZIPPER WRAP TO OUTSIDE TO BECOME CHIN GUARDS -SELF FACING CLEAN FINISHES ZIPPER AT CF -FACING IS STITCHED TO BODY WITH CONTRAST FABRIC THREAD (SHOWN IN GREEN)

07_CF AND HOOD OPENING DETAIL-1




- Comments (1)
- A1** HEM: -EVEN HEM -SELF FACING (3/4" FINISHED):
UNDERSTITCH AT EDGE AND SINGLE NEEDLE TOP
STITCH AT TOP, THROUGH ALL LAYERS -ENCASED
SHOCKCORD AND SELF SHOCKCORD TUNNEL (3/8"
FINISHED) AT INSIDE HEM -EYELETS AT SHOCKCORD
EXITS -SHOCKCORD LOOPS THROUGH CORDLOCK,
WHICH IS ANCHORED WITH TAPE INTO BODY SEAM -PULL
TAB AT SHOCKCORD


08_HEM ADJUSTER DETAIL-1

Comments (2)

- A1** SELF LOCKER LOOP AT INSIDE CB NECK
- A2** FLOATING BACK YOKE: -SELF FLOATING BACK YOKE - SELF BACK PANEL EXTENDS UNDERNEATH YOKE AND CONNECTS TO NECKLINE/ SHOULDERS (PANEL SHAPE SHOWN IN RED) -BACK PANEL RACERBACK EDGES ARE CLEAN FINISHED WITH 1/4" DOUBLE TURNBACK + SINGLE NEEDLE TOP STITCH -BOTTOM OF YOKE IS FINISHED WITH 1/4" DOUBLE TURNBACK + SINGLE NEEDLE TOP STITCH -TOPSTITCHING IS CONTRAST COLOR, SHOWN IN GREEN -5 BAR TACKS AT YOKE EDGE THROUGH ALL LAYERS SECURE YOKE TO BACK PANEL -CONTRAST COLOR TOPSTITCH LINE AT NECK (SHOWN IN GREEN) THROUGH ALL LAYERS SECURES YOKE TO BACK PANEL



09_BACK PANEL DETAIL-1




Comments (1)

- HAND POCKETS: -EXPOSED ZIPPER AT POCKET OPENING
-EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER
GARAGE AT TOP POCKET OPENING -ZIPPER PULL CORD
AT ZIPPER HEAD -CONTRAST FABRIC 01 KNUCKLE AND
PALM SIDE POCKET BAG -POCKET BAG SHAPE SHOWN IN
RED -POCKET BAG STITCHED TO BODY WITH CONTRAST
COLOR THREAD, SHOWN IN GREEN -POCKET BAG
EXTENDS TO HEM AND SIDE SEAM + HIDDEN STITCHING
TO REDUCE USABLE POCKET AREA -CONTRAST FABRIC
02 STORAGE POCKETS APPLIED TO PALM SIDE HAND
POCKET BAGS WITH 1/4" COVERSTITCH (TOP& BOTTOM
LOOPER) -1/2" SELF TURNBACK POCKET OPENING + BAR
TACKS TO SECURE AT BOTH STORAGE POCKETS -WR
STORAGE POCKET HAS FOLDED CONTRAST FABRIC 02
FLAP + BAR TACKS TO REINFORCE -WR STORAGE
POCKET FLAP IS SEWN DOWN TO PALM SIDE BAG AT
SIDES AND TOP

10_FRONT POCKETS DETAIL-1

Comments (1)


BACK POCKET: -EXPOSED ZIPPER AT POCKET OPENING -
EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER
GARAGE AT TOP POCKET OPENING -CONTRAST FABRIC
01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG
SHAPE SHOWN IN RED -POCKET BAG STITCHED TO
BODY WITH CONTRAST COLOR THREAD, SHOWN IN
GREEN -POCKET BAG EXTENDS TO HEM -CONTRAST
FABRIC 02 STORAGE POCKET APPLIED TO PALM SIDE
HAND POCKET BAG WITH 1/4" COVERSTITCH (TOP&
BOTTOM LOOPER) -1/2" SELF TURNBACK POCKET
OPENING + BAR TACKS TO SECURE -FOLDED CONTRAST
FABRIC 02 FLAP AT TOP OF STORAGE POCKET + BAR
TACKS TO REINFORCE -STORAGE POCKET FLAP IS SEWN
DOWN TO PALM SIDE BAG AT SIDES AND TOP



11_BACK POCKET DETAIL-1

Comments (1)

A1 SLEEVE HEM: -DOUBLE SELF TURNBACK SLEEVE HEM (3/8" FINISHED) WITH ENCASED UNDERCUT ELASTIC - FOLDED ELASTIC THUMB LOOP SANDWICHED BETWEEN INSIDE BODY AND SLEEVE HEM TURNBACK + HIDDEN BAR TACK TO SECURE



12_CUFF DETAIL-1

FIT REFERENCE



13_FIT REFERENCE-1

HEAT TRANSFER ARTWORK: QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - GRADIENT REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:
NORDIC GREEN: COLORO: 076-24-10
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:
ATLANTIC BLUE: COLORO: 119-31-22
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:
TEAM RED: COLORO: 010-35-35
BLACK: COLORO: 145-17-00














GRADIENT_QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		


ALD_NB_STACK_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



GRADIENT_ALB_NB_STACK_LOGO_01_HEAT_TRANSFER-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
FRONT BODY LENGTH	WV001	FROM HPS TO BOTTOM EDGE	true	Full	1/2 in	26 1/2 in
BACK BODY LENGTH	WV002	FROM CB NECK SEAM TO BOTTOM EDGE	true	Full	1/2 in	26 in
CF ZIPPER LENGTH	WV003	FROM ZIPPER TIP TO TIP	true	Full	1/4 in	14 1/2 in
FRONT NECK DROP	WV004	FROM HPS LEVEL STRAIGHT DOWN TO CF NECK SEAM	true	Full	1/8 in	4 1/4 in
BACK NECK DROP	WV005	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	5/8 in
BACK NECK WIDTH	WV006	FROM SEAM TO SEAM AT BACK PANEL HPS LEVEL	true	Full	1/4 in	7 1/4 in
SHOULDER SEAM FORWARD	WV007	FROM HPS TO SHOUDLER SEAM AT NECK	false	Full	1/8 in	3/4 in
SHOULDER SLOPE	WV008	FROM HPS LEVEL STRAIGHT DOWN TO TOP OF ARMHOLE SM	true	Full	1/8 in	2 3/8 in
ACROSS SHOULDER	WV009	FROM ARMHOLE SEAM TO SEAM AT BACK PANEL	true	Full	1/4 in	19 1/2 in
ACROSS FRONT	WV010	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	17 in
ACROSS BACK	WV011	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	18 1/2 in
CHEST CIRCUMFERENCE	WV012	MEASURE 1" BELOW ARMHOLE	true	Full	1/2 in	48 in
BOTTOM OPENING CIRCUMFERENCE	WV	MEASURE AT BOTTOM HEM EDGE	true	Full	1/2 in	48 in
BOTTOM HEM TOPSTITCHING HEIGHT	WV016		false	Full	1/8 in	3/4 in
ARMHOLE DROP	WV017	FROM HPS LEVEL STRAIGHT DOWN TO UNDERARM SEAM	true	Full	1/4 in	12 1/2 in
BICEP CIRCUMFERENCE	WV018	MEASURE AT 1" BELOW ARMHOLE	true	Full	1/4 in	19 1/4 in
FOREARM CIRCUMFERENCE	WV019	MEASURE AT 9" ABOVE SLEEVE HEM EDGE	true	Full	1/4 in	16 in
SLEEVE OPENING CIRCUMFERENCE, STRETCHED	WV020-1	MEASURE AT SLEEVE EDGE	true	Full	1/4 in	13 in
SLEEVE OPENING CIRCUMFERENCE, RELAXED	WV020		true	Full	1/4 in	8 1/2 in
SLEEVE LENGTH	WV026	3PT MEAS. FROM CB NECK, ARMHOLE TO SLEEVE HEM EDGE	true	Full	1/2 in	35 1/2 in
SLEEVE HEM TOPSTITCHING HEIGHT	WV		false	Full	1/8 in	3/8 in
HOOD HEIGHT FROM HPS TO TOP EDGE	WVHOOD		false	Full	1/4 in	14 in
HOOD WIDTH 6" BELOW TOP EDGE	WVHOOD		false	Half	1/4 in	10 1/2 in
HOOD CENTER PANEL WIDTH	WVHOOD	AT BACK NECK SEAM	false	Full	1/4 in	4 in
HOOD CHIN GUARD HEIGHT AT CF	WVHOOD		false	Full	1/8 in	3 1/2 in
BACK YOKE HEIGHT AT CB	WVYOKE	FROM CB NECK SEAM TO YOKE SEAM	false	Full	1/4 in	13 in
FRONT POCKET ABOVE BOTTOM HEM EDGE	A6UDGS	MEASURE AT SIDE BY SIDE SEAM	false	Full	1/8 in	3 in
FRONT POCKET POSITION FROM SIDE SEAM TO TOP EDGE	CcKCwg		false	Full	1/8 in	4 1/2 in
FRONT POCKET POSITION FROM SIDE SEAM TO BOTTOM EDGE	hn7vU9		false	Full	1/8 in	3 in
FRONT POCKET WELT WIDTH, TOTAL	6rm2a		false	Full	0 in	5/8 in
FRONT POCKET ZIPPER LENGTH	WV		false	Full	1/4 in	7 in
BACK POCKET POSITION ABOVE BOTTOM HEM EDGE	yEvvob	MEASURE TO TOP OF WELT	false	Full	1/8 in	6 1/4 in
BACK POCKET WELT WIDTH, TOTAL	vh0atE		false	Full	0 in	5/8 in
BACK POCKET ZIPPER LENGTH	WV		false	Full	1/8 in	7 in

Development - Hyeyoung Cho

CREATED ON APR 21, 2025 6:37 PM


Date : 4/21/25

TD : Hyeyoung Cho

Status : Submit 1st Proto

Development notes :

1. Create a pattern following sketches and spec measurements.
2. All pocket bag size to follow sketch proportion - will add pocket bag size is needed after reviewing the proto sample.
3. Add extra pockets to palm side of each front pocket bags and back pocket bags. See detail sketches. Apply an envelope pocket opening to W/R extra pocket & back extra pocket.



Screenshot 2025-04-21 at 2.10.19 PM.jpg

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	NALUX-201W CODE: NALUX-201W Placement: @ FRONT PANEL / BACK FLOATING YOKE / SLEEVES / HOOD / HOOD FACINGS / WIND/CHIN GUARD / CF FACING / INTERNAAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP / ZIP GARAGES Notes: OPTION 1 Supplier: Young Textile Width: 58" Weight: 76 GR/SQM Country of Origin: CHINA		Not used
2	KMN-D4369RG CODE: KMN-D4369RG Placement: @ FRONT PANEL / BACK FLOATING YOKE / SLEEVES / HOOD / HOOD FACINGS / WIND/CHIN GUARD / CF FACING / INTERNAAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP / ZIP GARAGES Notes: OPTION 2 Supplier: KOOJOO FABRIC CO., LTD Width: 50" = 127cm Weight: 60G/SQM Country of Origin: KOREA Yarn Construction: N20D X N20D BLACK DOP DYED 155 X 138 / RIPSTOP		Not used
3	IN DEV CODE: TBD Placement: @ POCKET BAGS Notes: CONTRAST FABRIC #1; FOLLOW REFERENCE QUALITY + WEIGHT (75-100 GSM) AND SEND COMP OPTIONS FOR APPROVAL		Not used
4	MKD8604 CODE: MKD8604 Placement: @ HIDDEN STORAGE POCKETS Supplier: TEIJIN FRONTIER CO.,LTD. Width: 58" Weight: 172gsm Country of Origin: KOREA		Not used
5	YKK 2-WAY COIL OPEN END ZIPPER CODE: TBD Placement: @ CF Notes: *REVERSE* Supplier: YKK		Not used SIZE: 5GG
6	YKK Zipper Tape CODE: YKK Placement: @ CF ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
7	YKK DSBYG Zipper Slider CODE: DSBYG Placement: @ CF ZIPPER Notes: SHINY ENAMEL Supplier: YKK Country of Origin: CHINA		Not used
8	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: 1 @ EACH HAND POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
9	YKK Zipper Tape CODE: YKK Placement: 1 @ EACH HAND POCKET ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
10	YKK DFBW Zipper Slider CODE: DFBW Placement: 1 @ EACH HAND POCKET ZIPPER Notes: SHINY ENAMEL		Not used
11	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: 1 @ BACK POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
12	YKK Zipper Tape CODE: YKK Placement: 1 @ BACK POCKET ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
13	YKK DFBW Zipper Slider CODE: DFBW Placement: 1 @ BACK POCKET ZIPPER Notes: SHINY ENAMEL		Not used
14	IN DEV CODE: TBD Placement: 1 @ EACH HAND POCKET Notes: TBD ROUND ZIPPER PULL CORD WITH PU DIPPED ENDS; FOLLOW REF PHOTO AND SEND OPTIONS FOR APPROVAL		Not used

COMPONENT		QTY	1. NO COLOR ASSIGNED
15	IN DEV CODE: TBD Placement: @ EACH SLEEVE HEM Notes: TBD 3/8" THUMB LOOP ELASTIC, BRUSHED; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
16	ELASTIC CODE: ELASTIC Placement: @ EACH INTERIOR SLEEVE CUFF / INTERIOR HOOD Supplier: Factory Sourced		Not used WIDTH: 3/8"
17	IN DEV CODE: TBD Placement: @ INTERIOR HEM / HOOD Notes: TBD 2.5MM ELASTIC BUNGEE; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
18	IN DEV CODE: TBD Placement: @ HEM BUNGEE ENDS Notes: TBD CYLINDER CORD LOCK; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
19	IN DEV CODE: TBD Placement: @ HOOD BUNGEE ENDS Notes: TBD PLASTIC SQUARE BEAD; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
20	IN DEV CODE: TBD Placement: @ BUNGEE ENDS Notes: TBD PLASTIC SQUARE BEAD; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
21	IN DEV CODE: TBD Placement: @ BUNGEE EXITS Notes: TBD SHINY ENAMEL 14L METAL EYELET; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
22	IN DEV CODE: TBD Placement: @ CYLINDER CORD LOCK Notes: TBD 1/4" NYLON GROSGRAIN; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
23	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX40 TOP STITCHING THREAD; PLEASE PROCEED WITH WHITE THREAD FOR ALL CONTRAST TOP STITCHING Supplier: Factory Sourced		Not used
24	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ WEARERS LEFT CHEST Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
25	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ CB Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
Components		25	Total 0.00