






SS26NBWJ002 NB RUN VEST

Name	SS26NBWJ002 NB RUN VEST
Style No.	SS26NBWJ002
Division	Mens
Category	Outerwear
Season	Spring/Summer
Year	2026
Size Scale	<div>M</div> -Sample size
	<div>XS</div> <div>S</div> <div>M</div> <div>L</div> <div>XL</div> <div>XXL</div>
Style Status	Development
Created by/Author	5/1/2025 Cristina Loukopoulos cristina@aimeleondore.com



01\_BLACK AND WHITE SKETCH-1




NORDIC GREEN / BLACK OMBRE

ATLANTIC BLUE / BLACK OMBRE


TEAM RED / BLACK OMBRE

02\_COLOR-1




- Comments (6)
- \*\*\*ALL BODY SEAMS ARE BOUND WITH BIAS-CUT SELF BINDING (1/4" FINISHED) AT INSIDE + EDGE STITCH UNLESS OTHERWISE NOTED\*\*\*
  - A1 CONTRAST COLOR TOP STITCH
  - A2 CONTRAST COLOR TOP STITCH
  - A3 CONTRAST COLOR TOP STITCH
  - A4 CONTRAST COLOR TOP STITCH
  - A5 CONTRAST COLOR TOP STITCH
  - A6 CONTRAST COLOR TOP STITCH

04\_STITCH DETAIL-1



- Comments (7)
- \*\*\*PLEASE REFER TO ARTWORK FILES FOR ALL SIZING, TECHNIQUES AND COLORWAYS REQUESTED FOR ALL GRAPHICS ON THIS STYLE\*\*\*
  - A1 CF / COLLAR: SEE DETAIL SKETCH
  - A2 HEM: SEE DETAIL SKETCH
  - A3 BINDING: SEE DETAIL SKETCH
  - A4 BACK YOKE: SEE DETAIL SKETCH
  - A5 HAND POCKETS: SEE DETAIL SKETCH
  - A6 BACK POCKETS: SEE DETAIL SKETCH
  - A7

05\_CONSTRUCTION DETAIL-1




CF ZIPPER  
TAPE QUALITY

Comments (1)

CF/ COLLAR: -SELF COLLAR, CONTRAST FABRIC 01  
COLLAR FACING -COLLAR EDGE ROLLS 1/8" TO INSIDE +  
1/4" DOUBLE NEEDLE UNDERSTITCH -EDGE STITCH AT  
NECKLINE SEAM -EXPOSED ZIPPER AT CF: ZIPPER HAS  
REFLECTIVE TICKING AS PER REFERENCE PHOTO -  
ZIPPER STITCHED CLEAN FROM BEHIND + UNDERSTITCH  
AT FACING AND 1/4" SINGLE NEEDLE TOP STITCH  
THROUGH ALL LAYERS -BAR TACKS AT TOP AND BOTTOM  
STITCHING -ZIPPER PULL CORD AT TOP ZIPPER HEAD -  
FOLDED SELF KISSING WELTS AT INSIDE ZIPPER WRAP  
TO OUTSIDE TO BECOME CHIN GUARDS -SELF FACING  
CLEAN FINISHES ZIPPER AT CF -FACING IS STITCHED TO  
BODY WITH CONTRAST FABRIC THREAD (SHOWN IN  
GREEN)

06\_COLLAR AND CF DETAIL-1




Comments (1)

- A1** HEM: -HIGH/LOW HEM -SELF FACING (3/4" FINISHED): UNDERSTITCH AT EDGE AND SINGLE NEEDLE TOP STITCH AT TOP, THROUGH ALL LAYERS -ENCASED SHOCKCORD AND SELF SHOCKCORD TUNNEL (3/8" FINISHED) AT INSIDE HEM -EYELETS AT SHOCKCORD EXITS -SHOCKCORD LOOPS THROUGH CORDLOCK, WHICH IS ANCHORED WITH TAPE INTO BODY SEAM -PULL TAB AT SHOCKCORD

07\_HEM DETAIL-1

Comments (1)


- A1 ARMHOLE BINDING: -BIFOLD BINDING (10MM FINISHED WIDTH) AT ARMHOLE: BODY SANDWICHED BETWEEN BIFOLD LAYERS -1/8" 2NCS STRADDLE AT BIFOLD INNER EDGE -BIFOLD IS UNDERCUT TO HUG ARMHOLE TO BODY -BIFOLD SEAM AT SIDE SEAM



08\_BIFOLD DETAIL-1




- Comments (2)
- A1 FLOATING BACK YOKE: -BACK PANEL EXTENDS 1.5" UNDER BACK YOKE -1/4" DOUBLE SELF TURNBACK BACK PANEL AND YOKE EDGES + SINGLE NEEDLE TOP STITCH -SINGLE NEEDLE TOP STITCH ON FLOATING BACK YOKE EDGE IS CONTRAST COLOR (SHOWN IN GREEN) -10 BAR TACKS SECURE BACK YOKE TO BACK PANEL
  - A2 SELF BACK NECK FACING + CONTRAST COLOR SINGLE NEEDLE TOP STITCH THROUGH ALL LAYERS (SHOWN IN GREEN)



09\_BACK PANEL DETAIL-1

Comments (1)


HAND POCKETS: -EXPOSED ZIPPER AT POCKET OPENING  
-EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER  
GARAGE AT TOP POCKET OPENING -ZIPPER PULL CORD  
AT ZIPPER HEAD -CONTRAST FABRIC 01 KNUCKLE AND  
PALM SIDE POCKET BAG -POCKET BAG SHAPE SHOWN IN  
RED -POCKET BAG STITCHED TO BODY WITH CONTRAST  
COLOR THREAD, SHOWN IN GREEN -POCKET BAG  
EXTENDS TO HEM AND SIDE SEAM + HIDDEN STITCHING  
TO REDUCE USABLE POCKET AREA -CONTRAST FABRIC  
02 STORAGE POCKETS APPLIED TO PALM SIDE HAND  
POCKET BAGS WITH 1/4" COVERSTITCH (TOP& BOTTOM  
LOOPER) -1/2" SELF TURNBACK POCKET OPENING + BAR  
TACKS TO SECURE AT BOTH STORAGE POCKETS -WR  
STORAGE POCKET HAS FOLDED CONTRAST FABRIC 02  
FLAP + BAR TACKS TO REINFORCE -WR STORAGE  
POCKET FLAP IS SEWN DOWN TO PALM SIDE BAG AT  
SIDES AND TOP



10\_HAND POCKETS DETAIL-1

Comments (1)

- A1** BACK POCKETS: -LAPPED POCKET OPENING WITH HIDDEN ZIPPER -ZIPPER PULL CORD AT ZIPPER HEAD - BAR TACKS AT TOP AND BOTTOM POCKET OPENING - CONTRAST FABRIC 01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG STITCHED TO BODY WITH CONTRAST COLOR THREAD, SHOWN IN GREEN



11\_BACK POCKETS DETAIL-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - GRADIENT REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:  
NORDIC GREEN: COLORO: 076-24-10  
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:  
ATLANTIC BLUE: COLORO: 119-31-22  
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:  
TEAM RED: COLORO: 010-35-35  
BLACK: COLORO: 145-17-00



GRADIENT\_QUEENS\_CREST\_NB\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: *QUEENS CREST NB LOGO 01*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	<b>BRONZE METALLIC:</b> PANTONE: 8382 C		<b>PUNCH YELLOW:</b> COLORO: 041-96-51		<b>NORDIC GREEN</b> COLORO: 076-24-10
	<b>GOLD METALLIC:</b> PANTONE: 10354 C		<b>ALKALINE GREEN:</b> COLORO: 053-89-50		<b>TEAM RED</b> COLORO: 010-35-35
	<b>DARK SILVER METALLIC:</b> PANTONE: 8402 C		<b>NB VIBRANT ORANGE:</b> 180604-655		<b>ATLANTIC BLUE:</b> COLORO: 119-31-22
	<b>BLACK:</b> COLORO: 145-17-00		<b>BRILLIANT WHITE:</b> PANTONE: 11-4001 TCX		


QUEENS\_CREST\_NB\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:














GRADIENT\_ALB\_NB\_STACK\_LOGO\_01\_HEAT\_TRANSFER-1

HEAT TRANSFER ARTWORK: *ALD NB STACK LOGO 01*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
  - COLOR HEAT TRANSFER
  - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	<b>BRONZE METALLIC:</b> PANTONE: 8382 C		<b>PUNCH YELLOW:</b> COLORO: 041-96-51		<b>NORDIC GREEN</b> COLORO: 076-24-10
	<b>GOLD METALLIC:</b> PANTONE: 10354 C		<b>ALKALINE GREEN:</b> COLORO: 053-89-50		<b>TEAM RED</b> COLORO: 010-35-35
	<b>DARK SILVER METALLIC:</b> PANTONE: 8402 C		<b>NB VIBRANT ORANGE:</b> 180604-655		<b>ATLANTIC BLUE:</b> COLORO: 119-31-22
	<b>BLACK:</b> COLORO: 145-17-00		<b>BRILLIANT WHITE:</b> PANTONE: 11-4001 TCX		

ALD\_NB\_STACK\_LOGO\_01\_HEAT\_TRANSFER-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
FRONT BODY LENGTH	WV001	FROM HPS TO BOTTOM EDGE	true	Full	1/2 in	27 in
BACK BODY LENGTH	WV002	FROM CB NECK SEAM TO BOTTOM EDGE	true	Full	1/2 in	27 1/2 in
CF ZIPPER LENGTH	WV003	FROM ZIPPER TIP TO TIP	true	Full	1/4 in	24 1/2 in
FRONT NECK DROP	WV004	FROM HPS LEVEL STRAIGHT DOWN TO CF NECK SEAM	true	Full	1/8 in	4 1/4 in
BACK NECK DROP	WV005	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	5/8 in
BACK NECK WIDTH	WV006	FROM SEAM TO SEAM AT BACK PANEL HPS LEVEL	true	Full	1/4 in	7 in
SHOULDER SEAM FORWARD	WV007	FROM HPS TO SHOUDLER SEAM AT NECK	false	Full	1/8 in	3/4 in
SHOULDER SLOPE	WV008	FROM HPS LEVEL STRAIGHT DOWN TO TOP OF ARMHOLE SM	true	Full	1/8 in	2 1/8 in
ACROSS SHOULDER	WV009	FROM ARMHOLE SEAM TO SEAM AT BACK PANEL	true	Full	1/4 in	17 1/2 in
ACROSS FRONT	WV010	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	15 1/2 in
ACROSS BACK	WV011	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	16 3/4 in
CHEST CIRCUMFERENCE	WV012	MEASURE 1" BELOW ARMHOLE	true	Full	1/2 in	46 in
BOTTOM OPENING CIRCUMFERENCE	WV	MEASURE AT BOTTOM HEM EDGE	true	Full	1/2 in	44 1/2 in
BOTTOM HEM TOPSTITCHING HEIGHT	WV016		false	Full	1/8 in	3/4 in
ARMHOLE DROP	WV017	FROM HPS LEVEL STRAIGHT DOWN TO UNDERARM SEAM	true	Full	1/4 in	13 in
COLLAR HEIGHT AT CF/CB	WV023		false	Full	1/8 in	2 in
COLLAR LENGTH ALONG OUTER EDGE	WV025		false	Full	1/4 in	0 in
BACK YOKE HEIGHT AT CB	WVYOKE	FROM CB NECK SEAM TO YOKE SEAM	false	Full	1/4 in	12 in
FRONT POCKET POSITION ABOVE BOTTOM HEM EDGE	eOTDRx	AT SIDE BY SIDE SEAM	false	Full	1/8 in	3 in
FRONT POCKET POSITION FROM SIDE SEAM TO TOP EDGE	BhC3sq		false	Full	1/8 in	4 1/2 in
FRONT POCKET POSITION FROM SIDE SEAM TO BOTTOM EDGE	Nnc7BR		false	Full	1/8 in	3 in
FRONT POCKET WELT WIDTH, TOTAL	JRyPoR		false	Full	1/16 in	5/8 in
FRONT POCKET ZIPPER LENGTH	WV		false	Full	1/4 in	7 in
BACK POCKET POSITION ABOVE BOTTOM HEM EDGE	BCzKYb	MEASURE ALONG SEAM	false	Full	1/8 in	3 in
BACK POCKET ZIPPER LENGTH	WV		false	Full	1/8 in	6 1/2 in
CB ARTWORK BELOW CB NECK SEAM	SZXECl		false	Full	1/16 in	0 in
W/L CHEST ARTWORK FROM HPS	WLXBwe		false	Full	1/8 in	0 in
W/L CHEST ARTWORK FROM TRUE CF	X9SglY		false	Full	1/8 in	0 in



## Development - Hyeyoung Cho

CREATED ON APR 25, 2025 5:59 PM


Date : 4/21/25

TD : Hyeyoung Cho

Status : Submit 1st Proto

Development notes :

1. Create a pattern following sketches and spec measurements.
2. Collar length at top edge is TBD. Will review the proto sample collar length and revise/confirm the length.
3. All pocket bag size to follow sketch proportion - will add pocket bag size is needed after reviewing the proto sample.
4. Add extra pockets to palm side of each front pocket bags. See detail sketches. Apply an envelope pocket opening to W/R extra pocket.



Screenshot 2025-04-21 at 2.10.19 PM.jpg

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	<b>NALUX-201W</b> CODE: NALUX-201W Placement: @ FRONT PANEL / BACK FLOATING YOKE / TOP SLEEVES / COLLAR / WIND + CHIN GUARD / CF FACING / HEM FACING / INTERNAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP Notes: BASE OPTION 1 Supplier: Young Textile Width: 58" Weight: 76 GR/SQM Country of Origin: CHINA		Not used
2	<b>KMN-D4369RG</b> CODE: KMN-D4369RG Placement: @ FRONT PANEL / BACK FLOATING YOKE / TOP SLEEVES / COLLAR / WIND + CHIN GUARD / CF FACING / HEM FACING / INTERNAL SHOCK CORD TUNNEL / INTERNAL LOCKER LOOP Notes: BASE OPTION 2 Supplier: KOOJOO FABRIC CO., LTD Width: 50" = 127cm Weight: 60G/SQM Country of Origin: KOREA Yarn Construction: N20D X N20D BLACK DOP DYED 155 X 138 / RIPSTOP		Not used
3	<b>IN DEV</b> CODE: TBD Placement: @ COLLAR FACING / POCKET BAGS Notes: CONTRAST FABRIC #1; FOLLOW REFERENCE QUALITY + WEIGHT (75-100 GSM) AND SEND COMP OPTIONS FOR APPROVAL		Not used
4	<b>MKD8604</b> CODE: MKD8604 Placement: @ HIDDEN STORAGE POCKETS Supplier: TEIJIN FRONTIER CO.,LTD. Width: 58" Weight: 172gsm Country of Origin: KOREA		Not used
5	<b>YKK 2-WAY COIL OPEN END ZIPPER</b> CODE: TBD Placement: @ CF Notes: *REVERSE* Supplier: YKK		Not used SIZE: 5GG
6	<b>YKK Zipper Tape</b> CODE: YKK Placement: @ CF ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
7	<b>YKK DFBW Zipper Slider</b> CODE: DFBW Placement: @ CF ZIPPER Notes: SHINY ENAMEL		Not used
8	<b>YKK COIL CLOSED END ZIPPER</b> CODE: TBD Placement: @ EACH HAND POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
9	<b>YKK Zipper Tape</b> CODE: YKK Placement: @ EACH HAND POCKET ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
10	<b>YKK DFBW Zipper Slider</b> CODE: DFBW Placement: @ EACH HAND POCKET ZIPPER Notes: SHINY ENAMEL		Not used
11	<b>YKK COIL CLOSED END ZIPPER</b> CODE: TBD Placement: @ EACH BACK POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
12	<b>YKK Zipper Tape</b> CODE: YKK Placement: @ EACH BACK POCKET ZIPPER Notes: FOLLOW REFERENCE PHOTO IN TP FOR ZIPPER TAPE QUALITY		Not used
13	<b>YKK DFBW Zipper Slider</b> CODE: DFBW Placement: @ EACH BACK POCKET ZIPPER Notes: SHINY ENAMEL		Not used
14	<b>IN DEV</b> CODE: TBD Placement: @ ALL ZIPPER SLIDERS Notes: TBD ROUND ZIPPER PULL CORD WITH PU DIPPED ENDS; FOLLOW REF PHOTO AND SEND OPTIONS FOR APPROVAL		Not used

COMPONENT		QTY	1. NO COLOR ASSIGNED
15	<b>IN DEV</b> CODE: TBD Placement: @ EACH ARMHOLE Notes: TBD 10MM FINISHED STRETCH BI-FOLD ELASTIC; PLEASE FOLLOW REF PHOTO IN TP AND SEND OPTIONS FOR APPROVAL		Not used
16	<b>IN DEV</b> CODE: TBD Placement: @ INTERIOR HEM Notes: TBD 2.5MM ELASTIC BUNGEE; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
17	<b>IN DEV</b> CODE: TBD Placement: BUNGEE ENDS Notes: TBD CYLINDER CORD LOCK; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
18	<b>IN DEV</b> CODE: TBD Placement: BUNGEE ENDS Notes: TBD PLASTIC SQUARE BEAD; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
19	<b>IN DEV</b> CODE: TBD Placement: @ BUNGEE EXITS Notes: TBD SHINY ENAMEL 14L METAL EYELET; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
20	<b>IN DEV</b> CODE: TBD Placement: @ CYLINDER CORD LOCKS Notes: TBD 1/4" NYLON GROSGRAIN; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
21	<b>THREAD</b> CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX40 TOP STITCHING THREAD; PLEASE PROCEED WITH WHITE THREAD FOR ALL CONTRAST TOP STITCHING Supplier: Factory Sourced		Not used
22	<b>ARTWORK</b> CODE: AS CORRESPONDING FILE Placement: @ WEARERS LEFT CHEST Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
23	<b>ARTWORK</b> CODE: AS CORRESPONDING FILE Placement: @ CB NECK Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
Components		23	Total 0.00