





SS26NBWJ004 NB FISHTAIL PARKA


Name	SS26NBWJ004 NB FISHTAIL PARKA
Style No.	SS26NBWJ004
Division	Mens
Category	Outerwear
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size
	XS S M L XL XXL
Style Status	Development
Created by/Author	5/9/2025 Cristina Loukopoulos cristina@aimeleondore.com



01_BLACK AND WHITE SKETCH-1



02_COLOR-1




Comments (9)

- A1** ***ALL BODY SEAMS ARE FLAT FELLED WITH 3/8" DOUBLE NEEDLE TOP STITCH UNLESS OTHERWISE NOTED***
- A2** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A3** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A4** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A5** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A6** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A7** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A8** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)
- A9** CONTRAST COLOR TOP STITCH (SHOWN IN GREEN)

A1. TẤT CẢ CÁC ĐƯỜNG MAY TRÊN THÂN ÁO ĐỀU DÙNG ĐƯỜNG MAY ÉP VỚI ĐƯỜNG CHỈ KÉP 3/8" TRỪ KHI CÓ CHỈ DẪN KHÁC."

A2. ĐƯỜNG CHỈ TƯƠNG PHẢN (HIỂN THỊ BẰNG MÀU XANH LÁ CÂY)

04_STITCH DETAIL-1



Comments (9)

- A1** ***PLEASE REFER TO ARTWORK FILES FOR ALL SIZING, TECHNIQUES AND COLORWAYS REQUESTED FOR ALL GRAPHICS ON THIS STYLE***
- A2** -1" DEEP PLEATS AT ELBOW -BOTH PLEATS FACE DOWNWARD
SLEEVE OPENING: -SELF FACING (1.5" FINISHED HEIGHT) AT SLEEVE OPENING + EDGE STITCH AND CONTRAST COLOR TOP STITCH (SHOWN IN GREEN) -SELF SNAP TAB INSET INTO BACK SLEEVE SEAM + 1/4" SINGLE NEEDLE TOP STITCH, HIDDEN BAR TACKS AT SEAM TO REINFORCE -EXPOSED FEMALE SNAP PART AT TAB -TWO EXPOSED MALE SNAP PARTS AT SLEEVE OPENING, APPLIED THROUGH ALL LAYERS
- A3** BACK PANEL ADJUSTER:L -SELF REINFORCEMENT RECTANGLE APPLIED TO INSIDE BACK PANEL + EDGE STITCH -TWO FEMALE SNAP PARTS APPLIED TO BACK PANEL & REINFORCEMENT -TWO MALE SNAP PARTS APPLIED TO FISHTAIL HEM THROUGH ALL LAYERS -SNAPS CONNECT TO SHORTEN BACK BODY
- A4** HEM: -HIGH/LOW FISHTAIL HEM -SELF FACING (1.5" FINISHED HEIGHT) AT HEM + EDGE STITCH AND CONTRAST COLOR TOP STITCH (SHOWN IN GREEN) -DOUBLE SELF TURNBACK (1/2" FINISHED) AT FISHTAIL CB OPENING + SINGLE NEEDLE TOP STITCH
- A5** HAND POCKETS: SEE DETAIL SKETCH
- A6** WAIST CINCH: SEE DETAIL SKETCH
- A7** HOOD / CF: SEE DETAIL SKETCH
- A8** FLOATING BACK YOKE: SEE DETAIL SKETCH

A1. Vui lòng tham khảo các tệp thiết kế để biết tất cả các kích thước, kỹ thuật và phối màu yêu cầu

A2. Nếp gấp sâu 1" tại khuỷu tay – cả hai nếp gấp hướng xuống dưới.

A3. CỬA TAY ÁO:

- Có đường may sát mép và đường chỉ nổi màu tương phản (màu xanh lá được minh họa).

- Tab cài bằng vải chính (self snap tab) được lồng vào đường may phía sau tay áo, có đường chỉ đơn 1/4 inch, được gia cố bằng các mũi may giấu (hidden bar tacks) tại đường may.


- Phần nút cái (female snap) lộ ra ngoài tại vị trí tab.

- Hai nút đực (male snap) lộ ra ngoài tại cửa tay áo, được đính xuyên qua tất cả các lớp vải.

05_CONSTRUCTION DETAIL-1

Comments (2)

- A1** HEM CINCH: -SELF DRAWCORD TUNNEL (1/5" FINISHED) APPLIED TO INSIDE BODY WITH EDGE STITCH -ENCASED DRAWCORD -DRAWCORD BAR TACKED TO CB TUNNEL ONLY AT INSIDE TO FIX POSITION (SEE LINING SKETCH) - METAL EYELETS AT DRAWCORD EXITS AT FRONT PANELS
- A2** CF: -BODY BECOMES SELF-EXTENDING OVER AND UNDER PANELS -SELF FLOATING CF FACING (SEE LINING SKETCH) -HIDDEN ZIPPER TOP APPLIED AT CF -TOP APPLIED SELF STRIPS + EDGE STITCH HIDE ZIPPER TAPE -SELF PULL TAB AT ZIPPER HEAD -CONTRAST COLOR TOPSTITCH AT OVERPLACKET THROUGH ALL LAYERS (SHOWN IN GREEN)



06_CF DETAIL-1

A1 ỐNG ÁO CÓ DÂY RÚT: ỐNG DÂY RÚT MAY LIỀN (HOÀN THIỆN 1/5")

MAY VÀO MẶT TRONG THÂN ÁO BẰNG ĐƯỜNG MAY ÉP MẾP – DÂY RÚT ĐƯỢC LUỒN KÍN BÊN TRONG

DÂY RÚT ĐƯỢC ĐỊNH VỊ BẰNG ĐƯỜNG BỌ DÍ TẠI CHÍNH GIỮA PHÍA TRONG (THAM KHẢO HÌNH PHỐI LỚT)

CÓ MẮT CÁO KIM LOẠI TẠI VỊ TRÍ DÂY RÚT ĐI RA Ở THÂN TRƯỚC

THÂN ÁO CHÍNH TỰ KÉO DÀI LÊN TRÊN VÀ XUỐNG DƯỚI ĐỂ TẠO LỚP PHỦ

CÓ NỆP TỰ DO Ở CHÍNH GIỮA (THAM KHẢO HÌNH PHỐI LỚT)


KHÓA KÉO GIẤU ĐƯỢC MAY Ở CHÍNH GIỮA

A2 DẢI VẢI TỰ THÂN MAY ĐỀ LÊN TRÊN KHÓA KÉO VÀ MAY ÉP MẾP ĐỂ CHE BẰNG KHÓA


DÂY KÉO KÈM TAB KÉO BẰNG VẢI CÙNG LOẠI ĐƯỜNG CHỈ TRANG TRÍ MÀU TƯƠNG PHẢN MAY TRÊN LỚP NỆP NGOÀI, XUYỀN QUA TẤT CẢ CÁC LỚP VẢI (MÀU XANH LÁ)

Comments (1)

A1 HOOD: -SELF HOOD, SELF HOOD LINING -1/4" SINGLE NEEDLE TOP STITCH AT HOOD OPENING AND CF PLACKETS THROUGH ALL LAYERS -SELF DRAWCORD TUNNEL (1/2" FINISHED) ENCASED BETWEEN HOOD LAYERS -EYELETS AT DRAWCORD EXITS -SINGLE SNAP AT WR HOOD OVERLAP, APPLIED THROUGH ALL LAYERS



SNAP SHAPE / DRAWCORD REFERENCE



NÓN ÁO:

NÓN VẢI CÙNG LOẠI, LÓT NÓN CŨNG BẰNG VẢI CÙNG LOẠI

ĐƯỜNG MAY CHỈ MỘT KIM RỘNG 1/4" Ở MIỆNG NÓN VÀ NỤP THÂN TRƯỚC, MAY XUYỀN QUA TẤT CẢ CÁC LỚP

ỐNG DÂY RÚT BẰNG VẢI CÙNG LOẠI (HOÀN THIỆN 1/2"), LUỒN KÍN GIỮA CÁC LỚP NÓN CÓ MẮT CÁO GÀI KIM LOẠI TẠI LỖI RA DÂY RÚT 1 NÚT BẮM ĐƠN Ở PHẦN GIAO NÓN CHỐNG NƯỚC (WR), GẮN QUA TẤT CẢ CÁC LỚP


07_HOOD DETAIL-1

Comments (1)

HAND POCKETS: -FOLDED SELF SINGLE WELT AT POCKET OPENING (3/4" FINISHED) -EDGE STITCH AROUND WELT -SELF POCKET FLAP INSET AT TOP WELT SEAM -1/4" SINGLE NEEDLE TOP STITCH AT FLAP EDGE - FEMALE SNAP PART APPLIED TO FLAP FACING AND SELF REINFORCEMENT RECTANGLE ONLY, NOT VISIBLE ON OUTSIDE -MALE SNAP PART APPLIED TO BODY AND BOTH SELF POCKET FLAP LAYERS -POCKET FRENCH SEAMED TO CLEAN FINISH -POCKET BAG ANCHORED IN CF AND SIDE SEAM WITH SELF FABRIC TABS -HIDDEN POCKETS APPLIED TO WL AND WR PALM SIDE BAGS WITH 1/4" DOUBLE NEEDLE TOP STITCH -DOUBLE SELF HIDDEN POCKET OPENINGS (3/4" FINISHED) WITH SINGLE NEEDLE TOP STITCH + BAR TACKS TO SECURE

A1

A1



TÚI HÔNG:

MIỆNG TÚI CÓ VIỀN GẤP ĐÔI BẰNG VẢI CÙNG LOẠI (HOÀN THIỆN 3/4")

MAY ÉP MÉP QUANH VIỀN

NẮP TÚI BẰNG VẢI CÙNG LOẠI ĐƯỢC LỒNG VÀO ĐƯỜNG MAY TRÊN CỦA VIỀN

ĐƯỜNG MAY CHỈ MỘT KIM 1/4" QUANH MÉP NẮP TÚI

PHẦN CÁI CỦA NÚT BẮM ĐƯỢC ĐÍNH TRÊN MẶT TRONG NẮP TÚI VÀ MIỆNG VẢI TĂNG CƯỜNG, KHÔNG LỘ RA NGOÀI

PHẦN ĐỰC CỦA NÚT BẮM ĐƯỢC ĐÍNH TRÊN THÂN ÁO VÀ CẢ HAI LỚP CỦA NẮP TÚI

TÚI MAY KIỂU ĐÍNH KÍN ĐỂ HOÀN THIỆN SẠCH TÚI LÓT ĐƯỢC CỐ ĐỊNH VÀO ĐƯỜNG MAY GIỮA

VÀ ĐƯỜNG SƯỜN BẰNG VẢI CÙNG LOẠI CÓ TÚI ẨN GẮN TRÊN MẶT TRONG TÚI TRÁI VÀ PHẢI, MAY CHỈ HAI KIM 1/4"

HAI MIỆNG TÚI ẨN BẰNG VẢI CÙNG LOẠI (HOÀN THIỆN 3/4"), MAY CHỈ MỘT KIM + BỌ DÍ ĐỂ CỐ ĐỊNH

08_HAND POCKETS DETAIL-1

Comments (1)

FLOATING YOKE: -BACK BODY PANEL EXTENDS UNDER FLOATING YOKE, ANCHORED IN NECK SEAM TO SECURE: SANDWICHED BETWEEN HOOD LAYERS TO CLEAN FINISH -1/2" DOUBLE SELF TURNBACK BACK PANEL EDGES (SHOWN IN RED) + SINGLE NEEDLE TOP STITCH - CURVED FLOATING BACK YOKE EDGE (1.5" FINISHED) IS FACED WITH SELF + SINGLE NEEDLE TOP STITCH & UNDER STITCH



NỆP VAI TỰ DO

THÂN SAU Kéo DÀI VÀ NẪM BÊN DƯỚI NỆP VAI TỰ DO, ĐƯỢC CỐ ĐỊNH TẠI ĐƯỜNG MAY CỔ

NỆP VAI ĐƯỢC KẸP GIỮA CÁC LỚP NÓN ĐỂ HOÀN THIỆN SẠCH


MÉP THÂN SAU GẤP ĐÔI 1/2" BẰNG VẢI CÙNG LOẠI (PHẦN HIỂN THỊ MÀU ĐỎ) + MAY CHỈ MỘT KIM

MÉP DƯỚI BO CONG CỦA NỆP VAI SAU (HOÀN THIỆN 1.5") ĐƯỢC LÓT BẰNG VẢI CÙNG LOẠI + MAY CHỈ MỘT KIM VÀ MAY LÓT

09_FLOATING YOKE DETAIL-1

Comments (2)

- A1 MAIN LABEL
- A2 SELF LOCKER LOOP AT CB NECK



A1 NHÃN CHÍNH
A2 DÂY TREO ÁO BẰNG VẢI CÙNG LOẠI
TẠI CHÍNH GIỮA CỔ SAU

10_LINING DETAIL-1


FIT REFERENCE



11_FIT REFERENCE-1

EMBROIDERED ARTWORK: *ALD NB ARC LOGO 04*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - DIRECT EMBROIDERY
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

ALD_NB_ARC_LOGO_04_EMBROIDERY-1

APPLIQUE / EMBROIDERED ARTWORK: *ALD NB ARC LOGO 03*
-PLEASE DEVELOP THE BELOW ARTWORK AS APPLIQUE / DIRECT EMBROIDERY
-PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO

-  APPLIQUE FABRIC
-  SATIN STITCH TO APPLY APPLIQUE FABRIC TO BODY
-  DIRECT EMBROIDERY



ARTWORK COLORS:

- | | | |
|---|---|--|
|  |  | APPLIQUE FABRIC:
BRILLIANT WHITE
PANTONE: 11-4001 TCX |
| SATIN STITCH:
BRILLIANT WHITE
PANTONE: 11-4001 TCX | | |
| DIRECT EMBROIDERY:
BRILLIANT WHITE
PANTONE: 11-4001 TCX | | |

ALD_NB_ARC_LOGO_03_APPLIQUE_AND_EMBROIDERY-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
FRONT BODY LENGTH	WV001	FROM HPS TO BOTTOM EDGE	true	Full	1/2 in	38 in
BACK BODY LENGTH	WV002	FROM CB NECK SEAM TO BOTTOM EDGE	true	Full	1/2 in	45 in
CF ZIPPER LENGTH	WV003	FROM ZIPPER TIP TO TIP	true	Full	1/4 in	22 in
FRONT NECK DROP	WV004	FROM HPS LEVEL STRAIGHT DOWN TO CF NECK SEAM	true	Full	1/8 in	4 3/4 in
BACK NECK DROP	WV005	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	5/8 in
BACK NECK WIDTH	WV006	FROM SEAM TO SEAM AT BACK PANEL HPS LEVEL	true	Full	1/4 in	7 3/8 in
SHOULDER SEAM FORWARD	WV007	FROM HPS TO SHOUDLER SEAM AT NECK	false	Full	1/8 in	1 in
SHOULDER SLOPE	WV008	FROM HPS LEVEL STRAIGHT DOWN TO TOP OF ARMHOLE SM	true	Full	1/8 in	2 1/2 in
ACROSS SHOULDER	WV009	FROM ARMHOLE SEAM TO SEAM AT BACK PANEL	true	Full	1/4 in	21 1/4 in
ACROSS FRONT	WV010	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	18 3/4 in
ACROSS BACK	WV011	MEASURE FROM A/H SEAM TO SEAM, 7" FROM HPS FOR M SIZE, FACTORY GRADE POS. FOR ALL OTHER SIZES	true	Full	1/4 in	20 1/4 in
CHEST CIRCUMFERENCE	WV012	MEASURE 1" BELOW ARMHOLE	true	Full	1/2 in	51 1/2 in
BOTTOM OPENING CIRCUMFERENCE	WV	MEASURE AT BOTTOM HEM EDGE	true	Full	1/2 in	53 in
ARMHOLE DROP	WV017	FROM HPS LEVEL STRAIGHT DOWN TO UNDERARM SEAM	true	Full	1/4 in	14 in
BICEP CIRCUMFERENCE	WV018	MEASURE AT 1" BELOW ARMHOLE	true	Full	1/4 in	22 1/4 in
FOREARM CIRCUMFERENCE	WV019	MEASURE AT 9" ABOVE SLEEVE HEM EDGE	true	Full	1/4 in	17 1/4 in
SLEEVE OPENING CIRCUMFERENCE	WV		true	Full	1/4 in	14 1/2 in
SLEEVE LENGTH	WV026	3PT MEAS. FROM CB NECK, ARMHOLE TO SLEEVE HEM EDGE	true	Full	1/2 in	35 in
HOOD HEIGHT FROM HPS TO TOP EDGE	CQsSXY		false	Full	1/4 in	14 in
HOOD WIDTH 6" BELOW TOP EDGE	CMJQ8l		false	Full	1/4 in	10 1/2 in
HOOD DRAWCORD LENGTH, TOTAL	WVHOOD		false	Full	1/2 in	35 in
POCKET FLAP HEIGHT AT CENTER	mC7biP		false	Full	1/8 in	2 3/4 in
POCKET FLAP HEIGHT AT SIDES	Szzipwb		false	Full	1/8 in	1 1/8 in
POCKET FLAP WIDTH ALONG SEAM	GdxIH0		false	Full	1/4 in	6 3/4 in
POCKET POSITION ABOVE WAIST TUNNEL TOPSTITCHING	BUsQzL		false	Full	1/8 in	1/2 in
POCKET POSITION FROM SIDE SEAM TO BOTTOM CORNER	ObyYva		false	Full	1/8 in	3 in
POCKET POSITION FROM SIDE SEAM TO TOP CORNER	zb27IB		false	Full	1/4 in	8 1/2 in
BACK FLAP HEIGHT AT CB	znoj0a		false	Full	1/4 in	15 in
WAIST TUNNEL POSITION FROM CB NECK SEAM	KFxp7R	MEASURE AT BACK PANEL	false	Full	1/4 in	19 in
WAIST DRAWCORD LENGTH - TOTAL	WV104		false	Full	1 in	65 in
BACK BOTTOM HEM FISH MOUTH HEIGHT AT CENTER	8oOOMe		false	Full	1/4 in	8 in
BACK BOTTOM HEM FISH MOUTH WIDTH AT BOTTOM	cnjn4Y		false	Full	1/4 in	3 1/2 in

Development - Hyeyoung Cho

CREATED ON MAY 8, 2025 7:41 PM

Date : 5/8/25
TD : Hyeyoung Cho
Status : Submit 1st Proto

Development notes :
1. Create pattern following sketches and spec measurements.

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	KRLM-5214ZC(RE) CODE: KRLM-5214ZC(RE) Placement: @ BODY / CF PLACKET / HOOD / BACK BODY PANEL Notes: OPTION 1 Supplier: KOOJOO FABRIC CO., LTD Width: 54" = 137cm Weight: 145G/SQM Country of Origin: KOREA Yarn Construction: NP50D X P150D 235 X 87 / PLAIN		Not used
2	NALUX-201W CODE: NALUX-201W Placement: @ BODY / CF PLACKET / HOOD / BACK BODY PANEL Notes: OPTION 2 Supplier: Young Textile Width: 58" Weight: 76 GR/SQM Country of Origin: CHINA Yarn Construction: Nylon 40D/34F FDY X Nylon 20D/1F 266 X 177, PLAIN		Not used
3	YKK METAL CLOSED END ZIPPER. CODE: YKK METAL CLOSED END ZIPPER. Placement: @ CF Supplier: YKK Country of Origin: CHINA		Not used SIZE: 8GG
4	YKK Zipper Tape CODE: YKK Placement: @ CF ZIPPER		Not used
5	YKK DADHR Zipper Slider CODE: DADHR Placement: @ CF ZIPPER Supplier: YKK Country of Origin: CHINA		Not used
6	IN DEV CODE: TBD Placement: EXPOSED FEMALE SNAP @ EACH SLEEVE TAB / 2 MALE SNAP PARTS @ EACH SLEEVE CUFF / 2 SNAPS @ BACK PANEL ADJUSTER / 2 SNAPS @ HEM / 1 SNAP @ WEARERS RIGHT POCKET FLAP / 1 SNAP @ CF HOOD Notes: TBD 24L SHINY ENAMEL COATED METAL SNAP; PLEASE FOLLOW REFERENCE PHOTO AND SEND OPTIONS FOR APPROVAL		Not used
7	IN DEV CODE: TBD Placement: @ INTERIOR HOOD / @ INTERIOR BODY / @ INTERIOR HEM Notes: 1/4" ROUND BRAIDED NYLON DRAWCORDS;		Not used
8	IN DEV CODE: TBD Placement: 1 @ EACH HOOD DRAWCORD EXIT / 1 @ EACH BODY DRAWCORD EXIT / 1 @ EACH HEM DRAWCORD EXIT Notes: SHINY ENAMEL COATED METAL EYELETS; PLEASE PROCEED WITH SIZE COMPATIBLE WITH 1/4" DRAWCORD		Not used
9	IN DEV CODE: TBD Placement: @ DRAWCORD ENDS Notes: SHINY ENAMEL COATED METAL AGLETS; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
10	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX60 TOP STITCHING THREAD, 10-12 SPI *PLEASE USE WHITE THREAD COLOR FOR ALL CONTRAST COLOR TOP STITCHING* Supplier: Factory Sourced		Not used
11	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ WEARERS LEFT CHEST Notes: 3"W ALD NB LOGO (FOLLOW A/W + POM) Supplier: Factory Sourced		Not used
12	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ CB PANEL Notes: 7.89"W ALD NB LOGO (FOLLOW A/W + POM) Supplier: Factory Sourced		Not used
Components 12			Total 0.00