


SS26NBWP000 NB RUN PANT

Name	SS26NBWP000 NB RUN PANT
Style No.	SS26NBWP000
Division	Mens
Category	Pants
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size
	<div>XS S M L XL XXL</div>
Style Status	Development
Created by/Author	5/1/2025 Cristina Loukopoulos cristina@aimeleondore.com




001_BLACK AND WHITE SKETCH-1



NORDIC GREEN / BLACK ATLANTIC BLUE / BLACK BLACK / BLACK


002_COLOR-1




- Comments (5)
- A1 ***ALL BODY SEAMS ARE OVERLOCK + EDGE STITCH UNLESS OTHERWISE NOTED***
 - A2 CONTRAST COLOR TOP STITCH
 - A3 -1/4" DOUBLE NEEDLE TOP STITCH -BOTTOM STITCH IS CONTRAST COLOR
 - A4 -1/4" DOUBLE NEEDLE TOP STITCH -UPPER STITCH IS CONTRAST COLOR
 - A5 -1/4" DOUBLE NEEDLE TOP STITCH -UPPER STITCH IS CONTRAST COLOR

004_STITCH DETAIL-1

- Comments (9)
- A1 ***PLEASE SEE ARTWORK FILES FOR ALL SCALE, TECHNIQUE AND COLORWAYS REQUESTED***
 - A2 HAND POCKETS: SEE DETAIL SKETCH
 - A3 BACK POCKET: SEE DETAIL SKETCH
 - A4 WAISTBAND: SEE DETAIL SKETCH
 - A5 KNEE VENTS: SEE DETAIL SKETCH
 - A6 BACK YOKE VENTS: SEE DETAIL SKETCH
 - A7 HEM ADJUSTER: SEE DETAIL SKETCH
 - A8 LEG ZIPPERS: SEE DETAIL SKETCH
 - A9 CONTRAST FABRIC 01 LEG PANELLING



005_CONSTRUCTION DETAIL-1



- Comments (2)
- HAND POCKETS: -EXPOSED ZIPPER AT POCKET OPENING
-EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER
GARAGE AT TOP POCKET OPENING -ZIPPER PULL CORD
AT ZIPPER HEAD -CONTRAST FABRIC 01 KNUCKLE AND
PALM SIDE POCKET BAG -POCKET BAG STITCHED TO
BODY WITH CONTRAST COLOR THREAD, SHOWN IN
GREEN -POCKET BAG EXTENDS TO WAISTBAND AND
SIDE SEAM + HIDDEN STITCHING TO REDUCE USABLE
POCKET AREA -CONTRAST FABRIC 02 STORAGE
POCKETS APPLIED TO PALM SIDE HAND POCKET BAGS
WITH 1/4" COVERSTITCH (TOP& BOTTOM LOOPER) -1/2"
SELF TURNBACK POCKET OPENING + BAR TACKS TO
SECURE AT BOTH STORAGE POCKETS -WR STORAGE
POCKET HAS FOLDED CONTRAST FABRIC 02 FLAP + BAR
TACKS TO REINFORCE -WR STORAGE POCKET FLAP IS
SEWN DOWN TO PALM SIDE BAG AT SIDES AND TOP
WAISTBAND: -SELF WAISTBAND (1 5/8" FINISHED HEIGHT)
WITH ENCASED ELASTIC -TOP WAISTBAND SEAM ROLLS
1/8" TO INSIDE + UNDER STITCH -CONTRAST FABRIC 01
WAISTBAND FACING -TWO ROWS OF TOP STITCHING
(1/2" HEIGHT) THROUGH ALL LAYERS ARE CENTERED ON
WAISTBAND AND CREATE DRAWCORD TUNNEL -
VERTICAL BUTTONHOLES ARE DRAWCORD EXITS -
DRAWCORD IS CROSSED AT INSIDE -DOUBLE TURNBACK
DRAWCORD ENDS + BAR TACKS (1/2" FINISHED HEIGHT) -
BODY IS SANDWICHED BETWEEN WAISTBAND LAYERS
TO CLEAN FINISH SEAM + EDGE STITCH ON WAISTBAND

006_HAND POCKETS DETAIL-1




A1

A1


007_BACK POCKET DETAIL-1

- Comments (1)
- A1** KNEE VENTS: -LOWER FRONT LEG PANEL EXTENDS UNDERNEATH UPPER FRONT LEG PANEL -1/8" DENSE MERROW STITCH AT LOWER FRONT LEG PANEL EDGE - DOUBLE SELF-TURNBACK FRONT LEG PANEL EDGE + 1/4" DOUBLE NEEDLE TOP STITCH -UPPER TOP STITCH LINE IS CONTRAST COLOR -4 BAR TACKS THROUGH ALL LAYERS CONNECT FRONT PANELS: PANELS ARE FREE-FLOATING BETWEEN BAR TACKS TO ALLOW AIRFLOW




008_KNEE DETAIL-1

- Comments (1)
- HEM ADJUSTER: -SELF FACING AT HEM (3/4" FINISHED HEIGHT) + UNDERSTITCH AT SEAM AND EDGE STITCH AT TOP THROUGH ALL LAYERS -ENCASED SELF SHOCKCORD TUNNEL (3/8" FINISHED HEIGHT) -EYELETS, CORDLOCK AND BEAD AT SHOCKCORD EXITS - CORDLOCK AND ADJUSTER LOOPED THROUGH WOVEN TAPE TABS: TABS INSERTED INTO INSEAM TO SECURE + HIDDEN BAR TACKS



009_HEM DETAIL-1


- Comments (1)
- LEG ZIPPERS: -EXPOSED ZIPPER AT SIDE SEAM -EDGE STITCH AROUND ZIPPER + BAR TACKS AT BOTTOM THROUGH ALL LAYERS -FOLDED SELF ZIPPER GARAGE BOTTOM ZIPPER TAPE IS CLEAN FINISHED WITH HEM FACING -BALANCE OF ZIPPER TAPE IS BONDED TO BODY AT INSIDE



010_LEG ZIPPER DETAIL-1

Comments (1)

BACK YOKE: -SELF WR AND WL BACK YOKE -CONTRAST FABRIC 01 WR AND WL BACK YOKE FACING -YOKE IS CLEAN FINISHED WITH WAISTBAND LAYERS AT TOP - INSIDE YOKE / BOTTOM POCKET SEAM IS CLEAN FINISHED + UNDERSTITCH -DOUBLE SELF-TURNBACK YOKE SEAMS EDGES + 1/4" DOUBLE NEEDLE TOP STITCH -BOTTOM TOP STITCH LINE IS CONTRAST COLOR -6 BAR TACKS THROUGH ALL LAYERS CONNECT YOKE LAYERS



011_BACK VENT DETAIL-1

FIT REFERENCE



012_FIT REFERENCE-1

HEAT TRANSFER ARTWORK: QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - GRADIENT REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:
NORDIC GREEN: COLORO: 076-24-10
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:
ATLANTIC BLUE: COLORO: 119-31-22
BLACK: COLORO: 145-17-00




TEAM RED / BLACK GRADIENT:
TEAM RED: COLORO: 010-35-35
BLACK: COLORO: 145-17-00














GRADIENT_QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: ALD NB ARC LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED




COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB ARC LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:
NORDIC GREEN: COLORO: 076-24-10
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:
ATLANTIC BLUE: COLORO: 119-31-22
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:
TEAM RED: COLORO: 010-35-35
BLACK: COLORO: 145-17-00



GRADIENT_ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		


ALD_NB_STACK_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



GRADIENT_ALB_NB_STACK_LOGO_01_HEAT_TRANSFER-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
WAISTBAND HEIGHT	WV101		true	Full	1/8 in	1 5/8 in
WAIST CIRCUMFERENCE - RELAXED	WV102	ACROSS TOP EDGE OF WAISTBAND	true	Half	1/2 in	31 in
WAIST CIRCUMFERENCE - STRETCHED	WV103	ACROSS THE TOP OF WAISTBAND	true	Full	1/2 in	41 in
WAIST DRAWCORD LENGTH - TOTAL	WV104		false	Full	1 in	56 in
DRAWCORD EXIT APART, CENTER TO CENTER - RELAXED	WV		false	Full	1/8 in	1 3/4 in
FRONT RISE FROM CROTCH SM TO TOP EDGE	WV105	FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND	true	Full	1/4 in	13 1/4 in
BACK RISE FROM CROTCH SM TO TOP EDGE	WV106	FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND	true	Full	1/4 in	17 1/2 in
LOW HIP POSITION BELOW WB TOP EDGE	WV107	MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND	true	Full	0 in	8 in
LOW HIP CIRCUMFERENCE	WV	3PT MEAS. - FROM WR SIDE SEAM, CF, TO WL SIDE SEAM	true	Full	1/2 in	45 in
THIGH CIRC. AT 1" BELOW CROTCH SM	WV109	MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/2 in	28 7/8 in
KNEE CIRC. AT 12" BELOW CROTCH SM	WV110	MEAS. AT 12" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/2 in	24 1/8 in
LEG OPENING CIRC. AT BOTTOM EDGE	WV111	MEASURE AT LEG EDGE	true	Full	1/4 in	20 3/4 in
LEG ZIPPER LENGTH (INCLUDING ZIPPER GARAGE)	ZIPPER		false	Full	1/4 in	8 1/2 in
INSEAM	WV112	MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE	true	Full	1/2 in	32 in
FRONT POCKET PLACEMENT BELOW WAISTBAND SEAM	WV		false	Full	1/4 in	3/4 in
FRONT POCKET PLACEMENT FROM SIDE SEAM TO BOTTOM EDGE	WVPKT		false	Full	1/8 in	2 1/4 in
FRONT POCKET PLACEMENT FROM SIDE SEAM TO TOP EDGE	WVPKT		false	Full	1/8 in	1 1/2 in
FRONT POCKET ZIPPER LENGTH (TOTAL LENGTH INCLUDING ZIPPER GARAGE)	WV		false	Full	1/4 in	7 in
FRONT POCKET BAG LENGTH	WV121	MEAS. FROM SEAM TO POCKET BAG EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	12 in
FRONT POCKET BAG WIDTH	WV122	MEASURE FROM SEAM TO WIDEST EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	7 1/4 in
BACK YOKE HEIGHT AT CB	WVYOKE	FROM CB NECK SEAM TO YOKE SEAM	false	Full	1/4 in	3 1/2 in
BACK YOKE HEIGHT AT SIDE SEAM	WVBOTTOMS	MEASURE FROM WB SEAM ALONG SIDE SEAM	false	Full	1/4 in	5 1/4 in
BACK POCKET WIDTH ALONG WB TOP EDGE	WVPKT		false	Full	1/4 in	5 1/2 in
BACK POCKET HEIGHT ALONG CB	WVPKT		false	Full	1/4 in	5 1/4 in
BACK POCKET ZIPPER LENGTH	WVPKT		false	Full	1/4 in	5 in


Development - 1st Proto Request (UA) - Kilsy Morocho

CREATED ON APR 18, 2025 4:41 PM




Status: Submit 1st Proto

Development Notes:

1. Create a pattern based on the measurements and sketch provided.
2. See photo for construction details.
3. Side seam: Reshape so that the inseam and bottom leg opening is aligned with the back ankle as shown in sketch.
4. Front and back top leg panels: please add some articulation to execute the curved shape at the knee.
5. Place all artworks on proto proportional to the sketch.




DEV CONS-01.jpg




APPLY THESE STORAGE BAGS TO THE PALM SIDE POCKET BAG

DEV CONS-04.jpg



DEV CONS-02.jpg



Screenshot 2025-04-24 at 10.00.28 AM.jpg

COMPONENT		QTY	1. NO COLOR ASSIGNED
1	XN-NM9012 CODE: XN-NM9012 Placement: @ BODY / ZIPPER GARAGES / BACK POCKET KNUCKLE AND PALM SIDE BAG / HEM FACING Notes: BODY OPTION 1		Not used
2	NALUX-201W CODE: NALUX-201W Placement: @ BODY / ZIPPER GARAGES / BACK POCKET KNUCKLE AND PALM SIDE BAG / HEM FACING Notes: BODY OPTION 2 Supplier: Young Textile Width: 58" Weight: 76 GR/SQM Country of Origin: CHINA		Not used
3	IN DEV CODE: TBD Placement: @ WB FACING / BACK LEG PANELS / HAND POCKET BAGS / BACK POCKET HIDDEN KNUCKLE SIDE BAG Notes: TBD CONTRAST FABRIC #1: PLEASE FOLLOW REFERENCE CUTTING AND SEND COMPARABLE OPTIONS FOR APPROVAL		Not used
4	MKD8604 CODE: MKD8604 Placement: HIDDEN STORAGE POCKETS Notes: CONTRAST FABRIC #2 Supplier: TEIJIN FRONTIER CO.,LTD. Width: 58" Weight: 172gsm Country of Origin: KOREA		Not used
5	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: 1 @ EACH HAND POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
6	YKK Zipper Tape CODE: YKK Placement: 1 @ EACH HAND POCKET ZIPPER		Not used
7	YKK DFBW Zipper Slider CODE: DFBW Placement: 1 @ EACH HAND POCKET ZIPPER Notes: SHINY ENAMEL		Not used
8	YKK INVISIBLE ZIPPER CODE: TBD Placement: 1 @ BACK POCKET Supplier: YKK		Not used SIZE: 3GG
9	YKK Zipper Tape CODE: YKK Placement: 1 @ BACK POCKET ZIPPER		Not used
10	YKK DS Zipper Pull CODE: DS Placement: 1 @ BACK POCKET ZIPPER Notes: SHINY ENAMEL Supplier: YKK Country of Origin: CHINA		Not used Gauge: Undefined
11	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: 1 @ EACH LEG Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
12	YKK Zipper Tape CODE: YKK Placement: 1 @ EACH LEG ZIPPER		Not used
13	YKK DSBYG Zipper Slider CODE: DSBYG Placement: 1 @ EACH LEG ZIPPER Notes: SHINY ENAMEL Supplier: YKK Country of Origin: CHINA		Not used
14	IN DEV CODE: TBD Placement: 1 @ EACH HAND POCKET Notes: TBD ROUND ZIPPER PULL CORDS W / PU DIPPED ENDS; PLEASE FOLLOW REFERENCE PHOTO AND SEND OPTIONS FOR APPROVAL		Not used

COMPONENT		QTY	1. NO COLOR ASSIGNED
15	IN DEV CODE: TBD Placement: @ INTERIOR WB Notes: TBD 3/8" FLAT NYLON BRAIDED DRAWCORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
16	ELASTIC CODE: ELASTIC Placement: @ INTERIOR WB Notes: HIGH POWER LIGHTWEIGHT ELASTIC Supplier: Factory Sourced		Not used WIDTH: 1/2"
17	IN DEV CODE: TBD Placement: @ INTERIOR LEG HEMS Notes: 2.5MM BUNGEE CORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
18	IN DEV CODE: TBD Placement: INSET BUNGEE CORDS @ BACK SIDE POCKET SEAMS + BAR TACKS TO SECURE Notes: 2.5MM BUNGEE CORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
19	IN DEV CODE: TBD Placement: BUNGEE ENDS Notes: TBD CYLINDER CORD LOCK; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
20	IN DEV CODE: TBD Placement: BUNGEE ENDS Notes: TBD PLASTIC SQUARE BEAD; PLEASE PROCEED WITH OPTION COMPARABLE TO REFERENCE IN THE TP		Not used
21	IN DEV CODE: TBD Placement: BUNGEE EXITS Notes: TBD SHINY ENAMEL 14L METAL EYELET; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
22	IN DEV CODE: TBD Placement: @ CYLINDER CORD LOCK Notes: TBD 1/4" NYLON GROSGRAIN; PLEASE PROCEED WITH LOCAL OPTION FOR PROTO		Not used
23	IN DEV CODE: TBD Notes: CLEAR BONDING FILM		Not used
24	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX50 TOP STITCHING THREAD; PLEASE PROCEED WITH WHITE THREAD FOR ALL CONTRAST TOP STITCHING Supplier: Factory Sourced		Not used
25	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ WEARERS LEFT LEG Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
26	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ WEARERS BACK RIGHT LEG Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
27	ARTWORK CODE: AS CORRESPONDING FILE Placement: @ BACK POCKET Notes: FOLLOW A/W Supplier: Factory Sourced		Not used
Components 27			Total 0.00