





SS26NBWR000 NB RUN SHORT

Name	SS26NBWR000 NB RUN SHORT
Style No.	SS26NBWR000
Division	Mens
Category	Shorts
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size XS S M L XL XXL
Style Status	Development
Created by/Author	4/21/2025 Cristina Loukopoulos cristina@aimeleondore.com



01_BLACK AND WHITE SKETCH-1




02_COLOR-1


Comments (2)

- A1 CONTRAST COLOR TOP STITCH
- A2 CONTRAST COLOR TOP STITCH

- 1. điều bằng chỉ phối màu
- 2. điều bằng chỉ phối màu



04_STITCH DETAIL-1




Comments (8)

- A1** ***PLEASE SEE ARTWORK FILES FOR ALL SCALE, TECHNIQUE AND COLORWAYS REQUESTED***
- A2** HAND POCKETS: SEE DETAIL SKETCH
- A3** BACK POCKET: SEE DETAIL SKETCH
- A4** YOKE VENTS: SEE DETAIL SKETCH
- A5** WAISTBAND: SEE DETAIL SKETCH
- A6** HEM: SEE DETAIL SKETCH
- A7** CONTRAST FABRIC 01
- A8** CONTRAST FABRIC 03

1. xem artwork tại file riêng
2. túi trước: xem chi tiết như sketch
3. túi sau: xem chi tiết như sketch
4. đồ sau: xem chi tiết như sketch
5. lưng quần: xem chi tiết như sketch
6. lai quần: xem chi tiết như sketch
7. vải phối 01
8. vải phối 03

05_CONSTRUCTION DETAIL-1



2. lưng quần

- lưng quần bằng vải chính, cao 1 5/8" có thun bên trong
- Đường may trên cùng của lưng quần gấp vào trong 1/8" + có đường may giữ bên trong
- vải phối 01 dùng làm lớp lót phía trong lưng quần
- 2 đường diều để luồn dây cao 1/2", xuyên qua tất cả các lớp, canh giữa lưng quần
- thùy khuy dọc để luồn dây luồn
- dây luồn được bắt chéo bên trong
- dây luồn gấp đôi đóng bọ 1/2"
- Thân quần được kẹp giữa hai lớp lưng quần để tạo đường may kết thúc sạch sẽ, kèm đường may viền mép ngoài lưng quần

06_WAISTBAND AND HAND POCKETS DETAIL-1

Comments (2)

- A1** HAND POCKETS: -EXPOSED ZIPPER AT POCKET OPENING -EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER GARAGE AT TOP POCKET OPENING -ZIPPER PULL CORD AT ZIPPER HEAD -CONTRAST FABRIC 01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG STITCHED TO BODY WITH CONTRAST COLOR THREAD, SHOWN IN GREEN -POCKET BAG EXTENDS TO WAISTBAND AND SIDE SEAM + HIDDEN STITCHING TO REDUCE USABLE POCKET AREA -CONTRAST FABRIC 02 STORAGE POCKETS APPLIED TO PALM SIDE HAND POCKET BAGS WITH 1/4" COVERSTITCH (TOP& BOTTOM LOOPER) -1/2" SELF TURNBACK POCKET OPENING + BAR TACKS TO SECURE AT BOTH STORAGE POCKETS -WR STORAGE POCKET HAS FOLDED CONTRAST FABRIC 02 FLAP + BAR TACKS TO REINFORCE -WR STORAGE POCKET FLAP IS SEWN DOWN TO PALM SIDE BAG AT SIDES AND TOP
- A2** WAISTBAND: -SELF WAISTBAND (1 5/8" FINISHED HEIGHT) WITH ENCASED ELASTIC -TOP WAISTBAND SEAM ROLLS 1/8" TO INSIDE + UNDER STITCH -CONTRAST FABRIC 01 WAISTBAND FACING -TWO ROWS OF TOP STITCHING (1/2" HEIGHT) THROUGH ALL LAYERS ARE CENTERED ON WAISTBAND AND CREATE DRAWCORD TUNNEL - VERTICAL BUTTONHOLES ARE DRAWCORD EXITS - DRAWCORD IS CROSSED AT INSIDE -DOUBLE TURNBACK DRAWCORD ENDS + BAR TACKS (1/2" FINISHED HEIGHT) - BODY IS SANDWICHED BETWEEN WAISTBAND LAYERS TO CLEAN FINISH SEAM + EDGE STITCH ON WAISTBAND


1. túi trước:

- dây kéo tại miệng túi
- mí diều quanh dây kéo
- garage bằng vải chính, gấp lại ở phần trên của miệng túi
- dây tape trang trí tại đầu dây kéo
- lót túi bằng vải phối 01 cho cả 2 mặt
- túi được may vào thân quần bằng chỉ màu tương phản như sketch thể hiện màu xanh
- lót túi kéo dài đến lưng quần và đường may sườn có đường may ẩn để giảm diện tích sử dụng túi
- vải phối 02 được dùng cho túi phụ gắn vào mặt lòng bàn tay của túi chính bằng đường diều 1/4"
- miệng túi phụ gấp lại diều 1/2" + đóng bọ để cố định ở 2 bên túi
- túi phụ bên túi phải có nắp túi bằng vải phối 02 gấp lại + bọ để cố định
- nắp túi phụ phải được đính vào mặt lòng bàn tay của túi chính ở 2 bên và phía trên

Comments (1)

CB POCKET: -POCKET INSET INTO WAISTBAND / BACK YOKE -ON-SEAM CONCEALED ZIPPER AT POCKET OPENING -BAR TACKS AT POCKET OPENING -SELF KNUCKLE SIDE POCKET BAG -HIDDEN CONTRAST FABRIC 02 KNUCKLE SIDE POCKET BAG + UNDERSTITCH AT OPENING TO PREVENT ROLLING -SELF PALM SIDE POCKET BAG: PALM SIDE BAG IS FULLY BONDED WITH CLEAR BONDING FILM -1/4" DOUBLE NEEDLE TOP STITCH + BAR TACKS AT POCKET SEAMS AT SIDE -INSET SHOCKCORDS AT SIDE POCKET SEAMS + BAR TACKS TO SECURE

A1




túi lưng sau:

- túi được may vào lưng quần và đồ sau
- dây kéo ẩn tại miệng túi
- bộ tại 2 đầu miệng túi
- lót túi mặt ngoài (mặt knuckle) bằng vải chính - lót túi ẩn mặt ngoài (mặt knuckle) bằng vải phối 02 được may lót dưới ở miệng túi
- lót túi mặt lòng bàn tay dùng vải chính và ép keo toàn bộ túi
- điều 2 kim 1/4" dọc theo 2 cạnh bên và bộ như sketch để tăng độ bền
- dây thun tròn được gắn trong các đường nối túi bên, kèm bộ để cố định chắc chắn.

07_BACK POCKETS DETAIL-1

Comments (1)

- A1** HEM: -3/8" FINISHED CONTRAST FABRIC 03 BINDING AT HEM / SIDE SEAM + DOUBLE NEEDLE TOP STITCH - LAPPED VENT AT SIDE SEAM -UNDERPANEL SHOWN IN RED -SINGLE NEEDLE TOP STITCH + BAR TACKS THROUGH ALL LAYERS AT TOP OF VENT




1. lai:

- Viền bằng vải phối 03 tại lai và sườn, kích thước 3/8 inch + điều 2 kim tại lai và sườn
- Xẻ tà tại đường may sườn
- lớp vải bên dưới như sketch hiển thị màu đỏ
- điều 1 kim + đóng bọ xuyên qua tất cả các lớp tại đỉnh của xẻ tà

08_VENT DETAIL-1

Comments (1)

A1 BACK YOKE: -SELF WR AND WL BACK YOKE -CONTRAST FABRIC 01 WR AND WL BACK YOKE FACING -YOKE IS CLEAN FINISHED WITH WAISTBAND LAYERS AT TOP - INSIDE YOKE / BOTTOM POCKET SEAM IS CLEAN FINISHED + UNDERSTITCH -DOUBLE SELF-TURNBACK YOKE SEAMS EDGES + 1/4" DOUBLE NEEDLE TOP STITCH -BOTTOM TOP STITCH LINE IS CONTRAST COLOR -6 BAR TACKS THROUGH ALL LAYERS CONNECT YOKE LAYERS: YOKE PANELS ARE FREE-FLOATING BETWEEN BAR TACKS TO ALLOW AIRFLOW



1. đô sau

- đô lưng sau bên phải và bên trái dùng cùng loại vải chính
- Mặt trong đô lưng sau bên phải và bên trái dùng vải phối 01
- đô lưng sau được may sạch với các lớp lưng quần ở phía trên
- đô bên trong và đáy túi được may sạch + có may lược
- đường may đô gấp đôi, điều 2 kim 1/4"
- đường điều sử dụng chỉ phối màu như sketch thể hiện
- bộ 6 điểm như sketch xuống qua các lớp để giữ các lớp đô với nhau
- các btp đô sau không bị cố định hoàn toàn giữa các bộ, giúp tăng khả năng thông gió

09_BACK YOKE DETAIL-1


FIT REFERENCE



10_FIT REFERENCE-1

HEAT TRANSFER ARTWORK: ALD NB ARC LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED




COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB ARC LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:
NORDIC GREEN: COLORO: 076-24-10
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:
ATLANTIC BLUE: COLORO: 119-31-22
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:
TEAM RED: COLORO: 010-35-35
BLACK: COLORO: 145-17-00



GRADIENT_ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		

QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - GRADIENT REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:
NORDIC GREEN: COLORO: 076-24-10
BLACK: COLORO: 145-17-00



ATLANTIC BLUE / BLACK GRADIENT:
ATLANTIC BLUE: COLORO: 119-31-22
BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT:
TEAM RED: COLORO: 010-35-35
BLACK: COLORO: 145-17-00



GRADIENT_QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: *ALD NB STACK LOGO 01*

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
- PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:

	BRONZE METALLIC: PANTONE: 8382 C		PUNCH YELLOW: COLORO: 041-96-51		NORDIC GREEN COLORO: 076-24-10
	GOLD METALLIC: PANTONE: 10354 C		ALKALINE GREEN: COLORO: 053-89-50		TEAM RED COLORO: 010-35-35
	DARK SILVER METALLIC: PANTONE: 8402 C		NB VIBRANT ORANGE: 180604-655		ATLANTIC BLUE: COLORO: 119-31-22
	BLACK: COLORO: 145-17-00		BRILLIANT WHITE: PANTONE: 11-4001 TCX		


ALD_NB_STACK_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

- PLEASE DEVELOP THE BELOW ARTWORK AS:
 - COLOR HEAT TRANSFER
 - COLOR REFLECTIVE HEAT TRANSFER
- PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



GRADIENT_ALB_NB_STACK_LOGO_01_HEAT_TRANSFER-1

Sample Size: M

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
WAISTBAND HEIGHT	WV101		true	Full	1/8 in	1 5/8 in
WAISTBAND CIRCUMFERENCE - RELAXED	WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	32 3/4 in
WAISTBAND CIRCUMFERENCE - EXTENDED	WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	44 in
DRAWCORD EXIT APART, CENTER TO CENTER - RELAXED	WV		false	Full	1/8 in	1 3/4 in
WAIST DRAWCORD LENGTH - TOTAL	WV104		true	Full	1 in	54 in
FRONT RISE FROM CROTCH SM TO TOP EDGE	WV105	FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND	true	Full	1/4 in	12 1/4 in
BACK RISE FROM CROTCH SM TO TOP EDGE	WV106	FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND	true	Full	1/2 in	15 3/4 in
LOW HIP POSITION BELOW WB TOP EDGE	WV107	MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND	true	Full	1/2 in	8 in
LOW HIP CIRCUMFERENCE	WV108	3PT MEAS. - FROM WR SIDE SEAM, CF, TO WL SIDE SEAM	true	Full	1/2 in	46 in
THIGH CIRC. AT 1" BELOW CROTCH SM	WV109	MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/2 in	29 1/2 in
LEG OPENING CIRC. AT BOTTOM EDGE (SHORTS)	WV130	MEASURE AT LEG EDGE	true	Full	3/8 in	28 in
LEG OPENING TURNBACK HEM HEIGHT	WV113		false	Full	1/8 in	1 in
INSEAM (SHORTS)	WV131	MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE	true	Full	1/4 in	7 in
FRONT POCKET PLACEMENT BELOW WAISTBAND SEAM	WV		false	Full	1/4 in	3/4 in
FRONT POCKET PLACEMENT FROM SIDE SEAM TO TOP EDGE	WVPKT		false	Full	1/8 in	2 1/4 in
FRONT POCKET PLACEMENT FROM SIDE SEAM TO BOTTOM EDGE	WVPKT		false	Full	1/8 in	1 1/2 in
FRONT POCKET ZIPPER LENGTH (TOTAL LENGTH INCLUDING ZIPPER GARAGE)	WV		false	Full	1/4 in	7 in
FRONT POCKET BAG LENGTH	WV121	MEAS. FROM SEAM TO POCKET BAG EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	12 in
FRONT POCKET BAG WIDTH	WV122	MEASURE FROM SEAM TO WIDEST EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	7 1/4 in
BACK YOKE HEIGHT AT CB	WVBOTTOMS	MEASURE FROM WB SEAM ALONG CB	false	Full	1/4 in	3 1/2 in
BACK YOKE HEIGHT AT SIDE SEAM	WVBOTTOMS	MEASURE FROM WB SEAM ALONG SIDE SEAM	false	Full	1/4 in	5 1/4 in
BACK POCKET WIDTH ALONG WB TOP EDGE	WVPKT		false	Full	1/4 in	5 1/2 in
BACK POCKET HEIGHT ALONG CB	WVPKT		false	Full	1/4 in	5 1/4 in
BACK POCKET ZIPPER LENGTH	WVPKT		false	Full	1/4 in	5 in

Development - 1st Proto Request (UA) - Kilsy Morocho


CREATED ON APR 18, 2025 4:35 PM

Status: Submit 1st Proto


Development Notes:

1. Create a pattern based on the measurements and sketch provided.
2. See photo for construction details.
3. Place all artworks on proto proportional to the sketch.


1. làm rập dựa vào thông số và sketch
2. xem hình cho chi tiết về cấu trúc
3. vị trí artwork trên mẫu proto như sketch hiển thị



DEV CONS-03.jpg




DEV CONS-01.jpg



APPLY THESE STORAGE BAGS TO THE PALM SIDE POCKET BAG
thêm túi phụ ở mặt lòng bàn tay của túi chính

DEV CONS-04.jpg



DEV CONS-02.jpg

	COMPONENT	QTY	1. NO COLOR ASSIGNED
1	XN-XY23-122 CODE: XN-XY23-122 Placement: FRONT PANEL / WB / ZIPPER GARAGES / BACK POCKET KNUCKLE + PALM SIDE BAG / HEM + SIDE SEAM BINDING Notes: BASE OPTION 1		Not used
2	NAPAN72 CODE: NAPAN72 Placement: FRONT PANEL / WB / ZIPPER GARAGES / BACK POCKET KNUCKLE + PALM SIDE BAG / HEM + SIDE SEAM BINDING Notes: BASE OPTION 2		Not used
3	IN DEV CODE: TBD Placement: @ BACK PANEL / WB FAACING / HAND POCKET BAGS / BACK POCKET HIDDEN KNUCKLE SIDE BAG Notes: TBD POWER MESH		Not used
4	IN DEV CODE: TBD Placement: @ STORAGE POCKETS Notes: TBD POWER MESH		Not used
5	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: @ EACH HAND POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
6	YKK Zipper Tape CODE: YKK Placement: @ EACH HAND POCKET ZIPPER		Not used
7	YKK DFBW Zipper Slider CODE: DFBW Placement: @ EACH HAND POCKET ZIPPER Notes: SHINY ENAMEL		Not used
8	YKK INVISIBLE ZIPPER CODE: TBD Placement: @ BACK POCKET Supplier: YKK		Not used SIZE: 3GG
9	YKK Zipper Tape CODE: YKK Placement: @ BACK POCKET ZIPPER		Not used
10	YKK DS Zipper Pull CODE: DS Placement: @ BACK POCKET ZIPPER Notes: SHINY ENAMEL Supplier: YKK Country of Origin: CHINA		Not used Gauge: Undefined
11	IN DEV CODE: TBD Placement: @ HAND POCKET ZIPPER SLIDERS Notes: TBD ROUND ZIPPER PULL CORDS W / PU DIPPED ENDS; PLEASE FOLLOW REFERENCE PHOTO AND SEND OPTIONS FOR APPROVAL		Not used
12	IN DEV CODE: TBD Placement: INTERIOR WB Notes: 3/8" 100% NYLON DRAWCORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
13	ELASTIC CODE: ELASTIC Placement: INTERIOR WB Notes: HIGH POWER LIGHTWEIGHT ELASTIC Supplier: Factory Sourced		Not used WIDTH: 1/2"
14	IN DEV CODE: TBD Placement: INSET BUNGEE CORDS @ BACK SIDE POCKET SEAMS + BAR TACKS TO SECURE Notes: 2.5MM BUNGEE CORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
15	IN DEV CODE: TBD Notes: CLEAR BONDING FILM		Not used

COMPONENT		QTY	1. NO COLOR ASSIGNED
16	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX50 TOP STITCHING THREAD; FOR PROTO, PLEASE USE WHITE THREAD COLOR FOR ALL CONTRAST TOP STITCHING Supplier: Factory Sourced		Not used
Components 16			Total 0.00