

SS26NBWR000 NB RUN SHORT

Name SS26NBWR000 NB RUN SHORT
Style No. SS26NBWR000

Division Mens
Category Shorts

Season Spring/Summer

Year 2026


Size Scale M -Sample size

XS S M L XL XXL

Style Status Development
Created by/Author 5/1/2025

Cristina Loukopoulos

cristina@aimeleondore.com



01_BLACK AND WHITE SKETCH-1




02_COLOR-1


Comments (2)

A1 CONTRAST COLOR TOP STITCH






04_STITCH DETAIL-1



Comments (8)

- ***PLEASE SEE ARTWORK FILES FOR ALL SCALE, TECHNIQUE AND COLORWAYS REQUESTED***
- HAND POCKETS: SEE DETAIL SKETCH
- BACK POCKET: SEE DETAIL SKETCH
- YOKE VENTS: SEE DETAIL SKETCH
- WAISTBAND: SEE DETAIL SKETCH
- HEM: SEE DETAIL SKETCH
- CONTRAST FABRIC 01
- CONTRAST FABRIC 03




Comments (2)

HAND POCKETS: -EXPOSED ZIPPER AT POCKET OPENING -EDGE STITCH AROUND ZIPPER -FOLDED SELF ZIPPER GARAGE AT TOP POCKET OPENING -ZIPPER PULL CORD AT ZIPPER HEAD -CONTRAST FABRIC 01 KNUCKLE AND PALM SIDE POCKET BAG -POCKET BAG STITCHED TO BODY WITH CONTRAST COLOR THREAD, SHOWN IN GREEN -POCKET BAG EXTENDS TO WAISTBAND AND SIDE SEAM + HIDDEN STITCHING TO REDUCE USABLE

- SIDE SEAM + HIDDEN STITCHING TO REDUCE USABLE POCKET AREA -CONTRAST FABRIC 02 STORAGE POCKETS APPLIED TO PALM SIDE HAND POCKET BAGS WITH 1/4" COVERSTITCH (TOP& BOTTOM LOOPER) -1/2" SELF TURNBACK POCKET OPENING + BAR TACKS TO SECURE AT BOTH STORAGE POCKETS -WR STORAGE POCKET HAS FOLDED CONTRAST FABRIC 02 FLAP + BAR TACKS TO REINFORCE -WR STORAGE POCKET FLAP IS SEWN DOWN TO PALM SIDE BAG AT SIDES AND TOP WAISTBAND: -SELF WAISTBAND (1 5/8" FINISHED HEIGHT) WITH ENCASED ELASTIC -TOP WAISTBAND SEAM ROLLS 1/8" TO INSIDE + UNDER STITCH -CONTRAST FABRIC 01 WAISTBAND FACING -TWO ROWS OF TOP STITCHING (1/2" HEIGHT) THROUGH ALL LAYERS ARE CENTERED ON WAISTBAND AND OPERATE DRAWCORD TUNNISH
- (1/2" HEIGHT) THROUGH ALL LAYERS ARE CENTERED ON WAISTBAND AND CREATE DRAWCORD TUNNEL VERTICAL BUTTONHOLES ARE DRAWCORD EXITS DRAWCORD IS CROSSED AT INSIDE -DOUBLE TURNBACK DRAWCORD ENDS + BAR TACKS (1/2" FINISHED HEIGHT) BODY IS SANDWICHED BETWEEN WAISTBAND LAYERS TO CLEAN FINISH SEAM + EDGE STITCH ON WAISTBAND

06 WAISTBAND AND HAND POCKETS DETAIL-1



Comments (1)

CB POCKET: -POCKET INSET INTO WAISTBAND / BACK YOKE -ON-SEAM CONCEALED ZIPPER AT POCKET OPENING -BAR TACKS AT POCKET OPENING -SELF KNUCKLE SIDE POCKET BAG -HIDDEN CONTRAST FABRIC 02 KNUCKLE SIDE POCKET BAG + UNDERSTITCH AT OPENING TO PREVENT ROLLING -SELF PALM SIDE POCKET BAG: PALM SIDE BAG IS FULLY BONDED WITH CLEAR BONDING FILM -1/4" DOUBLE NEEDLE TOP STITCH + BAR TACKS AT POCKET SEAMS AT SIDE -INSET SHOCKCORDS AT SIDE POCKET SEAMS + BAR TACKS TO SECURE


07_BACK POCKETS DETAIL-1






Comments (1)

HEM: -3/8" FINISHED CONTRAST FABRIC 03 BINDING AT HEM / SIDE SEAM + DOUBLE NEEDLE TOP STITCH -A1 LAPPED VENT AT SIDE SEAM -UNDERPANEL SHOWN IN RED -SINGLE NEEDLE TOP STITCH + BAR TACKS THROUGH ALL LAYERS AT TOP OF VENT



08_VENT DETAIL-1



Comments (1)

BACK YOKE: -SELF WR AND WL BACK YOKE -CONTRAST FABRIC 01 WR AND WL BACK YOKE FACING -YOKE IS CLEAN FINISHED WITH WAISTBAND LAYERS AT TOP - INSIDE YOKE / BOTTOM POCKET SEAM IS CLEAN FINISHED + UNDERSTITCH -DOUBLE SELF-TURNBACK YOKE SEAMS EDGES + 1/4" DOUBLE NEEDLE TOP STITCH -BOTTOM TOP STITCH LINE IS CONTRAST COLOR -6 BAR TACKS THROUGH ALL LAYERS CONNECT YOKE LAYERS: YOKE PANELS ARE FREE-FLOATING BETWEEN BAR TACKS TO ALLOW AIRFLOW

09_BACK YOKE DETAIL-1

FIT REFERENCE




10_FIT REFERENCE-1

HEAT TRANSFER ARTWORK: ALD NB ARC LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-COLOR REFLECTIVE HEAT TRANSFER
-PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
-PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:



ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB ARC LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-COLOR REFLECTIVE HEAT TRANSFER
-PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:








GRADIENT_ALD_NB_ARC_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: QUEENS CREST NB LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-COLOR REFLECTIVE HEAT TRANSFER
-PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
-PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:



QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT QUEENS CREST NB LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-GRADIENT REFLECTIVE HEAT TRANSFER
-PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT:

NORDIC GREEN: COLORO: 076-24-10

BLACK: COLORO: 145-17-00





BLACK: COLORO: 145-17-00









TEAM RED / BLACK GRADIENT: TEAM RED: COLORO: 010-35-35 BLACK: COLORO: 145-17-00


GRADIENT_QUEENS_CREST_NB_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: ALD NB STACK LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-COLOR REFLECTIVE HEAT TRANSFER
-PLEASE APPLY "BRILLIANT WHITE" COLOR TO FIRST PROTO
-PLEASE SUBMIT STRIKE OFFS OF ALL OTHER COLORS LISTED



COLORS:



ALD_NB_STACK_LOGO_01_HEAT_TRANSFER-1

HEAT TRANSFER ARTWORK: GRADIENT ALD NB STACK LOGO 01

-PLEASE DEVELOP THE BELOW ARTWORK AS:
-COLOR HEAT TRANSFER
-COLOR REFLECTIVE HEAT TRANSFER
-PLEASE SUBMIT STRIKE OFFS OF ALL COLORS LISTED



COLORS:



NORDIC GREEN / BLACK GRADIENT: NORDIC GREEN: COLORO: 076-24-10 BLACK: COLORO: 145-17-00 ATLANTIC BLUE / BLACK GRADIENT: ATLANTIC BLUE: COLORO: 119-31-22 BLACK: COLORO: 145-17-00



TEAM RED / BLACK GRADIENT: TEAM RED: COLORO: 010-35-35 BLACK: COLORO: 145-17-00

GRADIENT_ALB_NB_STACK_LOGO_01_HEAT_TRANSFER-1

Size Specifications - Graded Rules

05-02-2025

Sample Size: M

CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
WV101		true	Full	1/8 in	1 5/8 in
WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	32 3/4 in
WV	ACROSS TOP EDGE OF WAISTBAND	true	Full	1/2 in	44 in
WV		false	Full	1/8 in	1 3/4 in
WV104		true	Full	1 in	54 in
WV105	FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND	true	Full	1/4 in	12 1/4 in
WV106	FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND	true	Full	1/2 in	15 3/4 in
WV107	MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND	true	Full	1/2 in	8 in
WV108	3PT MEAS FROM WR SIDE SEAM, CF, TO WL SIDE SEAM	true	Full	1/2 in	46 in
WV109	MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM	true	Full	1/2 in	29 1/2 in
WV130	MEASURE AT LEG EDGE	true	Full	3/8 in	28 in
WV113		false	Full	1/8 in	1 in
WV131	MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE	true	Full	1/4 in	7 in
WV		false	Full	1/4 in	3/4 in
WVPKT		false	Full	1/8 in	2 1/4 in
WVPKT		false	Full	1/8 in	1 1/2 in
WV		false	Full	1/4 in	7 in
WV121	MEAS. FROM SEAM TO POCKET BAG EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	12 in
WV122	MEASURE FROM SEAM TO WIDEST EDGE – FACTORY GRADE FOR PRODUCTION	false	Full	1/4 in	7 1/4 in
WVBOTTOMS	MEASURE FROM WB SEAM ALONG CB	false	Full	1/4 in	3 1/2 in
WVBOTTOMS	MEASURE FROM WB SEAM ALONG SIDE SEAM	false	Full	1/4 in	5 1/4 in
WVPKT		false	Full	1/4 in	5 1/2 in
WVPKT		false	Full	1/4 in	5 1/4 in
WVPKT		false	Full	1/4 in	5 in
	WV101 WV WV WV WV104 WV105 WV106 WV107 WV108 WV109 WV130 WV113 WV131 WV WVPKT WVPKT WVPKT WVPKT WVPKT WVBOTTOMS WVPKT WVPKT	WV ACROSS TOP EDGE OF WAISTBAND WV ACROSS TOP EDGE OF WAISTBAND WV WV104 WV105 FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND WV106 FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND WV107 MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND WV108 3PT MEAS FROM WR SIDE SEAM, CF, TO WL SIDE SEAM WV109 MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM WV130 MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE WV WVPKT WV WVPKT WV121 MEAS. FROM SEAM TO POCKET BAG EDGE - FACTORY GRADE FOR PRODUCTION MEASURE FROM SEAM TO WIDEST EDGE - FACTORY GRADE FOR PRODUCTION MEASURE FROM WB SEAM ALONG CB WVBOTTOMS MEASURE FROM WB SEAM ALONG SIDE SEAM WVPKT WVPKT	WV101 true WV ACROSS TOP EDGE OF WAISTBAND true WV ACROSS TOP EDGE OF WAISTBAND true WV False WV104 false WV105 FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND WV106 FROM BACK CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND WV107 MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND WV108 3PT MEAS FROM WR SIDE SEAM, CF, TO WL SIDE SEAM WV109 MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM WV130 MEASURE AT LEG EDGE WV113 false WV113 MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE WV FAT WV FALSE WV FAT WV FALSE WV FAT WV FA	WV101 ACROSS TOP EDGE OF WAISTBAND true Full WV ACROSS TOP EDGE OF WAISTBAND true Full WV ACROSS TOP EDGE OF WAISTBAND true Full WV false Full WV104 true Full WV105 FROM FRONT CROTCH SEAM TO TOP EDGE OF BACK WAISTBAND true Full WV106 FROM BACK CROTCH SEAM TO TOP EDGE OF WAISTBAND true Full WV107 MEAS. X" DOWN FROM TOP EDGE OF WAISTBAND true Full WV108 3PT MEAS FROM WR SIDE SEAM true Full WV109 MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM true Full WV130 MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM true Full WV113 MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE true Full WV113 MEAS. ALONG THE INSEAM FROM CF CROTCH SEAM TO LEG EDGE Full WVPKT MEAS. FROM SEAM TO POCKET BAG EDGE FOR PRODUCTION Full WV121 MEAS. FROM SEAM TO POCKET BAG EDGE FOR PRODUCTION Full WV122 MEA	WV101 ACROSS TOP EDGE OF WAISTBAND true Full 1/8 in WV ACROSS TOP EDGE OF WAISTBAND true Full 1/2 in WV ACROSS TOP EDGE OF WAISTBAND true Full 1/8 in WV FROM FRONT CROTCH SEAM TO TUPE Full 1/8 in WV104 True Full 1/4 in WV105 FROM FRONT CROTCH SEAM TO TOP EDGE OF FRONT WAISTBAND True Full 1/4 in WV106 FROM BACK CROTCH SEAM TO TOP EDGE OF WAISTBAND True Full 1/2 in WV107 MEAS. X''DOWN FROM TOP EDGE OF WAISTBAND True Full 1/2 in WV108 3PT MEAS FROM WR SIDE SEAM True Full 1/2 in WV108 3PT MEAS TOW SIDE SEAM True Full 1/2 in WV109 MEAS. AT 1" BELOW CROTCH, ACROSS TO SIDE SEAM True Full 1/2 in WV130 MEAS. AT LEG EDGE True Full 1/2 in WV131 MEAS. ALONG THE INSEAM FROM True Full 1/4 in WV20

05-02-2025


Development - 1st Proto Request (UA) - Kilsy Morocho

CREATED ON APR 18, 2025 4:35 PM


Status: Submit 1st Proto

Development Notes:


- 1. Create a pattern based on the measurements and sketch provided.
- 2. See photo for construction details.
- 3. Place all artworks on proto proportional to the sketch.





DEV CONS-03.jpg



DEV CONS-01.jpg









APPLY THESE STORAGE BAGS TO THE PALM SIDE POCKET BAG

DEV CONS-04.jpg



DEV CONS-02.jpg



Screenshot 2025-04-24 at 10.00.28 AM.jpg

	COMPONENT	QTY	1. NO COLOR ASSIGNED
1	XN-XY23-122 CODE: XN-XY23-122 Placement: FRONT PANEL / WB / ZIPPER GARAGES / BACK POCKET KNUCKLE + PALM SIDE BAG / HEM + SIDE SEAM BINDING Notes: BASE OPTION 1		Not used
2	NAPAN72 CODE: NAPAN72 Placement: FRONT PANEL / WB / ZIPPER GARAGES / BACK POCKET KNUCKLE + PALM SIDE BAG / HEM + SIDE SEAM BINDING Notes: BASE OPTION 2		Not used
3	IN DEV CODE: TBD Placement: @ BACK PANEL / WB FAACING / HAND POCKET BAGS / BACK POCKET HIDDEN KNUCKLE SIDE BAG Notes: TBD POWER MESH; PLEASE FOLLOW REFERENCE CUTTING AND SEND COMPARABLE OPTIONS FOR APPROVAL		Not used
4	MKD8604 CODE: MKD8604 Placement: @ STORAGE POCKETS Supplier: TEIJIN FRONTIER CO.,LTD. Width: 58" Weight: 172gsm Country of Origin: KOREA		Not used
5	YKK COIL CLOSED END ZIPPER CODE: TBD Placement: @ EACH HAND POCKET Notes: *REVERSE* Supplier: YKK Country of Origin: China		Not used SIZE: 3GG
6	YKK Zipper Tape CODE: YKK Placement: @ EACH HAND POCKET ZIPPER		Not used
7	YKK DFBW Zipper Slider CODE: DFBW Placement: @ EACH HAND POCKET ZIPPER Notes: SHINY ENAMEL		Not used
8	YKK INVISIBLE ZIPPER CODE: TBD Placement: @ BACK POCKET Supplier: YKK		Not used SIZE: 3GG
9	YKK Zipper Tape CODE: YKK Placement: @ BACK POCKET ZIPPER		Not used
10	YKK DS Zipper Pull CODE: DS Placement: @ BACK POCKET ZIPPER Notes: SHINY ENAMEL Supplier: YKK Country of Origin: CHINA		Not used Gauge: Undefined
11	IN DEV CODE: TBD Placement: @ HAND POCKET ZIPPER SLIDERS Notes: TBD ROUND ZIPPER PULL CORDS W / PU DIPPED ENDS; PLEASE FOLLOW REFERENCE PHOTO AND SEND OPTIONS FOR APPROVAL		Not used
12	IN DEV CODE: TBD Placement: INTERIOR WB Notes: 3/8" 100% NYLON DRAWCORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
13	ELASTIC CODE: ELASTIC Placement: INTERIOR WB Notes: HIGH POWER LIGHTWEIGHT ELASTIC Supplier: Factory Sourced		Not used WIDTH: 1/2"
14	IN DEV CODE: TBD Placement: INSET BUNGEE CORDS @ BACK SIDE POCKET SEAMS + BAR TACKS TO SECURE Notes: 2.5MM BUNGEE CORD; PLEASE SEND LOCAL OPTIONS FOR APPROVAL		Not used
15	IN DEV CODE: TBD Notes: CLEAR BONDING FILM		Not used

SS26NBWR000 NB RUN SHORT - Style #SS26NBWR000 Mens, Shorts, Spring/Summer, 2026

BOM > Set 1 of 1

	COMPONENT	QTY	1. NO COLOR ASSIGNED
16	THREAD CODE: THREAD Placement: @ ENTIRE BODY Notes: TEX50 TOP STITCHING THREAD; FOR PROTO, PLEASE USE WHITE THREAD COLOR FOR ALL CONTRAST TOP STITCHING Supplier: Factory Sourced		Not used
	Components 16		Total 0.00