



NB Zip Hoodie


Name	NB Zip Hoodie
Style No.	NB26CH000
Division	Mens
Category	Hoodies
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size XS S M L XL XXL
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	8/26/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleonore.com



1_B&W-1



2_CLR-1




3_Construction Details-1

Comments (11)

- A1** FIT: SEE ATTACHED REFERENCE FOR FIT
- A2** SELF TURNBACK @ HOOD
- A3** INTERIOR BUNGEE CORD CLOSURE @ HOOD - SEE ADDITIONAL FILE FOR BUNGEE REFERENCE
- A4** ZIPPER CLOSURE @ CF CHEST
- A5** HEAT TRANSFER ARTWORK @ WL CHEST - SEE ADDITIONAL FILE FOR ARTWORK DETAILS
- A6** POCKET @ SIDE SEAM - KNUCKLE SIDE SELF, PALM SIDE SELF - BARTACK @ TOP AND BOTTOM OPENING
- A7** BUNGEE CORD CLOSURE @ BOTTOM HEM - SEE ADDITIONAL FILE FOR BUNGEE REFERENCE
- A8** SELF BINDING @ SLEEVE CUFF - FLAT ELASTIC INSERT
- A9** 3 PIECE HOOD WITH SEAMS @ HOOD
- A10** YOKE @ CB
- A11** HEAT TRANSFER ARTWORK @ CB - SEE ADDITIONAL PAGE FOR ARTWORK DETAILS

1. Fit:
2. miệng nón bằng vải chính gấp đôi
4. dây kéo tại giữa trước
5. heat transfer tại ngực trái
6. túi tại sườn - lót túi bằng vải chính - bộ cạnh cạnh dưới miệng túi
7. dây thun tròn tại lai áo - tham khảo cấu trúc hình bên dưới
8. viền lai tay bằng vải chính - chèn thun
9. nón 3 mảnh với đường may
10. đô sau
11. heat transfer tại thân sau



4_Stitching Details-1

Comments (13)

- A1 SN TURNBACK @ HOOD OPENING
- A2 SN TS @ NECK
- A3 CLEAN SEAM @ SHOULDER SEAM
- A4 SN TS @ ZIPPER CLOSURE
- A5 CONTRAST STITCHING @ BODY
- A6 CLEAN SEAM @ ARMHOLE
- A7 CONTRAST STITCHING @ SLEEVE
- A8 SN TS @ POCKET
- A9 CLEAN SEAM @ POCKET ENTRY
- A10 SN TS @ SLEEVE CUFF
- A11 1/4" SN TS @ BOTTOM HEM
- A12 SN TS @ HOOD SEAMS
- A13 SN TS @ BACK YOKE

1. điều 1 kim tại miệng nón
2. điều 1 kim tại cổ
3. may sạch tại đường may vai
4. điều 1 kim tại dây kéo giữa trước
5. chỉ điều trang trí tại thân
6. may sạch tại nách
7. chỉ điều trang trí tại tay
8. điều 1 kim tại túi
9. may sạch tại miệng túi
10. điều 1 kim tại lai tay
11. điều 1 kim 1/4" tại lai áo
12. điều 1 kim tại đường may nón
13. điều 1 kim tại đô sau

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/4 in	25 1/2 in	25 1/2 in	0 in	0 in	25 1/2 in	
Back Body Length	CB neck seam to bottom edge	true	Full	1/4 in	24 3/4 in	24 3/4 in	0 in	0 in	24 3/4 in	
CF Zipper Length	From neck to bottom edge	false	Full	1/4 in	25 in	24 7/8 in	-1/8 in	0 in	25 in	
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	3 1/2 in	3 1/4 in	-1/4 in	-1/4 in	3 1/4 in	Keep As Sample
Back Neck Drop	HPS to neck seam	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	9 in	8 5/8 in	-3/8 in	-3/8 in	8 5/8 in	Keep As Sample
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 1/2 in	2 5/8 in	1/8 in	0 in	2 1/2 in	
Across Shoulder	Seam to seam	false	Half	1/4 in	24 in	24 in	0 in	0 in	24 in	
Across Front/Across Back Position from HPS		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front	Straight Down from HPS, Seam to Seam	false	Half	1/4 in	22 1/2 in	22 1/2 in	0 in	0 in	22 1/2 in	
Across Back	Straight Down from HPS, Seam to Seam	false	Half	1/4 in	22 1/2 in	22 1/2 in	0 in	0 in	22 1/2 in	
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	24 in	23 1/2 in	-1/2 in	-1/2 in	23 1/2 in	Keep As Sample
Bottom Opening Width @ Edge		true	Half	1/4 in	22 1/2 in	22 in	-1/2 in	-1/2 in	22 in	Keep As Sample
Bottom Hem Height		false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	35 in	35 3/4 in	3/4 in	0 in	35 in	Back to Spec
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	13 in	13 in	0 in	0 in	13 in	
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	10 1/4 in	10 1/4 in	0 in	0 in	10 1/4 in	
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	7 1/2 in	7 1/4 in	-1/4 in	0 in	7 1/2 in	
Sleeve Opening Width 1" Above Rib Knit Seam		true	Half	1/4 in	5 1/4 in	4 3/4 in	-1/2 in	-1/2 in	4 3/4 in	Keep As Sample
Sleeve Opening Width- At Edge	At edge	false	Half	1/4 in	5 in	4 3/4 in	-1/4 in	0 in	5 in	
Binding Cuff Height		false	Full	1/8 in	3/8 in	3/8 in	0 in	0 in	3/8 in	
CF Collar Height		true	Full	1/8 in	3 in	3 in	0 in	1 in	4 in	Increase
Hood Opening	From Collar Top Edge to Hood Edge	false	Half	3/8 in	12 in	12 in	0 in	0 in	12 in	
Hood Height @ HPS		true	Full	1/4 in	14 in	14 in	0 in	0 in	14 in	
Hood Center Panel Width		false	Full	1/8 in	0 in	0 in	0 in	4 in	4 in	Add
Hood Width 6" Below Top Edge	Straight from CF edge to CB seam- 6" down	false	Half	3/8 in	10 in	9 1/4 in	-3/4 in	1/2 in	10 1/2 in	Increase
Hood Hem Turnback Height		false	Full	1/8 in	3/8 in	3/8 in	0 in	1/2 in	7/8 in	Follow Revised
Side Seam Pocket Opening		true	Full	1/8 in	6 in	5 7/8 in	-1/8 in	0 in	6 in	
Pocket Width at Bottom Edge		true	Full	1/8 in	8 in	8 in	0 in	0 in	8 in	
Pocket Height at Widest		true	Full	1/8 in	9 in	9 in	0 in	0 in	9 in	
Pocket Opening Placement from Bottom Edge	To Bottom Edge of Pocket	true	Full	1/8 in	2 1/2 in	0 in	0 in	0 in	2 1/2 in	
Back Yoke Height at Center		false	Full	1/8 in	7 in	6 7/8 in	-1/8 in	0 in	7 in	
WL Artwork Placement from HPS to Top Edge		true	Full	1/8 in	7 3/4 in	7 1/2 in	-1/4 in	0 in	7 3/4 in	Back to Spec
WL Artwork Placement Out from CF Line		false	Full	1/8 in	2 3/4 in	2 3/4 in	0 in	0 in	2 3/4 in	

CB Artwork Placement Below Yoke Seam		false	Full	1/8 in	0 in	0 in	0 in	0 in	0 in	
Loop Label Placement at Sideseam	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	7 in	0 in	0 in	0 in	7 in	

1st Proto - Anastasiya Zolotova

CREATED ON AUG 19, 2025 5:44 PM
1ST PROTO: SIZE:M, CREATED AT: 07-07-2025

- 8/26/25:
- bỏ viền nón
 - thay đổi miệng nón gập 7/8"
 - dời dây luồn tròn và con chặn vô mặt trong nón, giữa nguyên vị trí như mẫu proto chỉ thay đổi vào mặt trong
 - Loại bỏ mắt cáo, theo cách may giống như phần lai dưới đã yêu cầu. Dây thun sẽ thoát ra từ phần gập của nón

- 8/26/25:
- Remove hood binding
 - Change hood opening to turn back 7/8 height
 - Move the cord lock and bungee system into hood interior, same placement as 1st proto just on the inside
 - Remove grommet, follow the same construction at hood as requested for bottom hem . bungee exit is at from hood foldback.

NB26CH000 NB Zip Hoodie
FITTING DATE: 8/19/25
MODEL/ATTENDEES: Jessica, Anthony, Jeni, Anastasiya
STATUS: 1st Proto Approved to 1st Fit

Construction/Workmanship:

1. Change internal hem bungee construction as reference image.
2. Sleeve opening has sleeve inseam finished last, please finish binding last so the seam is not visible at sleeve edge. See image

Fit Comments:

1. Change hood to a 3 piece hood, follow measurement of 4" for hood center panel.
2. Keep front neck drop as sample at 3 1/4"
3. Keep back neck width as sample at 8 5/8"
4. Chest came in 23 1/2", keep as sample
5. Bottom edge at opening came in 22", keep as sample
6. Sleeve length came in +3/4", go back to spec.
7. Sleeve opening at seam came in 4 3/4", keep as sample
8. Increase hood width to 10 1/2"
9. Increase collar height at CF to 4"

- cấu trúc:
1. thay đổi cấu trúc thun tròn tại lai như hình bên dưới
 2. lai tay áo có đường may trong tay áo được hoàn thiện sau cùng, vì vậy hãy hoàn thiện phần viền sau cùng để đường may không bị lộ ở mép tay áo. Xem hình ảnh bên dưới
- fit:
1. thay đổi nón thành 3 mảnh, thông số btp nón ở giữa là 4"
 2. giữ hạ cổ trước như mẫu 3 1/4"
 4. giữ rộng cổ sau như mẫu 8 5/8"
 5. ngực 23 1/2", giữ như mẫu
 6. dài tay dư 3/4", điều chỉnh thông số trong dung sai
 7. lai tay tại đường may 4 3/4", giữ như mẫu
 8. tăng rộng nón 10 1/2"
 9. tăng cao cổ tại giữa trước 4"



Screen Shot 2025-08-19 at 1.16.43 PM.jpg

NB26CH000 NB Zip Hoodie

Change internal hem bungee construction as reference image.

- Remove exit, create exit with the turnback
- Use bartacks on both sides of bungee cord to close off the turnback
- Finish twill tape into side seam

- thay đổi cấu trúc thun tròn bên trong lại như hình
- bỏ mắt cáo, tạo lỗ thoát dây luồn bằng gập ngược vải chính
- sử dụng bộ 2 bên của thun tròn
- may dây tape dẹt ngang đính vào đường may sườn



Screen Shot 2025-08-19 at 4.23.21 PM.jpg

lai tay áo có đường may trong tay áo được hoàn thiện sau cùng, vì vậy hãy hoàn thiện phần viền sau cùng để đường may không bị lộ ở mép tay áo. Xem hình ảnh bên dưới

NB26CH000 NB Zip Hoodie

Sleeve opening has sleeve inseam finished last, please finish binding last so the seam is not visible at sleeve edge.



Screen Shot 2025-08-19 at 4.31.49 PM.jpg