



## NB Zip Hoodie


Name	NB Zip Hoodie
Style No.	NB26CH000
Division	Mens
Category	Hoodies
Season	Spring/Summer
Year	2026
Size Scale	<b>M</b> -Sample size <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> XXL
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	10/28/2025 Anastasiya Zolotova anastasiya.zolotova@aimleondore.com



1\_B&W-1




2\_CLR-1



Comments (11)

- A1 FIT: SEE ATTACHED REFERENCE FOR FIT
- A2 SELF TURNBACK @ HOOD
- A3 INTERIOR BUNGEE CORD CLOSURE @ HOOD - SEE ADDITIONAL FILE FOR BUNGEE REFERENCE
- A4 ZIPPER CLOSURE @ CF CHEST
- A5 HEAT TRANSFER ARTWORK @ WL CHEST - SEE ADDITIONAL FILE FOR ARTWORK DETAILS
- A6 POCKET @ SIDE SEAM - KNUCKLE SIDE SELF, PALM SIDE SELF - BARTACK @ TOP AND BOTTOM OPENING
- A7 BUNGEE CORD CLOSURE @ BOTTOM HEM - SEE ADDITIONAL FILE FOR BUNGEE REFERENCE
- A8 SELF BINDING @ SLEEVE CUFF - FLAT ELASTIC INSERT
- A9 3 PIECE HOOD WITH SEAMS @ HOOD
- A10 YOKE @ CB
- A11 HEAT TRANSFER ARTWORK @ CB - SEE ADDITIONAL PAGE FOR ARTWORK DETAILS



## Comments (13)

- A1** SN TURNBACK @ HOOD OPENING
- A2** SN TS @ NECK
- A3** CLEAN SEAM @ SHOULDER SEAM
- A4** SN TS @ ZIPPER CLOSURE
- A5** CONTRAST STITCHING @ BODY
- A6** CLEAN SEAM @ ARMHOLE
- A7** CONTRAST STITCHING @ SLEEVE
- A8** SN TS @ POCKET
- A9** CLEAN SEAM @ POCKET ENTRY
- A10** SN TS @ SLEEVE CUFF
- A11** 1/4" SN TS @ BOTTOM HEM
- A12** SN TS @ HOOD SEAMS
- A13** SN TS @ BACK YOKE

## Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST FIT - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/4 in	25 1/2 in	25 1/2 in	0 in	3/4 in	26 1/4 in	Increase
Back Body Length	CB neck seam to bottom edge	true	Full	1/4 in	24 3/4 in	24 5/8 in	-1/8 in	3/4 in	25 1/2 in	Increase
CF Zipper Length	From neck to bottom edge	false	Full	1/4 in	25 in	25 5/8 in	5/8 in	1 1/2 in	26 1/2 in	Follow Revised
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	3 1/4 in	3 1/4 in	0 in	3/4 in	4 in	Increase
Back Neck Drop	HPS to neck seam	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	8 5/8 in	8 1/2 in	-1/8 in	0 in	8 5/8 in	
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 1/2 in	2 1/2 in	0 in	0 in	2 1/2 in	
Across Shoulder	Seam to seam	false	Half	1/4 in	24 in	24 in	0 in	-1 in	23 in	Reduce
Across Front/Across Back Position from HPS		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front	Straight Down from HPS, Seam to Seam	false	Half	1/4 in	22 1/2 in	23 in	1/2 in	-1 in	21 1/2 in	Reduce
Across Back	Straight Down from HPS, Seam to Seam	false	Half	1/4 in	22 1/2 in	22 3/4 in	1/4 in	-1 in	21 1/2 in	Reduce
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	23 1/2 in	23 3/4 in	1/4 in	-1/2 in	23 in	Follow Revised
Bottom Opening Width @ Edge		true	Half	1/4 in	22 in	22 1/2 in	1/2 in	1/2 in	22 1/2 in	Keep As Sample
Bottom Hem Height		false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	35 in	34 3/4 in	-1/4 in	0 in	35 in	
Armpit Drop	Below HPS - measure perpendicular	false	Full	1/4 in	13 in	13 in	0 in	-1/2 in	12 1/2 in	Reduce
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	10 1/4 in	10 1/4 in	0 in	-1/2 in	9 3/4 in	Reduce
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	7 1/2 in	7 1/2 in	0 in	-1/4 in	7 1/4 in	Reduce
Sleeve Opening @ Edge - Extended		true	Half	1/8 in	0 in	5 in	5 in	4 3/4 in	4 3/4 in	Reduce
Sleeve Opening @ Edge - Relaxed		true	Half	1/8 in	0 in	4 3/4 in	4 3/4 in	4 1/4 in	4 1/4 in	Reduce
Binding Cuff Height		false	Full	1/8 in	3/8 in	3/8 in	0 in	0 in	3/8 in	
CF Collar Height		true	Full	1/8 in	4 in	3 7/8 in	-1/8 in	1/2 in	4 1/2 in	Increase
Hood Opening	From Collar Top Edge to Hood Edge	false	Half	3/8 in	12 in	12 in	0 in	-2 in	10 in	Reduce
Hood Height @ HPS		true	Full	1/4 in	14 in	15 1/4 in	1 1/4 in	-3/4 in	13 1/4 in	Reduce
Hood Center Panel Width		false	Full	1/8 in	4 in	4 in	0 in	0 in	4 in	
Hood Width 6" Below Top Edge	Straight from CF edge to CB seam- 6" down	false	Half	3/8 in	10 1/2 in	10 1/2 in	0 in	-1 in	9 1/2 in	Reduce
Hood Hem Turnback Height		false	Full	1/8 in	7/8 in	1 in	1/8 in	0 in	7/8 in	
Side Seam Pocket Opening		true	Full	1/8 in	6 in	6 in	0 in	0 in	6 in	
Pocket Width at Bottom Edge		true	Full	1/8 in	8 in	8 1/8 in	1/8 in	0 in	8 in	
Pocket Height at Widest		true	Full	1/8 in	9 in	9 1/8 in	1/8 in	0 in	9 in	
Pocket Opening Placement from Bottom Edge	To Bottom Edge of Pocket	true	Full	1/8 in	2 1/2 in	2 5/8 in	1/8 in	0 in	2 1/2 in	
Back Yoke Height at Center		false	Full	1/8 in	7 in	7 in	0 in	-1/2 in	6 1/2 in	Reduce
WL Artwork Placement from HPS to Top Edge		true	Full	1/8 in	7 3/4 in	7 1/2 in	-1/4 in	-1/4 in	7 1/2 in	Keep As Sample
WL Artwork Placement Out from CF Line		false	Full	1/8 in	2 3/4 in	3 in	1/4 in	1/4 in	3 in	Keep As Sample
CB Artwork Placement Below Yoke Seam		false	Full	1/8 in	0 in	2 in	2 in	2 in	2 in	Keep As Sample

Loop Label Placement at Sideseam	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	7 in	0 in	0 in	0 in	7 in	
----------------------------------	--	-------	------	--------	------	------	------	------	------	--

## 1st Fit - Sarah Tota

CREATED ON OCT 24, 2025 9:24 PM  
1ST FIT: SIZE:M, CREATED AT: 10-15-2025

NB26CH000 NB Zip Hoodie

**FITTING DATE:** 10/16/2025

**MODEL/ATTENDEES:** Anthony, Cal, Anastasiya, Sarah, Hyeyoung, Jeni, Wes

**STATUS:** 1st Fit Approved to PPS

### Fit Comments:

1. Increase front body length to 26 1/4"
2. Increase back body length to 25 1/2" to level hem
3. Follow revised zipper length of 26 1/2" (Front body length - FND + Collar height - 1/4" top and bottom edge spacing)
4. Reduce shoulder to 23"
5. Reduce across front to 21 1/2"
6. Reduce across back to 21 1/2"
7. Reduce chest to 23"
8. Reduce bottom opening to 22 1/2"
9. Reduce armhole drop to 12 1/2"
10. Reducing sleeve please ensure to maintain as straight as possible sleeve inseam shape. Fty to advise if forearm measurement is distorting the shape.
11. Reduce bicep to 9 3/4"
12. Redue forearm 7 1/4"
13. Reduce sleeve opening extended (pattern measurement) to 4 3/4"
14. Reduce sleeve opening relaxed to 4 1/4"
15. Increase CF collar height to 4 1/2"
16. Reduce hood opening to 10"
17. Reduce hood height at HPS to 13 1/4"
18. Reduce hood width 6" below top edge to 9 1/2"
19. Reduce back yoke height to 6 1/2"
20. Keep WL artwork as sample at 7 1/2" from HPS
21. Keep WL artwork as sample at 3" from CF
22. Keep CB artwork as sample at 2" below back yoke seam
23. Move front decorative top stitching over 3/4" closer to CF to 0" at logo. See image.

### Construction Comments:

Fit comment:

1. tăng dài áo thân trước 26 1/4"
2. tăng dài áo thân sau 25 1/4"
3. thay đổi dài dây kéo (dài áo thân trước - hạ cổ trước + cao cổ -1/4" cạnh trên và cạnh dưới mép)
4. giảm vai 23"
5. giảm ngang thân trước 21 1/2"
6. giảm ngang thân sau 21 1/2"
7. giảm ngực 23"
8. giảm lai áo 22 1/2"
9. giảm hạ nách 12 1/2"
10. Khi giảm chiều dài tay áo, vui lòng đảm bảo giữ đường may trong tay áo càng thẳng càng tốt.  
Phòng kỹ thuật advise nếu thông số cảng tay làm biến dạng hình dáng tay áo.
11. giảm bắp tay 9 3/4"
12. giảm cảng tay 7 1/4"
13. giảm lai tay đo cảng (thông số rập) 4 3/4"
14. giảm lai tay đo êm 4 1/4"
15. tăng cao cổ giữa trước 4 1/2"
16. giảm miệng nón 10"
17. giảm cao nón tại đỉnh vai 13 1/4"
18. giảm rộng nón tại 6" dưới đỉnh nón 9 1/2"
19. giảm cao đô sau 6 1/2"
20. giữ hình in ngực trái như mẫu 7 1/2" từ đỉnh vai
21. giữ hình in ngực trái như mẫu 3" từ giữa trước
22. giữ hình in thân sau như mẫu 2" dưới đường may đô sau
23. Di chuyển đường may trang trí phản quang phía trước gần hơn 3/4 inch về phía đường giữa thân trước, thu hẹp dần đến 0 inch tại vị trí logo. Xem hình ảnh minh họa bên dưới.

1. Sleeve opening construction not updated as requested. Please finish binding last so the seam is not visible on sleeve outseam. It should be encased in the sleeve opening elastic.
2. Please advise why visibility of contrast thread is better on all top stitching but not when two seams are being joined. See image. Any way to improve? If not please let me know and we will only keep contrast thread decorative top stitching.
3. Use latest thread quality communicated by Jeni "Signal Pop Reflective Thread"
4. Move bungee tape to be fixed at hood turn back internal seam, see image.

cấu trúc:

1. Cấu trúc miệng tay áo chưa được cập nhật theo yêu cầu. Vui lòng hoàn thiện phần viền sau cùng để đường may không bị lộ ở đường sườn ngoài tay áo. Đường may này cần được bọc kín bên trong phần viền miệng tay áo.
2. Phòng kỹ thuật giải thích vì sao chỉ may chỉ màu tương phản nhìn rõ trên tất cả các đường may trang trí, nhưng lại không rõ khi nói hai đường may. Xem hình ảnh minh họa. Có cách nào cải thiện không? Nếu không, phản hồi lại để khách chỉ giữ chỉ màu tương phản cho các đường may trang trí.
3. sử dụng chỉ phản quang Jeni duyệt
4. Di chuyển dây tape dệt ngang để được cố định tại đường may bên trong phần gấp lại của mũ áo, xem hình ảnh minh họa bên dưới



Screenshot 2025-10-24 at 5.23.56 PM.jpg

## NB26CH000 NB Zip Hoodie

Vui lòng hoàn thiện phần viền sau cùng để đường may không bị lộ ở đường sườn ngoài tay áo.

Sleeve opening has sleeve inseam finished last, please finish binding last so the seam is not visible at sleeve edge.



Screen Shot 2025-10-28 at 4.48.38 PM.jpg

phòng kỹ thuật giải thích vì sao chỉ may chỉ màu tương phản nhìn rõ trên tất cả các đường may trang trí, nhưng lại không rõ khi nối hai đường may.

### NB26CH000 NB Zip Hoodie

Please advise why visibility of contrast thread is better on all top stitching but not when two seams are being joined.



Screen Shot 2025-10-28 at 4.48.20 PM.jpg

Di chuyển đường may trang trí phản quang phía trước gần hơn 3/4 inch  
về phía đường giữa thân trước, thu hẹp dần đến 0 inch tại vị trí logo.

**NB26CH000 NB Zip Hoodie**

-Move front decorative top stitching over 3/4" closer to CF to 0" at logo.



Screen Shot 2025-10-28 at 4.44.34 PM.jpg

Di chuyển dây tape dệt ngang để được cố định tại đường may bên trong phần  
gập lại của mũ áo, xem hình ảnh minh họa bên dưới

### NB26CH000 NB Zip Hoodie

Move bungee tape to be fixed at hood turn back internal seam, see image.



Screen Shot 2025-10-28 at 4.42.42 PM.jpg