
**NB LS Top**


Name	NB LS Top
Style No.	NB26CT001
Division	Mens
Category	Tees
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> XXL
Style Status	Adopted
Factory	UN-AVAILABLE
Designer Name	Wes
TD Name	Anastasiya
Created by/Author	1/15/2026 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com



1_B&W-1




2_CLR-1



Comments (7)

- A1 FIT: NB RC56 LS TOP (NB25CT002)
- A2 SELF FABRIC @ NECK TRIM - POLY TAPE ALONG BACK NECK
- A3 SET IN PANEL @ BODY
- A4 PRINTED ARTWORK @ CF CHEST - SEE ADDITIONAL FILE FOR ARTWORK DETAILS
- A5 SET IN PANEL @ SLEEVES
- A6 SELF ON FOLD @ SLEEVE CUFFS
- A7 PRINTED ARTWORK @ CB - SEE ADDITIONAL FILE FOR ARTWORK DETAILS



Comments (9)

- A1** 1/8" SN TS @ NECK
- A2** BONDING @ BODY PANEL
- A3** CLEAN FINISH @ SHOULDER
- A4** CLEAN FINISH @ ARMHOLE
- A5** BONDING @ SLEEVE PANEL
- A6** CLEAN FINISH @ SIDE SEAM
- A7** CLEAN SEAM FINISH @ SLEEVE CUFF
- A8** 1/4" DN TS @ BOTTOM HEM - TURNBACK W/ COVERLOCK FINISH
- A9** BONDING @ BACK PANEL

Sample Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	M	L	XL	XXL
Front Body Length	HPS to bottom edge	true	Full	1/2 in	-7/8 in	-7/8 in	28 in	7/8 in	7/8 in	7/8 in
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	-7/8 in	-7/8 in	27 1/4 in	7/8 in	7/8 in	7/8 in
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	0 in	0 in	2 in	0 in	0 in	0 in
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	0 in	-1/8 in	4 1/4 in	1/8 in	1/8 in	1/8 in
Back Neck Drop	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	0 in	-1/4 in	7 1/4 in	1/4 in	1/4 in	1/4 in
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
Across Shoulder Width- Seam to seam	Seam to Seam	false	Full	3/8 in	-3/4 in	-3/4 in	18 in	3/4 in	1 in	1 in
Across Front/Across Back Position from HPS		true	Full	0 in	-1/4 in	-1/4 in	7 in	1/4 in	1/4 in	1/4 in
Across Front	7" dwn from HPS, Seam to seam	false	Half	3/8 in	-3/4 in	-3/4 in	15 3/4 in	3/4 in	1 in	1 in
Across Back	7" dwn from HPS, Seam to Seam	false	Half	3/8 in	-3/4 in	-3/4 in	16 1/4 in	3/4 in	1 in	1 in
Chest Width	1" Below armhole- edge to edge	true	Half	1/2 in	-1 in	-1 in	22 1/4 in	1 in	1 1/2 in	1 1/2 in
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/2 in	-1 in	-1 in	22 1/4 in	1 in	1 1/2 in	1 1/2 in
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	-1 in	-1 in	34 1/4 in	1 in	1 in	1 in
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	-3/8 in	-3/8 in	11 1/2 in	3/8 in	1/2 in	1/2 in
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	-3/8 in	-3/8 in	8 3/4 in	3/8 in	1/2 in	1/2 in
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	-1/4 in	-1/4 in	6 3/4 in	1/4 in	3/8 in	3/8 in
Sleeve Opening Width 1" Above Cuff Seam		true	Half	1/4 in	-1/4 in	-1/4 in	4 3/4 in	1/4 in	3/8 in	3/8 in
Sleeve Opening Width- At Edge	At edge	false	Half	1/8 in	0 in	-1/4 in	3 3/4 in	1/4 in	1/4 in	0 in
Cuff Height	Cuff edge to seam	false	Full	1/8 in	0 in	0 in	1 1/2 in	0 in	0 in	0 in
CF Artwork Placement below CF Neckline	From CF Neck Seam to Top Edge of Artwork	false	Full	1/8 in	-1/8 in	-1/8 in	3 1/4 in	1/8 in	1/8 in	1/8 in
CB Artwork Placement Above Hem Edge		false	Full	1/8 in	0 in	0 in	1 1/2 in	0 in	0 in	0 in

Sample Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	XS	S	M	L	XL	XXL
Front Body Length	HPS to bottom edge	true	Full	1/2 in	26 1/4 in	27 1/8 in	28 in	28 7/8 in	29 3/4 in	30 5/8 in
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	25 1/2 in	26 3/8 in	27 1/4 in	28 1/8 in	29 in	29 7/8 in
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	3/4 in					
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 in	2 in	2 in	2 in	2 in	2 in
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	4 1/8 in	4 1/8 in	4 1/4 in	4 3/8 in	4 1/2 in	4 5/8 in
Back Neck Drop	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	3/4 in					
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 in	7 in	7 1/4 in	7 1/2 in	7 3/4 in	8 in
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	3/4 in					
Across Shoulder Width- Seam to seam	Seam to Seam	false	Full	3/8 in	16 1/2 in	17 1/4 in	18 in	18 3/4 in	19 3/4 in	20 3/4 in
Across Front/Across Back Position from HPS		true	Full	0 in	6 1/2 in	6 3/4 in	7 in	7 1/4 in	7 1/2 in	7 3/4 in
Across Front	7" dwn from HPS, Seam to seam	false	Half	3/8 in	14 1/4 in	15 in	15 3/4 in	16 1/2 in	17 1/2 in	18 1/2 in
Across Back	7" dwn from HPS, Seam to Seam	false	Half	3/8 in	14 3/4 in	15 1/2 in	16 1/4 in	17 in	18 in	19 in
Chest Width	1" Below armhole- edge to edge	true	Half	1/2 in	20 1/4 in	21 1/4 in	22 1/4 in	23 1/4 in	24 3/4 in	26 1/4 in
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/2 in	20 1/4 in	21 1/4 in	22 1/4 in	23 1/4 in	24 3/4 in	26 1/4 in
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	3/4 in					
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	32 1/4 in	33 1/4 in	34 1/4 in	35 1/4 in	36 1/4 in	37 1/4 in
Armpit Drop	Below HPS - measure perpendicular	false	Full	1/4 in	10 3/4 in	11 1/8 in	11 1/2 in	11 7/8 in	12 3/8 in	12 7/8 in
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	8 in	8 3/8 in	8 3/4 in	9 1/8 in	9 5/8 in	10 1/8 in
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	6 1/4 in	6 1/2 in	6 3/4 in	7 in	7 3/8 in	7 3/4 in
Sleeve Opening Width 1" Above Cuff Seam		true	Half	1/4 in	4 1/4 in	4 1/2 in	4 3/4 in	5 in	5 3/8 in	5 3/4 in
Sleeve Opening Width- At Edge	At edge	false	Half	1/8 in	3 1/2 in	3 1/2 in	3 3/4 in	4 in	4 1/4 in	4 1/4 in
Cuff Height	Cuff edge to seam	false	Full	1/8 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in
CF Artwork Placement below CF Neckline	From CF Neck Seam to Top Edge of Artwork	false	Full	1/8 in	3 in	3 1/8 in	3 1/4 in	3 3/8 in	3 1/2 in	3 5/8 in
CB Artwork Placement Above Hem Edge		false	Full	1/8 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	PPS - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	28 in	27 1/4 in	-3/4 in	0 in	28 in	Back to Spec
Back Body Length	CB neck seam to bottom edge	true	Full	1/2 in	27 1/4 in	26 3/4 in	-1/2 in	0 in	27 1/4 in	
Shoulder Seam Forward	HPS to seam	false	Full	1/8 in	3/4 in	5/8 in	-1/8 in	0 in	3/4 in	
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	2 in	1 3/4 in	-1/4 in	0 in	2 in	UNEVEN
Front Neck Drop	HPS to neck seam	false	Full	1/8 in	4 1/4 in	4 1/8 in	-1/8 in	0 in	4 1/4 in	
Back Neck Drop	FROM HPS LEVEL STRAIGHT DOWN TO CB NECK SEAM	true	Full	1/8 in	3/4 in	7/8 in	1/8 in	0 in	3/4 in	
Back Neck Width	Seam to seam at back neck, at HPS point	false	Full	1/4 in	7 1/2 in	7 1/4 in	-1/4 in	-1/4 in	7 1/4 in	Keep As Sample
Neck Trim Height	Neck Seam to trim edge (before folded)	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Across Shoulder Width- Seam to seam	Seam to Seam	false	Full	3/8 in	18 in	17 5/8 in	-3/8 in	0 in	18 in	
Across Front/Across Back Position from HPS		true	Full	0 in	7 in	7 in	0 in	0 in	7 in	
Across Front	7" dwn from HPS, Seam to seam	false	Half	3/8 in	15 3/4 in	15 3/8 in	-3/8 in	0 in	15 3/4 in	
Across Back	7" dwn from HPS, Seam to Seam	false	Half	3/8 in	16 1/4 in	15 3/4 in	-1/2 in	0 in	16 1/4 in	Back to Spec
Chest Width	1" Below armhole- edge to edge	true	Half	1/2 in	22 1/4 in	21 3/4 in	-1/2 in	0 in	22 1/4 in	
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/2 in	22 1/4 in	21 1/2 in	-3/4 in	0 in	22 1/4 in	Back to Spec
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in	
Sleeve Length from CB Neck	3-point measure from CB Neck to shoulder point to sleeve edge	true	Full	1/2 in	34 1/4 in	33 1/4 in	-1 in	0 in	34 1/4 in	Back to Spec
Armhole Drop	Below HPS - measure perpendicular	false	Full	1/4 in	11 1/2 in	11 in	-1/2 in	0 in	11 1/2 in	Back to Spec
Bicep Width	1" below armhole- edge to edge	false	Half	1/4 in	8 3/4 in	8 3/4 in	0 in	0 in	8 3/4 in	
Forearm Width	9" up from sleeve cuff edge	false	Half	1/4 in	6 3/4 in	6 5/8 in	-1/8 in	0 in	6 3/4 in	
Sleeve Opening Width 1" Above Cuff Seam		true	Half	1/4 in	4 1/2 in	4 3/4 in	1/4 in	1/4 in	4 3/4 in	Keep As Sample
Sleeve Opening Width- At Edge	At edge	false	Half	1/8 in	3 3/4 in	3 1/2 in	-1/4 in	0 in	3 3/4 in	Back to Spec
Cuff Height	Cuff edge to seam	false	Full	1/8 in	1 1/2 in	1 1/2 in	0 in	0 in	1 1/2 in	
CF Artwork Placement below CF Neckline	From CF Neck Seam to Top Edge of Artwork	false	Full	1/8 in	3 1/4 in	3 1/8 in	-1/8 in	0 in	3 1/4 in	
CB Artwork Placement Above Hem Edge		false	Full	1/8 in	1 1/2 in	1 1/4 in	-1/4 in	0 in	1 1/2 in	Back to Spec

PPS - Anastasiya Zolotova

CREATED ON JAN 15, 2026 5:17 PM
 PPS: SIZE:M, CREATED AT: 01-14-2026

NB26CT001 NB LS Top

FITTING DATE: 1/13/25

MODEL/ATTENDEES: Bigs, Cal, Lombardo, Anastasiya, Hyeyoung, Jeni, Sarah

STATUS: PPS Approved to TOP

Fit Comments:

1. Front body is hiking please check that the back armhole isn't too long for front armhole drop.
2. Front body length came in -3/4", go back to spec.
3. Shoulder slope is not even from left to right, please improve.
4. Keep back neck width as sample at 7 1/4"
5. Across back came in- 1/2", go back to spec.
6. Bottom opening came in -3/4", go back to spec.
7. Sleeve length came in -1", go back to spec.
8. Armhole drop came in -1/2", go back to spec.
9. Keep sleeve opening 1" above cuff seam as sample at 4 3/4"
10. Sleeve opening at cuff edge came in -1/4", go back to spec.
11. CB artwork came in -1/4", go back to spec.
12. Center CF artwork only using queens crest, not the entire logo. See image.

Construction/Workmanship:

1. CB artwork is crooked, please improve. See image.
2. Back neck tape stitches cracking please test stitch tension currently it's too tight
3. Label stitching is messy please improve.
4. Uneven neck trim height along neckline. Rib trim is between 3/4" and 5/8"

Grading:

1. Jump grading the sleeve opening so the opening does not become too big/too small. Please confirm.
1. Điều chỉnh bước nhảy cho cửa tay: Để thông số cửa tay không bị quá to hoặc quá nhỏ giữa các size. Vui lòng xác nhận lại vấn đề này.

1. Thân trước bị hếch vui lòng kiểm tra lại xem vòng nách sau có đang quá dài so với hạ nách trước hay không.

2. Dài thân trước thực tế bị hụt 3/4", yêu cầu làm đúng theo bảng thông số

3. Chỗm vai, hai bên trái và phải không đều nhau, cần cải thiện.

4. Rộng cổ sau giữ nguyên theo mẫu là 7 1/4".

5. Ngang lưng thực tế thiếu 1/2", yêu cầu làm đúng theo spec.

6. Rộng lai thực tế thiếu 3/4", yêu cầu làm đúng theo spec.

7. Dài tay thực tế thiếu 1", yêu cầu làm đúng theo spec.

8. Hạ nách thực tế thiếu 1/2", yêu cầu làm đúng theo spec.

9. Rộng tay (tại vị trí 1" trên đường nối bo) giữ nguyên theo mẫu là 4 3/4".

10. Rộng cửa tay tại mép bo thực tế thiếu 1/4", yêu cầu làm đúng theo spec.

11. Hình in thân sau thực tế thiếu 1/4", làm đúng theo spec.

12. Hình in giữa thân trước chỉ sử dụng phần logo "queens crest", không dùng toàn bộ logo. Xem hình ảnh đính kèm.

1. Hình in thân sau bị lệch/xéo, cần cải thiện. Xem hình ảnh.

2. Đường may dây viền cổ sau bị nổ chỉ vui lòng kiểm tra lại lực căng chỉ, hiện tại đang quá chặt.

3. Đường may nhăn, bị cầu thả/xấu, cần cải thiện.

4. Độ cao bản cổ không đều bản bo cổ đang bị dao động khoảng giữa 3/4" và 5/8" dọc theo vòng cổ, yêu cầu làm đều.




Screen Shot 2026-01-15 at 12.11.35 PM.jpg

NB26CT001 NB LS Top

Hình in thân sau bị lệch/xéo, cần cải thiện. Xem hình ảnh.

CB artwork is crooked, please improve.



Screen Shot 2026-01-15 at 3.37.44 PM.jpg

1. Đường may dây viền cổ sau bị nổ
chỉ vui lòng kiểm tra lại lực căng chỉ,
hiện tại đang quá chật.

2. Đường may nhăn, bị cầu thả/xấu,
cần cải thiện.

3. Độ cao bản cổ không đều bản bo cổ
đang bị dao động khoảng giữa 3/4" và
5/8" dọc theo vòng cổ, yêu cầu làm
đều.

NB26CT001 NB LS Top

- 1.Center CF artwork only using queens crest, not the entire logo.
- 2.Label stitching is messy please improve.
- 3.Uneven neck trim height along neckline. Rib trim is between 3/4" and 5/8"



Screen Shot 2026-01-15 at 3.40.44 PM.jpg