






Sweatpant

Name	Sweatpant
Style No.	FB14
Division	Mens
Category	Sweatpants
Year	2023
Size Scale	M -Sample size
	XS S M L XL XXL
Created by/Author	9/16/2025
	Anastasiya Zolotova
	anastasiya.zolotova@aimeleondore.com



1_B&W-1




Comments (3)

- A1** GROWN ON ELASTICATED WAISTBAND W/ EXTERIOR DRAWCORDS - ROUND BRAIDED DRAWCORDS - KNOTTED FINISH W/ FRAYED ENDS
- A2** ON SEAM POCKETS @ SIDE SEAM - USE COTTON JERSEY FOR KNUCKLE SIDE - USE SELF FABRIC FOR PALM SIDE
- A3** SELF FABRIC PATCH POCKET

1. lưng thun liền, dây luồn tròn cột đầu/ đánh toi.
2. túi sườn - sử dụng vải jersey làm lót túi mặt mu bàn tay - sử dụng vải chính làm lót túi mặt lòng bàn tay
3. túi sau bằng vải chính.

2_Construction-1



Comments (8)

- A1** 1/4" DN TS @ WAISTBAND
- A2** SN EDGESTITCH @ POCKETS - BAR TACK @ TOP & BOTTOM
- A3** CLEAN SEAM FINISH @ FRONT RISE
- A4** CLEAN SEAM FINISH @ SIDE SEAM
- A5** CLEAN SEAM FINISH @ INSEAM
- A6** 1/4 " DN TS @ BOTTOM HEM
- A7** EDGE STITCH @ PATCH POCKET
- A8** CLEAN SEAM FINISH @ BACK RISE SEAM

1. điều 2 kim 1/4" tại lưng quần
2. mí điều tại túi - bộ cạnh trên và cạnh dưới túi
3. may sạch tại đáy trước
4. may sạch tại sườn ngoài
5. may sạch tại sườn trong
6. điều 2 kim 1/4" tại lai quần
7. mí điều tại túi sau
8. may sạch tại đường may đáy sau

3_Stitching-1

Sample Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	M
Waistband Height	Waist seam to top edge	false	Full	1/8 in	2 in
Waist Width Relaxed	Straight at top edge- garment relaxed	true	Half	1/4 in	15 3/8 in
Waist Width Extended	Straight, with waist or elastic stretched	true	Half	1/4 in	21 in
Distance Between Drawcord Exit		false	Full	1/8 in	1 1/2 in
Exposed Drawcord Length		false	Full	1/2 in	10 in
Front Rise	Crotch seam to waistband top edge	true	Half	1/4 in	13 1/4 in
Back Rise	Crotch seam to waistband top edge	true	Half	1/4 in	17 in
Low Hip Position Below Waistband Top Edge		true	Full	0 in	8 in
Low Hip Width	3-pt measurement taken 8" down from waistband top edge	true	Half	1/4 in	21 1/2 in
Thigh Width	1" below crotch point	false	Half	1/4 in	13 1/4 in
Knee Width	12" down from the crotch point	false	Half	1/4 in	11 1/2 in
Calf Width	Measured 18" down from Crotch point	false	Half	1/4 in	10 3/4 in
Leg Opening width at edge		false	Half	1/8 in	10 in
Inseam Length	Crotch point to leg opening, along seam	true	Full	3/8 in	29 1/2 in
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	1 in
Front Pocket Placement Below Waistband	Waistband seam to top of pocket	false	Full	1/4 in	3/4 in
Front Pocket Opening Length		true	Full	1/4 in	6 1/4 in
Pocket Bag Height	Top edge to bottom edge of pocket bag inside	false	Full	1/8 in	11 1/2 in
Pocket Bag Width		false	Full	1/8 in	7 in
WR Back Pocket Placement Below Waistband Seam Outer Corner	Waistband seam to top of pocket	false	Full	1/4 in	2 1/4 in
WR Back Pocket Placement Below Waistband Seam Inner Corner		false	Full	1/8 in	2 3/8 in
Back Pocket Placement from CB Rise	Inside edge of pocket to CB rise seam	false	Full	1/4 in	2 1/4 in
Back Pocket Hem Height	Edge to stitch line	false	Full	1/8 in	3/4 in
Back Pocket Width	Width of pocket at widest	false	Full	1/4 in	5 3/4 in
Back Pocket Height	Top edge to bottom edge	false	Full	1/4 in	6 1/4 in

Development Notes - Anastasiya Zolotova

CREATED ON JUL 31, 2023 8:44 PM

FB14 Sweatpant

Date: 9/16/25

Status: Requesting 1st Proto in White or Lightest Color

TD: Anastasiya


Fit: Please follow measurements and construction pages. (Following SS26CP002 Queens Crest Sweatpant) latest update w/below pattern correction.

Fabric: Following everything from SS26CP002

fit: tham khảo thông số và trang cấu trúc (tham khảo SS26CP002) với update mới nhất.
vải: tham khảo theo mã SS26CP002

1. Tăng góc cạp trước thêm 3/8 inch thành 0 inch ở vị trí hông thấp. Bổ sung phần đã tăng vào sườn ngoài để giữ nguyên vòng eo.
2. Tăng góc cạp sau thêm 1/4 inch thành 0 inch như trong hình. Bổ sung phần đã tăng vào sườn ngoài để giữ nguyên vòng eo và vòng hông.
3. Tăng chiều cao cạp sau lên 17 inch.
4. Khoét cạp trước thêm 1/8 inch để chỉnh lại hình dáng móc

1. Increase front rise angle 3/8" to 0" at low hip. Add back to outseam to keep waist the same.
2. Increase back rise angle 1/4" to 0" as pictured. Add back to outseam to keep waist + hip the same.
3. Increase back rise to 17", fty to advise revised thigh measurement.
4. Scoop out front rise -1/8" to adjust front hook shape.



Screen Shot 2025-09-16 at 5.00.45 PM.jpg