





Name	Women's Rib Script Tank
Style No.	SS26CT074
Division	Womens
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size
	XS S M L XL XXL
Style Status	Development
TD Name	Anastasiya
Created by/Author	8/4/2025 Anastasiya Zolotova anastasiya.zolotova@aimeleondore.com

Women's Rib Script Tank



1_B&W-1

Comments (4)

- A1** -SELF BINDING @ NECK
- A2** -SELF BINDING @ ARMHOLE
- A3** -ARTWORK @ CF
- A4** ALD WOVEN LABEL @ SIDE SEAM

1. viền cổ bằng vải chính
2. viền nách bằng vải chính
3. hình thêu tại giữa trước
4. nhãn cò tại sườn ngoài trái



2_Construction Details-1

Comments (5)

A1 -CLEAN SEAM FINISH @ SHOULDER


A2 -1/8" DNTS @ NECK

A3 -1/8" DNTS @ ARMHOLE

A4 -CLEAN SEAM FINISH @ SIDE SEAMS

A5 -1/8" DNTS @ BOTTOM HEM - TURN BACK W/ COVERLOCK

1. may sạch tại vai
2. điều 2 kim 1/8" tại cổ
3. điều 2 kim 1/8" tại nách
4. may sạch tại sườn
5. điều 2 kim 1/8" tại lai áo



3_Stitching Details-1

Measured Size: M

POINT OF MEASURE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES
Front Body Length	HPS to bottom edge	true	Full	1/2 in	22 1/2 in	22 3/4 in	1/4 in	1/2 in	23 in	Follow Revised
Back Body Length	CB neck top edge to bottom edge	true	Full	1/2 in	22 in	22 in	0 in	0 in	22 in	Keep Hem Leveled
Front Neck Drop	HPS to Neck Top Edge	false	Full	1/8 in	4 1/4 in	4 1/4 in	0 in	3/4 in	5 in	Increase
Back Neck Drop	HPS to Neck Top Edge	false	Full	1/8 in	1 in	1 3/8 in	3/8 in	0 in	1 in	Back to Spec
Back Neck Width	Edge to Edge	false	Full	1/4 in	6 1/2 in	6 3/4 in	1/4 in	1 in	7 1/2 in	Increase
Shoulder Slope	Shoulder point perpendicular to HPS	false	Full	1/4 in	1/2 in	5/8 in	1/8 in	0 in	1/2 in	
Binding Width		false	Full	1/8 in	7/16 in	7/16 in	0 in	0 in	7/16 in	
Strap Width @ Fold Line	Edge to Edge	true	Full	0 in	2 in	2 1/4 in	1/4 in	-1/4 in	1 3/4 in	Reduce
Across Shoulder	Edge to edge	false	Half	1/4 in	11 in	11 1/4 in	1/4 in	0 in	11 in	
Across Front/Across Back Position from HPS		true	Full	0 in	6 in	6 in	0 in	0 in	6 in	
Across Front Edge to Edge	Edge to Edge	true	Full	1/4 in	9 1/2 in	9 3/8 in	-1/8 in	0 in	9 1/2 in	
Across Back Edge to Edge	Edge to Edge	false	Full	1/4 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in	
Chest Width	1" Below armhole- edge to edge	true	Half	1/4 in	13 1/2 in	13 1/4 in	-1/4 in	-1/4 in	13 1/4 in	Keep As Sample
Bottom Opening Width- At Edge	At bottom edge	true	Half	1/4 in	12 1/2 in	13 1/2 in	1 in	3/4 in	13 1/4 in	Follow Revised
Bottom Hem Height	Bottom edge to stitch line or trim seam	false	Full	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in	
Armhole Drop	Below HPS - measure perpendicular to armhole seam	false	Full	1/4 in	9 1/2 in	9 1/2 in	0 in	3/4 in	10 1/4 in	Increase
CF Artwork Placement below CF Neckline	From Top Edge of Neck to Top Edge of Artwork	false	Full	1/8 in	1 3/4 in	1 7/8 in	1/8 in	5/8 in	2 3/8 in	Follow Revised
Loop Label Placement at Sideseam	Bottom edge to bottom of loop label, at the WL side seam	false	Full	1/8 in	5 in	5 1/4 in	1/4 in	0 in	5 in	Back to Spec

1st Proto - Anastasiya Zolotova

CREATED ON AUG 4, 2025 3:54 PM

1ST PROTO: SIZE:M, CREATED AT: 07-08-2025

SS26CT074 Women's Rib Script Tank

FITTING DATE: 7/9/25

MODEL/ATTENDEES: Jessica, Cal, Anthony, Wes, Megan, Jeni, Anastasiya, Sarah

STATUS: 1st Proto Approved to 1st Fit

Fit Comments:

1. Follow revised front body length of 23"
2. Keep back body length, ensure hem is leveled. Adjust pattern shape to be straight front and back. See image.
3. Revise neck and straps as follows:
 - a. Back neck drop came in +3/8", pattern matches sample. Please revise pattern to have BND of 1".
 - b. Increase front neck drop to 5" measured to top edge.
 - c. Increase neck width to 7 1/2".
 - d. Neck came in "u-shaped", as neck width and FND is adjusted please also increase 2" above neck top edge and scoop out as pictured to create a more scooped out neckline.
 - e. Reduce strap width to 1 3/4", sample is +1/4" please ensure strap width is met for next sample.
4. Keep chest as sample at 13 1/4".
5. Adjust pattern to increase bottom opening to 13 1/4", 1st proto is very stretched out. Please see image and improve workmanship to create a straight shape from chest to bottom opening.
6. Increase armhole drop to 10 1/4"
7. Follow revised artwork placement of 2 3/8"
8. Follow revised loop label placement of 5 1/2"
9. Move care label to be 4 1/2" from bottom opening

Construction/Workmanship:

1. Loop label and care label being in the same position is causing the loop label to be flipped forward, the direction should be towards back. Please stagger label w/requested placement and ensure loop label is facing back.

fit comments:

1. thay đổi dài áo trước 23"
2. giữ dài áo sau như mẫu, đảm bảo lai phẳng. Điều chỉnh hình dáng rập thẳng trước và sau. Xem hình bên dưới
3. điều chỉnh nách và vai theo bên dưới
 - a. hạ cổ sau dư $3/8$ ", rập khớp với áo mẫu. điều chỉnh rập để hạ cổ sau 1"
 - b. tăng hạ cổ trước 5" đo đến mép trên
 - c. tăng rộng nách $7 \frac{1}{2}$ "
 - d. cổ hơi hình dạng chữ u, khi điều chỉnh rộng cổ và hạ cổ trước vui lòng tăng 2" lên mép trên của cổ và khoét sâu như nét vẽ màu đỏ ở hình bên dưới để tạo ra đường viền cổ sau hơn
 - e. giảm rộng vai $1 \frac{3}{4}$ ", mẫu dư $1/4$ " vui lòng đảm bảo rộng vai đạt cho mẫu tiếp theo
4. giữ ngực như mẫu $13 \frac{1}{4}$ "
5. điều chỉnh rập để tăng lai áo $13 \frac{1}{4}$ ", mẫu proto bị kéo quá căng , xem hình bên dưới và cải thiện tay nghề để tạo hình dáng thẳng từ ngực đến lai
6. tăng hạ nách $10 \frac{1}{4}$ "
7. thay đổi vị trí hình thêu $2 \frac{3}{8}$ "
8. thay đổi vị trí nhãn cò $5 \frac{1}{2}$ "
9. thay đổi vị trí nhãn thành phần $4 \frac{1}{2}$ " từ lai áo

cấu trúc:

1. nhãn cò và nhãn thành phần cùng 1 vị trí khiến cho nhãn cò bị lật về phía trước, trong khi hướng của nhãn cò nên hướng về phía sau. vui lòng điều chỉnh vị trí như yêu cầu và đảm bảo nhãn cò sườn ngoài phải lật về phía sau.



Screen Shot 2025-08-04 at 11.57.27 AM.jpg

điều chỉnh rập để tăng lại áo 13 1/4", mẫu proto bị kéo quá căng , xem hình bên dưới và cải thiện tay
nghề để tạo hình dáng thẳng từ ngực đến lại.

cần giống mẫu tham khảo màu đen, mẫu proto màu trắng

SS26CT074 Women's Rib Script Tank

Adjust pattern to increase bottom opening to 13 1/4", 1st proto is very stretched out.
Please see image and improve workmanship to create a straight shape from chest to bottom opening.
Should look like the black referene tank, whtie is 1st proto.



Screen Shot 2025-08-04 at 3.05.45 PM.jpg

thay đổi vị trí nhãn cò 5 1/2" và nhãn thành phần 4 1/2" tại lai áo
nhãn cò và nhãn thành phần cùng 1 vị trí khiến cho nhãn cò bị lật về phía trước, trong khi hướng của nhãn
cò nên hướng về phía sau.

SS26CT074 Women's Rib Script Tank

Follow revised loop label placement of 5 1/2" and move care label to be 4 1/2" from bottom opening.
Loop label and care label being in the same position is pushing loop label towards front. Label should be towards back.




Screen Shot 2025-08-04 at 3.07.12 PM.jpg

SS26CT074 Women's Rib Script Tank

Revise neck and straps as follows:

1. Back neck drop came in $+3/8"$, pattern matches sample. Please revise pattern to have BND of 1".
2. Increase front neck drop to 5" measured to top edge.
3. Increase neck width to 7 1/2".
4. Neck came in "u-shaped", as neck width and FND is adjusted please also increase 2" above neck top edge and scoop out as pictured to create a more scooped out neckline.
5. Reduce strap width to 1 3/4", sample is $+1/4"$ please ensure strap width is met for next sample.




điều chỉnh nách và vai theo bên dưới
 a. hạ cổ sau dư $3/8"$, rập khớp với áo mẫu. điều chỉnh rập để hạ cổ sau 1"
 b. tăng hạ cổ trước 5" đo đến mép trên
 c. tăng rộng nách 7 1/2"
 d. cổ hơi hình dạng chữ u, khi điều chỉnh rộng cổ và hạ cổ trước vui lòng tăng 2" lên mép trên của cổ và khoét sâu như nét vẽ màu đỏ ở hình bên dưới để tạo ra đường viền cổ sau hơn
 e. giảm rộng vai 1 3/4", mẫu dư 1/4" vui lòng đảm bảo rộng vai đạt cho mẫu tiếp theo

Screen Shot 2025-08-04 at 3.59.55 PM.jpg

giữ dài áo thân sau bằng cách giảm hạ cổ sau, đảm bảo lai đều, điều chỉnh hình dáng rập thẳng như bên dưới

SS26CT074 Women's Rib Script Tank

Keep back body length by reducing back neck drop, ensure hem is leveled. Adjust pattern shape to be straight as bellow.



Screen Shot 2025-08-04 at 4.03.09 PM.jpg