





DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX

DT Chenille Embroidered Sweatpant

Name DT Chenille Embroidered Sweatpant

Style No. SS26BAS1527

Description DT Chenille Embroidered Sweatpant

Division Mens

Category Sweatpant

Season Spring/Summer

rear 2026

Size Scale M -Sample size

XS S M L XL XXL

Factory Un-Available

Created by/Author 11/6/2025

Genny Mayden

genny@denimtears.com



DENIM TEARS	BOTTOMS: DT CHENILLE EMBROIDERED SWEATPANT	SEASON: SP26	DESIGNER: BRYCE					
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3					
SKETCH								



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX

SP26-DTChenilleEmbroideredSweatpant_11-1





DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX

SP26-DTChenilleEmbroideredSweatpant_11-2


DENIM TE		BOTTOMS: D	T CHENILLE EMBROIDERED S	W. E.E.P.S.O.N. : SP26	DESIGNER: BRYCE		
				FACTORY: FAC	TORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
			COLOR & QI	JALITY STANDARDS			
	1	l		1	1	1 1	
ITEM	PLACEMENT	QUANITY	SIZE	COLORWAY 1	COLORWAY 2		
00% COTTON - XXXX	SELF A: MAIN BODY						
				NAVY - NAVY BLAZER 19-3923 TCX	DK BROWN - PUCE 19-1518 TCX		
00% COTTON TWILL -	SELF B: TOP APPLIED PANELS			is some	15 15 16 16.1		
				TAN - CURDS & WHEY 16-0920 TCX	DK GREEN - OVERLAND TREE	(
00% COTTON TWILL -	SELF C: TOP APPLIED PANELS			16-0920 ICX	17-0819 TCX	ıl İ	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			NAVY - NAVY BLAZER	DK BROWN - PUCE		
ASKETWEAVE FLAT	TRIM A: WAISTBAND			19-3923 TCX	19-1518 TCX		
DRAWCORD - 100% HIGH DENSITY COTTON		1	1/4"WIDE	NAVY - NAVY BLAZER	DK BROWN - PUCE		
	651.5 4 44441.0001/			19-3923 TCX	19-1518 TCX		
THREAD 1:	SELF A: MAIN BODY, EMBROIDERED EYELET,						
	BNT			DTM NAVY	DTM DK BROWN		
HREAD 2:	SELF B: TOP APPLIED PANEL						
				TAN - CURDS & WHEY 16-0920 TCX	DK GREEN - OVERLAND TRE	K	
VASH:	GARMENT			45 MIN ENZYME	45 MIN ENZYME		
				1			
				+		 	
				-			
	1						

SP26-DTChenilleEmbroideredSweatpant_11-4


1. No Color Assigned

RIMS











BOTTOMS-SWEATPANTS-BLOCK-2




SP26-DTChenilleEmbroideredSweatpant 11-3



SP26-DTChenilleEmbroideredSweatpant_11-5







SP26-DTChenilleEmbroideredSweatpant_11-6

	BOTTOMS: DT CHENILLE EMBROIDERED S	V ISET/ISONT: SP26	DESIGNER: BRYCE					
DENIM LEAKS	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3					
2ND PROTO - COMMENTS								

DESIGN

- Removing potassium wash, should be solid color only.
- Sweatpant colorway/side tape color is incorrect, please follow TP
- Top applied stripe color not correct, please follow TP

GRAPHIC

- Artwork has been updated please follow updated TP
- $\,$ FELT Backing on chenille embroidered patch is incorrect, please follow TP



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXXX

SP26-DTChenilleEmbroideredSweatpant_11-7

Size Specifications - Graded Rules

11-06-2025

Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	М	L	XL	XXL
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	0 in	0 in	15 1/4 in	0 in	0 in	0 in
Waist @ Edge (Extended)	90UTTm	3/8 in	0 in	0 in	22 in	0 in	0 in	0 in
WB Height	UBN6PW	1/8 in	0 in	0 in	1 7/8 in	0 in	0 in	0 in
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	0 in	0 in	23 1/4 in	0 in	0 in	0 in
Thigh @ 1" Below Crotch	X3rywO	1/4 in	0 in	0 in	14 3/4 in	0 in	0 in	0 in
Knee @ Half of Inseam	LC56eg	1/4 in	0 in	0 in	11 1/4 in	0 in	0 in	0 in
Leg Opening (Relaxed)	fQu0Dk	1/4 in	0 in	0 in	6 1/2 in	0 in	0 in	0 in
Leg Opening (Extended)	RCK0g	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Front Rise from WB Edge	0lk1vw	1/4 in	0 in	0 in	13 1/2 in	0 in	0 in	0 in
Back Rise from WB Edge	Uu3xDT	1/4 in	0 in	0 in	18 in	0 in	0 in	0 in
Inseam Length	RVmCjg	1/4 in	0 in	0 in	30 1/2 in	0 in	0 in	0 in
Outseam Length from WB Edge	YUbVae	1/4 in	0 in	0 in	41 3/4 in	0 in	0 in	0 in
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Pocket Below WB Edge	pZyscG	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Pocket Opening Length	ozon2y	1/8 in	0 in	0 in	7 in	0 in	0 in	0 in
Welt Width	W2YIjE	1/8 in	0 in	0 in	5/8 in	0 in	0 in	0 in
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Pocket Bag Height from Bottom of WB to Edge	4wOAyH	1/4 in	0 in	0 in	12 in	0 in	0 in	0 in
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	0 in	0 in	9 in	0 in	0 in	0 in
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	0 in	0 in	2 in	0 in	0 in	0 in

Size Specifications - Measurements / 1st Proto

11-06-2025

Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	15 1/4 in	15 1/2 in	1/4 in	0 in	15 1/4 in	Update to match the block	-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	20 1/2 in	-1 1/2 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	0 in	0 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 in	-1/4 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	14 3/4 in	0 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 in	-1/4 in	0 in	11 1/4 in		-
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 3/4 in	1/4 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	15 1/2 in	2 in	0 in	13 1/2 in		-
Back Rise from WB Edge	Uu3xDT	1/4 in	18 in	20 in	2 in	0 in	18 in		-
Inseam Length	RVmCjg	1/4 in	30 1/2 in	29 1/2 in	-1 in	0 in	30 1/2 in		-
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	0 in	0 in	0 in	41 3/4 in		-
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	1/2 in	0 in	0 in	-1/2 in	0 in	TBD	-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	0 in	0 in	0 in	3 in		-
Pocket Opening Length	ozon2y	1/8 in	7 in	0 in	0 in	0 in	7 in		-
Welt Width	W2YIjE	1/8 in	-	-		-	-		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAyH	1/4 in	11 3/4 in	0 in	0 in	0 in	11 3/4 in		-
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	0 in	0 in	0 in	2 in		-

Size Specifications - Measurements / 2nd Proto

11-06-2025

Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFldU	3/8 in	15 1/4 in	15 1/4 in	0 in	0 in	15 1/4 in		-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	22 in	0 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	1 7/8 in	0 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	14 5/8 in	-1/8 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 in	-1/4 in	0 in	11 1/4 in		Back To Spec
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 3/8 in	-1/8 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Cuff Height @ Leg Opening	AHYaQ2	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	13 3/8 in	-1/8 in	0 in	13 1/2 in		-
Back Rise from WB Edge	Uu3xDT	1/4 in	18 in	18 1/8 in	1/8 in	0 in	18 in		-
Inseam Length	RVmCjg	1/4 in	30 1/2 in	30 1/2 in	0 in	0 in	30 1/2 in		-
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	41 3/4 in	0 in	0 in	41 3/4 in		-
Welt Pocket Placement Forward from Fold	iSMowj	1/8 in	0 in	1 3/4 in	1 3/4 in	1 3/4 in	1 3/4 in		-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Pocket Opening Length	ozon2y	1/8 in	7 in	7 1/8 in	1/8 in	0 in	7 in		-
Welt Width	W2YIjE	1/8 in	0 in	5/8 in	5/8 in	5/8 in	5/8 in		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAyH	1/4 in	11 3/4 in	11 3/4 in	0 in	1/4 in	12 in		See New Value
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	7 in	9 in	2 in	2 in	9 in		Keep As Sample
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	2 in	0 in	0 in	2 in		-

11-06-2025

9/5 design notes - Genny Mayden

CREATED ON SEP 8, 2025 5:23 PM

• We will send new pantone for the chenille patch

11-06-2025

Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 15, 2025 8:35 PM

FIT/PATTERN

- 1) The overall measurements are coming in off> we need to match our "Sweatpants w/ Cuff" block
- > follow provided reference pattern for the overall shape

CONSTRUCTION/WORKMANSHIP

- 1) Revise WB to match proto> separate piece with encased elastic
 - keep 3 rows of top stitching
- 2) Revise Leg Opening to have separate elasticated cuffs as per proto
- 3) Shift stripe placement backward> stripes should be centered at side fold edge
 - · shift pocket opening backward accordingly
- 4) Keep eyelets/drawcord @ interior
- 5) All coverstitch should be revised to 1/4" split needle top stitch (Bottom Coverlock)
 - keep each side of the seam w/ split needle finish flat without bumps

Thanks,

SS26BAS1527 DT Chenille Embroidered Sweatpants - 1st Proto



SS26BAS1527 DT Chenille Embroidered Sweatpant - 1st Proto.jpg

11-06-2025

Fitting 10.23.25 - Misha Strelnikov

CREATED ON NOV 5, 2025 9:48 PM

**PPS MUST BE ON SPEC

FIT/PATTERN

- 1) Knee is missing -1/4"> get back to spec
- 2) All other points can be accepted within tolerance
- 3) Increase pocket bag height +1/4" to finish at 12"

CONSTRUCTION/WORKMANSHIP

- 1) Revise Waistband to be a Turnback with encased elastic (NOT a separate piece, so theres no WB Seam)
 - the distance between top stitching needs to be more EVEN> please improve
- 2) Revise Cuff at leg opening to be Turnback with encased elastic as well

Thank you,

М

FIT/PATTERN

Vị trí đầu gối bị thiếu -1/4" → vui lòng chỉnh lại đúng theo spec

Tất cả các điểm khác có thể chấp nhận trong phạm vi tolerance

Tăng chiều cao túi lót thêm +1/4" để hoàn thiện ở mức 12"

CONSTRUCTION/WORKMANSHIP

Chỉnh lại lưng quần thành dạng lưng liềnvới thun bọc bên trong (không phải chi tiết rời, nên sẽ không có đường may tại đường tra lưng)

• khoảng cách giữa các đường diễucần đều hơn → vui lòng cải thiện

Chỉnh lại phần bo laiở ống chân thành lai liền với thun bọc bên trong tương tự