



ADG Banner Sweatpant - Style #SS26BBS1526

Mens, Sweatpant, Spring/Summer, 2026

Summary

10-29-2025

DENIM TEARS

BOTTOMS: DT BANNER SWEATPANT

SEASON: SP26

DESIGNER: TINA

FACTORY: FACTORY

COLLECTION: OUR LADY LIBERTY

VARIANTS: 3

SKETCH



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

Name ADG Banner Sweatpant
Style No. SS26BBS1526
Description ADG Banner Print Sweatpant
Division Mens
Category Sweatpant
Season Spring/Summer
Year 2026
Size Scale **M** -Sample size

XS S M L XL XXL

Created by/Author

10/29/2025

Genny Mayden

genny@denimtears.com

ADG Banner Sweatpant



1. No Color Assigned

Style Color Code	Not Set
Carryover/New	Not Set



DENIM TEARS

BOTTOMS: DT BANNER SWEATPANT | SEASON: SP26 | DESIGNER: TINA
FACTORY: FACTORY | COLLECTION: OUR LADY LIBERTY | VARIANTS: 3

SKETCH



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTBannerSweatpant_10-1

**DENIM TEARS**

BOTTOMS: DT BANNER SWEATPANT

SEASON: SP26

DESIGNER: TINA

FACTORY: FACTORY

COLLECTION: OUR LADY LIBERTY

VARIANTS: 3

COLORWAYS

**BLACK**

SELF: BLACK
DRAWCORD: BLACK
EMBROIDERED EYELET: BLACK
STITCH: TONAL
FABRIC: DT CORE FLEECE

**NAVY**

SELF: NAVY
DRAWCORD: NAVY
EMBROIDERED EYELET: NAVY
STITCH: TONAL
FABRIC: DT CORE FLEECE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTBannerSweatpant_10-2



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTBannerSweatpants_10-4



TRIMS

NAME	ARTICLE #	SUPPLIER	LOCATION	COLORWAY
WOVEN LABEL RTW	EA01E11049	FACTORY	END FOLD (L/R) LABEL @ INTERIOR BACK WB APPLIED W/ EDGESTITCH ONLY @ TOP - THREAD DTM	
INTERNAL SIZE LABEL	EA0530986	FACTORY	LOOP FOLD LABEL INSERTED UNDER RIGHT SIDE OF WOVEN LABEL	
CARE LABEL	XXXXXXXXXX	FACTORY	@ WL INTERIOR SIDE SEAM 5" BELOW TOP OF WB PLACED HORIZONTALLY, CAUGHT IN SEAM @ TOP EDGE - THREAD DTM	
HANGTAG	CA12A7197	FACTORY	ATTACHED W STRING + SAFETY PIN THROUGH SIZE LABEL LOOP	

BOTTOMS-SWEATPANTS-BLOCK-1



TRIMS

*****NOT SHOWN TO SCALE

WOVEN LABEL



INTERNAL SIZE LABEL



CONSTRUCTION



[CARE LABEL]

HANG TAG



BOTTOMS-SWEATPANTS-BLOCK-2

**DENIM TEARS**

BOTTOMS: DT BANNER SWEATPANT


SEASON: SP26

DESIGNER: TINA

FACTORY: FACTORY

COLLECTION: OUR LADY LIBERTY

VARIANTS: 3

CONSTRUCTION

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTBannerSweatpant_10-3



DENIM TEARS

BOTTOMS: DT BANNER SWEATPANT

SEASON: SP26

DESIGNER: TINA


FACTORY: FACTORY

COLLECTION: OUR LADY LIBERTY

VARIANTS: 3

GRAPHICS

38" WIDE, 32.48" TALL



ARTWORK NOT @ 100% SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-DTBannerSweatpant_10-5



DENIM TEARS	BOTTOMS: DT BANNER SWEATPANT	SEASON: SP26	DESIGNER: TINA
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
ARTWORK PLACEMENT & COLOR			

PLACE PRINT SIMILAR TO THIS



BODY	PRINT	
BLACK	BLACK FOIL	
NAVY	COPPER - PMS 8003 C	



DENIM TEARS	BOTTOMS: DT BANNER SWEATPANT	SEASON: SP26	DESIGNER: TINA
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

ARTWORK PLACEMENT REFERENCE

***MATCH THIS FOR PRINT QUALITY,
PRINT MUST BE APPLIED AFTER GARMENT CONSTRUCTION LIKE THIS, BOTH SIDES***



SP26-DTBannerSweatpant_10-7



Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Waist @ WB Edge (Relaxed)	zvFIdU	3/8 in	0 in	0 in	15 1/4 in	0 in	0 in	0 in
Waist @ Edge (Extended)	90UTTm	3/8 in	0 in	0 in	22 in	0 in	0 in	0 in
WB Height	UBN6PW	1/8 in	0 in	0 in	1 7/8 in	0 in	0 in	0 in
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	0 in	0 in	23 1/4 in	0 in	0 in	0 in
Thigh @ 1" Below Crotch	X3rywO	1/4 in	0 in	0 in	14 3/4 in	0 in	0 in	0 in
Knee @ Half of Inseam	LC56eg	1/4 in	0 in	0 in	11 1/4 in	0 in	0 in	0 in
Leg Opening (Relaxed)	fQu0Dk	1/4 in	0 in	0 in	6 1/2 in	0 in	0 in	0 in
Leg Opening (Extended)	RCK0g	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Turnback Height @ Leg Opening	AHYaQ2	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Front Rise from WB Edge	0lk1vw	1/4 in	0 in	0 in	13 1/2 in	0 in	0 in	0 in
Back Rise from WB Edge	Uu3xDT	1/4 in	0 in	0 in	18 in	0 in	0 in	0 in
Inseam Length	RVmCjg	1/4 in	0 in	0 in	30 in	0 in	0 in	0 in
Outseam Length from WB Edge	YUbVae	1/4 in	0 in	0 in	41 3/4 in	0 in	0 in	0 in
Side Dart Pocket Placement Forward from Fold	iSMowj	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Pocket Below WB Edge	pZyscG	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Pocket Opening Length	ozon2y	1/8 in	0 in	0 in	7 in	0 in	0 in	0 in
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Pocket Bag Height from Bottom of WB to Edge	4wOAyH	1/4 in	0 in	0 in	12 in	0 in	0 in	0 in
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	0 in	0 in	9 in	0 in	0 in	0 in
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	0 in	0 in	2 in	0 in	0 in	0 in



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Waist @ WB Edge (Relaxed)	zvFlidU	3/8 in	15 1/4 in	15 1/4 in	0 in	0 in	15 1/4 in		-
Waist @ Edge (Extended)	90UTTm	3/8 in	22 in	22 in	0 in	0 in	22 in		-
WB Height	UBN6PW	1/8 in	1 7/8 in	2 in	1/8 in	0 in	1 7/8 in		-
Low Hip @ 8" Below WB Top Edge	git1Gu	3/8 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Thigh @ 1" Below Crotch	X3rywO	1/4 in	14 3/4 in	15 in	1/4 in	0 in	14 3/4 in		-
Knee @ Half of Inseam	LC56eg	1/4 in	11 1/4 in	11 1/8 in	-1/8 in	0 in	11 1/4 in		-
Leg Opening (Relaxed)	fQu0Dk	1/4 in	6 1/2 in	6 1/2 in	0 in	0 in	6 1/2 in		-
Leg Opening (Extended)	RCK0g	1/4 in	8 1/4 in	8 3/8 in	1/8 in	0 in	8 1/4 in		-
Turnback Height @ Leg Opening	AHYaQ2	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Front Rise from WB Edge	0lk1vw	1/4 in	13 1/2 in	13 3/4 in	1/4 in	0 in	13 1/2 in		Within Tolerance
Back Rise from WB Edge	Uu3xDT	1/4 in	18 in	18 1/4 in	1/4 in	0 in	18 in		Within Tolerance
Inseam Length	RVmCjg	1/4 in	30 in	30 in	0 in	0 in	30 in		-
Outseam Length from WB Edge	YUbVae	1/4 in	41 3/4 in	42 3/4 in	1 in	0 in	41 3/4 in		Back To Spec
Side Dart Pocket Placement Forward from Fold	iSMowj	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Pocket Below WB Edge	pZyscG	1/8 in	3 in	3 1/4 in	1/4 in	0 in	3 in		Back To Spec
Pocket Opening Length	ozon2y	1/8 in	7 in	7 1/8 in	1/8 in	0 in	7 in		-
Pocket Bag Width @ Bottom of Pocket Opening (Seam to Edge)	p36ZFb	1/4 in	8 1/4 in	8 1/8 in	-1/8 in	0 in	8 1/4 in		-
Pocket Bag Height from Bottom of WB to Edge	4wOAyH	1/4 in	11 3/4 in	11 1/4 in	-1/2 in	1/4 in	12 in	Increase +3/4"	See New Value
Drawcord Drop at WB (Exposed Length)	xmREXa	1/4 in	9 in	9 in	0 in	0 in	9 in		-
Distance Between Buttonholes/Eyelets at WB (Extended)	EWHyux	1/4 in	2 in	2 in	0 in	0 in	2 in		-



9/5 design notes - Genny Mayden

CREATED ON SEP 8, 2025 5:09 PM

- **STRIKEOFFS:**

- make the gold in gold foil, not print. Needs to be shiny
- make the black in mono - black with black foil



Fitting 9.5.25 - Freelance Account

CREATED ON SEP 15, 2025 9:04 PM

FIT/PATTERN

Follow the provided reference block pattern **SWEATPANTS WITH CUFF**** for fit

**Pattern has 0% shrinkage

CONSTRUCTION/WORKMANSHIP

**Remove Front Fly

**Move drawcord/eyelets inside of the waistband

**Finish the following seams with 1/4" split needle top stitch (bottom coverstitch):

- Front and back rises
- Please keep each side of the seam flat without bumps - see image below for the finish reference

Thanks,



Split Needle Finish.jpg



Fitting 10.23.25 - Freelance Account

CREATED ON OCT 27, 2025 9:08 PM

****PPS MUST BE ON SPEC**

FIT/PATTERN

- 1) Outseam came 1" longer> please adjust and stay within tolerance
- 2) Raise pocket placement by 1/4" to finish at 3"
 - increase pocket bag height +3/4" to finish at 12"

CONSTRUCTION/WORKMANSHIP

- 1) Add side darts and revise toon-seam pocket with 1/4" SNTS and bartacks at top and bottom - see photo comments
- 2) Avoid stretching seams when finishing with the split needle> all seams should lay flat without any waviness
- 3) The spacing between stitches at WB needs to be more even> please control

FIT/PATTERN

Thanks,

- Đường sườn ngoài dài hơn 1" → vui lòng điều chỉnh lại và đảm bảo nằm trong dung sai.

- Nâng vị trí túi lên thêm 1/4" → hoàn thiện ở mức 3"
- Tăng cao bao túi thêm +3/4" → hoàn thiện ở mức 12"

CONSTRUCTION/WORKMANSHIP

- Thêm ly bên hông và điều chỉnh tui 1/4" và đóng bọ ở phần trên và dưới – xem thêm phần nhận xét trong hình ảnh.

- Tránh kéo giãn đường may khi may diễu rẽ 2 kim - → tất cả đường may phải phẳng, không bị gợn sóng.

- Khoảng cách giữa các mũi chỉ tại eo cần đều hơn → vui lòng kiểm soát.



SS26BBS1526 ADG Banner Sweatpant - 2nd proto



SS26BBS1526 ADG Banner Sweatpant - 2nd proto-01.jpg



SS26BBS1526 ADG Banner Sweatpant - 2nd proto

A REVISE TO SIDE DART + ON-SEAM POCKET
W/ 1/4" SNTS AND HORIZONTAL BARTACKS
AT TOP AND BOTTOM OF THE POCKET OPENING



Chiết pen như hình và diễu miệng túi như hình, đóng bọ 2 đầu

SS26BBS1526 ADG Banner Sweatpant - 2nd proto-02.jpg



10/23 design notes - Genny Mayden

CREATED ON OCT 29, 2025 6:56 PM

- make print all over - front and back
In full thân trước + thân sau