





Ranger Patches Hoodie

Name Ranger Patches Hoodie

Style No. SS26THD1520

Description Ranger Patches Hoodie

Division Mens

Zip Hoodie Category

Spring/Summer Season

2026 Year

Size Scale M -Sample size


XS S M L XL XXL

Un-Available Factory


Created by/Author 11/18/2025

Genny Mayden

genny@denimtears.com



DENIM TEARS	TOPS: WOVEN PATCH HOODIES	SEASON: FW25	DESIGNER: BRYCE					
	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1					
SKETCH								







DENIM TEADS	TOPS: WOVEN PATCH HOODIES	SEASON: FW25	DESIGNER: BRYCE					
DERIIM IEARS	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1					
COLOR & QUALITY STANDARDS								


ITEM	LOCATION	COLORWAY 1
COTTON	SELF A: MAIN BODY	OVERLAND TREK 17-0619
KNIT RIB	SELF A: SLEEVE CUFF & HEM	OVERLAND TREK 17-0619
BASKETWEAVE FLAT DRAWCORD	ON HOOD, 1/4" WIDE	OVERLAND TREK 17-0619
ZIPPER TEETH+ KK PULL	CENTER FRONT	NICKEL
ZIPPER TAPE	CENTER FRONT	ртм
TWILL TAPE	BACKNECK, 3/8" WIDE	ртм
THREAD	SELF A: MAIN BODY	ртм
ARTWORK	WOVEN PATCHES WITH BIG NEEDLE STITCH SEE PG.2 FOR REFERENCE	SEE ARTWORK
WASH	GARMENT	45 MIN ENZYME WASH + SOFTNER

WOVEN PATCHES HOODIE-SS26\_11-4


1. No Color Assigned

TRIMS \*\*\*\*\*\*\*\*NOT SHOWN TO SCALE **WOVEN LABEL** INTERNAL SIZE LABEL CONSTRUCTION FRICAN DIASPORA GOODS AFRICAN DIASPORA GOODS REG. TRADEMARK \*TO BE EDGESTITCHED ALL AROUND IF GARMENT IS LINED\* HANG TAG **T5 HOODIES** 


HOODIE-TRIM-BRASS-BLOCK-2



WOVEN PATCHES HOODIE-SS26\_11-3




WOVEN PATCHES HOODIE-SS26\_11-5




WOVEN PATCHES HOODIE-SS26\_11-6




WOVEN PATCHES HOODIE-SS26\_11-7




WOVEN PATCHES HOODIE-SS26\_11-8




WOVEN PATCHES HOODIE-SS26\_11-9






WOVEN PATCHES HOODIE-SS26\_11-11





PLEASE MATCH PLACEMENT & ROTATION AS CLOSE TO CAD



# Size Specifications - Graded Rules

11-18-2025

## Sample Size: M

•								
POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Body Length from CB Neck	L51T0o	1/4 in	0 in	0 in	26 1/2 in	0 in	0 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS	wQ4qr9	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	0 in	0 in	23 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	21 1/2 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	22 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	25 1/4 in	0 in	0 in	0 in
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	0 in	0 in	24 1/4 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	0 in	19 3/4 in	0 in	0 in	0 in
Cuff Height @ Sweep	IqURGW	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	0 in	0 in	36 in	0 in	0 in	0 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	0 in	10 1/2 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	10 1/4 in	0 in	0 in	0 in
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	0 in	0 in	6 1/4 in	0 in	0 in	0 in
Sleeve Opening on Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Sleeve Cuff Height	cHRgwT	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	9 1/2 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	3 7/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	0 in	0 in	16 in	0 in	0 in	0 in
Hood Height @ HPS	CilGYS	1/4 in	0 in	0 in	14 1/4 in	0 in	0 in	0 in
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	0 in	0 in	11 in	0 in	0 in	0 in
Hood Length @ CB Seam	qFhlCD	1/4 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	0 in	0 in	7 in	0 in	0 in	0 in
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	0 in	0 in	5 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	0 in	0 in	7 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	0 in	0 in	6 in	0 in	0 in	0 in
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
CF Zipper Length	H0U7IU	1/4 in	0 in	0 in	23 1/2 in	0 in	0 in	0 in
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	0 in	0 in	5/16 in	0 in	0 in	0 in

11-18-2025

### **Measured Size: M**

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	27 in	26 1/4 in	-3/4 in	-1/2 in	26 1/2 in	RVSD	See New Value
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	2 3/4 in	1/8 in	0 in	2 5/8 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	24 in	1 in	0 in	23 in		Back To Spec
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	22 1/2 in	1 in	0 in	21 1/2 in		Back To Spec
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	23 1/4 in	1 1/4 in	0 in	22 in		Back To Spec
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	26 1/4 in	1 in	0 in	25 1/4 in		Back To Spec
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	25 1/4 in	1 in	0 in	24 1/4 in		Back To Spec
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	19 3/4 in	0 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	IqURGW	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	37 3/4 in	37 in	-3/4 in	-1 3/4 in	36 in	RVSD	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 3/8 in	-1/8 in	0 in	10 1/2 in		-
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	10 1/8 in	-1/8 in	0 in	10 1/4 in		-
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 1/2 in	1/4 in	0 in	8 1/4 in		Back To Spec
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 1/4 in	0 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 1/8 in	0 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	3 3/4 in	-1/8 in	0 in	3 7/8 in		-
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	0 in	0 in	0 in	16 in		-
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	0 in	0 in	0 in	14 1/4 in		-
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	0 in	0 in	0 in	11 in		-
Hood Length @ CB Seam	qFhlCD	1/4 in	21 3/4 in	0 in	0 in	0 in	21 3/4 in		-
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	0 in	0 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	0 in	0 in	0 in	5 5/8 in		-
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	0 in	0 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	6 in	0 in	0 in	0 in	6 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	0 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	24 in	0 in	0 in	-1/2 in	23 1/2 in		See New Value
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	0 in	0 in	-1/16 in	5/16 in		See New Value

11-18-2025

## Fitting 11.10.25 - Misha Strelnikov

CREATED ON NOV 18, 2025 3:35 PM

#### \*\*APPROVED TO PPS W/ CORRECTIONS

\*\*Make sure to calculate correct shrinkage %> PPS must be on spec

#### FIT/PATTERN

- \*\*Many points came off spec see spec page for discrepancies and make corrections for PPS
- \*\*Note a few updates for target specs:
  - reduce Body Length to 26 1/2" from CB neck seam
  - reduce Sleeve Length to 36"
  - revise CF kissing lips width to 5/16"
- \*\*Hood: the interior of the hood needs to be slightly smaller than the top layer:
  - reduce each INTERIOR hood panel width -1/4" and take out 1/8" from the height

#### CONSTRUCTION/WORKMANSHIP

\*\*Tack hood layers at 2 points:

- top of the hood at HPS level
- · below crown at mid-hood

Thanks,

ĐƯỢC DUYỆT ĐỂ PPS VỚI CÁC CHỈNH SỬA Hãy đảm bảo tính đúng % co rút vải → PPS phải đúng theo thông số

## FIT/PATTERN (PHOM/DÁNG RẬP)

- Nhiều điểm lệch khỏi thông số xem trang thông số (spec page) để kiểm tra sai lệch và chỉnh rập cho PPS
- Một số cập nhật mới cho thông số mục tiêu:
  - giảm chiều dài thân (Body Length) xuống 26 1/2" tính từ đường may cổ sau (CB neck seam)
  - giảm chiều dài tay xuống 36"
  - chỉnh mí dây kéo xuống còn 5/16"
- Nón: lớp trong của mũ cần nhỏ hơn một chút so với lớp ngoài:
  - $\bullet$  giảm mỗi lót nón bên trong xuống -1/4" chiều rộng và giảm thêm 1/8" ở chiều cao



## SS26THD1520 Ranger Patches Hoodie - 2nd proto



SS26THD1520 Ranger Patches Hoodie - 2nd proto.jpg