



SKETCH



Name	Taz LS Tee
Style No.	SS26TSL1571
Size Scale	<div><div>M</div> -Sample size</div>
Factory	Un-Available
Created by/Author	12/2/2025 Genny Mayden genny@denimtears.com

Taz LS Tee



1. No Color Assigned

Not Set

Not Set



SKETCH



DENIM TEARS CONFIDENTIAL UPDATED: 05/05/2025

SS2026 - Long sleeve Taz-1



TRIMS

NAME	ARTICLE #	SUPPLIER	LOCATION	COLORWAY
WOVEN LABEL RTW	EA01A4156	FACTORY	END FOLD (L/R) LABEL @ INTERIOR BACK NECK W/ EDGE STITCH TO INSTEAD BE STITCHED ALL AROUND IF GARMENT IS LINED - THREAD DTM	
INTERNAL SIZE LABEL	EA0530986	FACTORY	LOOP FOLD LABEL INSERTED UNDER RIGHT SIDE OF WOVEN LABEL	
CARE LABEL	XXXXXXXXXX	FACTORY	@ INTERIOR SIDE SEAM 6" ABOVE BOTTOM HEM PLACED HORIZONTALLY W/ EDGE STITCH @ LEFT EDGE - THREAD DTM	
HANGTAG	CA12A03928	FACTORY	ATTACHED W STRING + SAFETY PIN THROUGH SIZE LABEL LOOP	
RGB SIDE TAB	EA01E10100	FACTORY	CENTER FOLD SIDE LABEL @ WEARER'S LEFT SIDE SEAM 6" ABOVE HEM CAUGHT IN SEAM W/ FOLD FACING OUTWARD 'DENIM' FACING THE FRONT	



TRIMS

WOVEN LABEL

TO BE EDGE STITCHED ALL AROUND IF GARMENT IS LINED

INTERNAL SIZE LABEL

CONSTRUCTION

*****NOT SHOWN TO SCALE

HANG TAG

RGB SIDE TAB

SS2026 - Long sleeve Taz-7



COLORWAYS

	SELF A
BLACK	 19-0303 TCX [PANTONE]
WHITE	 11-0601 TCX [PANTONE]
CUSTOM BIRCH CAMO	 19-3923 TCX [PANTONE]

DENIM TEARS CONFIDENTIAL


UPDATED: 05/05/2025

SS2026 - Long sleeve Taz-2
1. No Color Assigned



CONSTRUCTION

 = SELF A





SS2026 - Long sleeve Taz-4



ARTWORK PLACEMENT



LARGE AIRBRUSH THAT GOES
OVER THE ARM SEAMS



Screenshot 2025-08-07 at 8-1



Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Back Body Length from CB Neck Seam	Pat8dp	1/4 in	0 in	0 in	27 1/2 in	0 in	0 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS	03dOTi	1/8 in	0 in	0 in	2 1/2 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	0 in	0 in	20 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	17 1/2 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	18 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	22 1/2 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKlZ6U	3/8 in	0 in	0 in	22 in	0 in	0 in	0 in
Turnback Height @ Sweep	LEiFO7	1/8 in	0 in	0 in	7/8 in	0 in	0 in	0 in
Sleeve Length From CB Neck (3-Point Measurement)	A4qCGQ	3/8 in	0 in	0 in	35 in	0 in	0 in	0 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	0 in	9 3/4 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	9 in	0 in	0 in	0 in
Elbow @ Half of Inseam	0R4AXC	1/4 in	0 in	0 in	6 1/2 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	D8wsj	1/8 in	0 in	0 in	5 1/4 in	0 in	0 in	0 in
Sleeve Opening @ Cuff Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Cuff Height @ Sleeve Opening	DPEe3X	1/8 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	7 3/4 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Neck Trim Height	AqR78o	1/8 in	0 in	0 in	7/8 in	0 in	0 in	0 in



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Back Body Length from CB Neck Seam	Pat8dp	1/4 in	27 3/4 in	27 3/4 in	0 in	-1/4 in	27 1/2 in	Reduce -1/4"	See New Value
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	03dOTi	1/8 in	2 1/2 in	2 3/8 in	-1/8 in	0 in	2 1/2 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	20 in	20 in	0 in	0 in	20 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	17 1/2 in	17 3/8 in	-1/8 in	0 in	17 1/2 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	18 in	17 7/8 in	-1/8 in	0 in	18 in		-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	22 1/2 in	22 1/4 in	-1/4 in	0 in	22 1/2 in		-
Bottom Sweep @ Edge	tKlZ6U	3/8 in	22 in	22 1/8 in	1/8 in	0 in	22 in		-
Turnback Height @ Sweep	LEiFO7	1/8 in	7/8 in	7/8 in	0 in	0 in	7/8 in		-
Sleeve Length From CB Neck (3-Point Measurement)	A4qCGQ	3/8 in	35 1/4 in	35 1/4 in	0 in	-1/4 in	35 in	RVSD to Rib Cuff	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 in	10 in	0 in	-1/4 in	9 3/4 in	Raise AH by 1/4"	See New Value
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	9 1/2 in	9 1/2 in	0 in	-1/2 in	9 in	Reduce -1/2"	See New Value
Elbow @ Half of Inseam	0R4AXC	1/4 in	6 3/4 in	6 7/8 in	1/8 in	-1/4 in	6 1/2 in	Reduce -3/8"	See New Value
Sleeve Opening @ 1" Above Cuff Seam	D8wsj	1/8 in	0 in	0 in	0 in	5 1/4 in	5 1/4 in	RVSD to Rib Cuff	See New Value
Sleeve Opening @ Cuff Edge	evuF23	1/8 in	5 in	0 in	0 in	-7/8 in	4 1/8 in		See New Value
Cuff Height @ Sleeve Opening	DPEe3X	1/8 in	7/8 in	0 in	0 in	7/8 in	1 3/4 in	Rib Cuff	See New Value
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	7 1/2 in	7 1/2 in	0 in	1/4 in	7 3/4 in	Increase +1/2"	See New Value
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	4 1/8 in	4 3/8 in	1/4 in	0 in	4 1/8 in		Back To Spec
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Neck Trim Height	AqR78o	1/8 in	7/8 in	7/8 in	0 in	0 in	7/8 in		-



Fitting 12.2.25 - Misha Strelnikov

CREATED ON DEC 2, 2025 8:08 PM

STATUS: SUBMIT PPS

FIT

- 1) Reduce body length -1/4"
- 2) Body width is good
- 3) Armhole/ Sleeve:
 - raise armhole by 1/4"
 - reduce bicep -1/2"
 - reduce elbow -3/8"
 - revise sleeve opening to have rib cuff> follow updated target specs
 - finished sleeve length should be at 35"
- 4) Neck:
 - open up neck width +1/4"
 - front neck drop is measuring 1/4" lower> please bring back to spec

CONSTRUCTION/WORKMANSHIP

- 1) As previously mentioned, the sleeve opening now has a rib cuff
 - finish cuff seam w/ 1/4" split double needle
- 2) Keep split needle at armholes and front neck

Thanks,
Misha

Fitting 12.2.25 – Misha Strelnikov

TRẠNG THÁI: SUBMIT PPS

FIT

1. Giảm chiều dài thân áo 1/4"
2. Chiều rộng thân áo tốt (không cần chỉnh)
3. Vòng nách / Tay áo:

Nâng vòng nách lên 1/4"

Giảm bắp tay (bicep) 1/2"

Giảm khuỷu tay (elbow) 3/8"

Chỉnh lại cửa tay áo để dùng rib cuff → theo thông số mục tiêu đã cập nhật

Chiều dài tay hoàn thiện (finished sleeve length) phải ở mức 35"

4. Cổ áo:

Mở rộng chiều rộng cổ thêm 1/4"

Độ sâu cổ trước đang thấp hơn 1/4" → vui lòng điều chỉnh về đúng thông số

CONSTRUCTION / WORKMANSHIP (KẾT CẤU / TAY NGHỀ)

Như đã đề cập trước đó, cửa tay áo hiện tại có rib cuff

Hoàn thiện đường may lai tay bằng điều rẽ 2kim 1/4"

Giữ đường may điều rẽ 2 kim tại vòng nách và cổ trước



SS26TSL1571 Taz LS Tee - 1st Proto



SS26TSL1571 Taz LS Tee - 1st Proto-01.jpg



SS26TSL1571 Taz LS Tee - 1st Proto

Revise sleeve opening to rib cuff w/ 1/4" double needle split top stitch

Tại đường tra rib điều rã 2 kim 1/4"



SS26TSL1571 Taz LS Tee - 1st Proto-02.jpg