




Rugby Zip Hoodie - Style #SS26TZH1422

Mens, Zip Hoodie, Spring/Summer, 2026

DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
SKETCH			



Name	Rugby Zip Hoodie
Style No.	SS26TZH1422
Description	Rugby Zip Hoodie
Division	Mens
Category	Zip Hoodie
Season	Spring/Summer
Year	2026
Size Scale	M -Sample size

- XS

S

M

L

XL

XXL

Factory	Un-Available
Created by/Author	11/6/2025 Genny Mayden genny@denimtears.com

Rugby Zip Hoodie




1. No Color Assigned

Style Color Code Not Set

Carryover/New	Not Set
---------------	---------



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
SKETCH			




DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-H004_Zip Hoodie_11-1



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
COLORWAYS			



HEATHER GREY












- SELF A: HEATHER GREY
- SELF B: NAVY
- RIBBING A: HEATHER GREY
- RIBBING B: NAVY
- STITCH: TONAL
- EMBROIDERED EYELET: HEATER GREY
- DRAWCORD: HEATHER GREY
- ZIPPER TAPE: HEATHER GREY
- ZIPPER TEETH & PULL: NICKEL

DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-H004_Zip Hoodie_11-2



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
COLOR & QUALITY STANDARDS			

ITEM	PLACEMENT	QUANTITY	SIZE	COLORWAY 1	COLORWAY 2		
100% COTTON - XXXX	SELF A: MAIN BODY			 HEATHER GREY			
100% COTTON - XXXX	SELF B: SLEEVES			 NAVY - NAVY BLAZER 19-3923 TCX			
2X1KNIT RIB- XXXX	SELF C: SLEEVE CUFF			 NAVY - NAVY BLAZER 19-3923 TCX			
2X1KNIT RIB- XXXX	SELF D: BODY HEM			 HEATHER GREY			
BASKETWEAVE FLAT DRAWCORD - 100% HIGH DENSITY COTTON	TRIM A: HOOD	1	1/4"WIDE	 HEATHER GREY			
ZIPPER TEETH & PULL - YKK METAL OPEN END	TRIM B: CENTER FRONT	1	#5	 NICKEL			
ZIPPER TAPE	TRIM B: CENTER FRONT	1		 HEATHER GREY			
TWILL TAPE - 100% COTTON	TRIM C: BACK NECK 	1	3/8" WIDE	 HEATHER GREY			
THREAD 1:	SELF A: MAIN BODY, EMBROIDERED EYELET, BNT			 HEATHER GREY			
THREAD 2:	SELF B: SLEEVES			 NAVY - NAVY BLAZER 19-3923 TCX			
WASH:	GARMENT			30-45 MIN SOFTENER			

DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-H004_Zip Hoodie_11-4
1. No Color Assigned



TRIMS

WOVEN LABEL

TO BE EDGE STITCHED ALL AROUND IF GARMENT IS LINED

INTERNAL SIZE LABEL

CONSTRUCTION

*****NOT SHOWN TO SCALE

HANG TAG

T5 HOODIES

SS26TZH1442-TRIMS-2-2



DENIM TEARS

OUTERWEAR: H004 ZIP HOODIESEASON: SP26DESIGNER: BRYCE

FACTORY: FACTORYCOLLECTION: OUR LADY LIBERTYVARIANTS: 3

CONTRUCTION

SELF A

SELF B

1 1/8" tunnel w/ single-needle topstitch

1/4" split needle topstitch

edgestitch on inside edge

2- separate layer self-fabric hood

cotton twill tape on neck interior

1/4" single needle topstitch

3/8" single needle topstitch

1/4" split needle topstitch

knit rib cuff, waistband

1/4" split needle topstitch

3/16" single needle top stitch

bartacks

3/4" hem w/ 1/4" double needle topstitch

1/4" wide cotton drawcord w/ single knotted end

5/8" sewn eyelet from neckline

1 1/8" tunnel w/ single-needle topstitch

1/4" split needle topstitch

edgestitch on inside edge

2- separate layer self-fabric hood

cotton twill tape on neck interior

1/4" single needle topstitch

3/8" single needle topstitch

1/4" split needle topstitch

knit rib cuff, waistband

1/4" split needle topstitch

3/16" single needle top stitch

bartacks

3/4" hem w/ 1/4" double needle topstitch

1/4" wide cotton drawcord w/ single knotted end

5/8" sewn eyelet from neckline

SP26-H004_Zip Hoodie_11-3

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

Created with backbone

© Denim Tears

Page 7 of 19



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHICS

ARTWORK @ SCALE

EMBROIDERY PATCH
3" W

ARTWORK NOT @ SCALE

DIRECT EMBROIDERY
5.5" H

***MATCH THIS FOR EMBROIDERY QUALITY & TECHNIQUE**

Color and Thread Legend:

- LUREX GOLD THREAD
- JOLLY GREEN 18-6030 TCX
- JET BLACK 19-0303 TCX
- SAMBA 19-1662 TCX
- WHITE - PMS WHITE C

ARTWORK NOT @ 100% SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H004_Zip Hoodie_11-5



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHICS

TACKLE TWILL WITH SATIN STITCH OUTLINE

3.8" H

TACKLE TWILL:
BLACK - PMS BLACK C

SATIN STITCH OUTLINE:
WHITE - PMS WHITE C

ARTWORK NOT @ 100% SCALE

3.8" H

TACKLE TWILL:
BLACK - PMS BLACK C

SATIN STITCH OUTLINE:
WHITE - PMS WHITE C

ARTWORK NOT @ 100% SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H004_Zip Hoodie_11-6



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHICS

15" W

ARTWORK NOT @ 100% SCALE

SATIN STITCH OUTLINE:
WHITE - PMS WHITE C

TACKLE TWILL W/
CITY SCAPE SCREENPRINTED

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H004_Zip Hoodie_11-7



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHICS

14" W

SATIN STITCH OUTLINE:
WHITE - PMS WHITE C

TACKLE TWILL W/
CITY SCAPE SCREENPRINTED


DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H004_Zip Hoodie_11-8



DENIM TEARS	OUTERWEAR: H004 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
ARTWORK PLACEMENT			



DENIM TEARS CONFIDENTIAL	UPDATED: XX/XX/XXXX
--------------------------	---------------------

SP26-H004_Zip Hoodie_11-9



Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Body Length from CB Neck	L51T0o	1/4 in	0 in	0 in	26 1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS (23" Shoulder Width Ref Point)	wQ4qr9	1/8 in	0 in	0 in	2 1/2 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	13 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	15 1/4 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	25 1/4 in	0 in	0 in	0 in
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	0 in	0 in	24 1/4 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	0 in	19 3/4 in	0 in	0 in	0 in
Cuff Height @ Sweep	lqURGW	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Front Raglan Seam Placement from HPS @ Front Neck	8jWgXK	1/8 in	0 in	0 in	2 3/4 in	0 in	0 in	0 in
Back Raglan Seam Placement @ Neck	mffFgx	1/8 in	0 in	0 in	2 1/2 in	0 in	0 in	0 in
Front Raglan Seam Length from Nk Sm to SS	U6mA9c	1/4 in	0 in	0 in	14 in	0 in	0 in	0 in
Back Raglan Seam Length from Nk Sm to SS	c934jJ	1/4 in	0 in	0 in	16 3/4 in	0 in	0 in	0 in
Sleeve Length From HPS to Cuff Edge (Straight)	A4qCGQ	3/8 in	0 in	0 in	31 1/4 in	0 in	0 in	0 in
Armhole Drop From HPS	hkBlb8	1/4 in	0 in	0 in	0 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	10 1/4 in	0 in	0 in	0 in
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	0 in	0 in	6 1/4 in	0 in	0 in	0 in
Sleeve Opening on Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Sleeve Cuff Height	cHRgwT	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	9 1/2 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	3 7/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	0 in	0 in	16 in	0 in	0 in	0 in
Hood Height @ HPS	CilGYS	1/4 in	0 in	0 in	14 1/4 in	0 in	0 in	0 in
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	0 in	0 in	11 in	0 in	0 in	0 in
Hood Length @ CB Seam	qFhlCD	1/4 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	0 in	0 in	7 in	0 in	0 in	0 in
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	0 in	0 in	5 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	0 in	0 in	7 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	0 in	0 in	5 3/4 in	0 in	0 in	0 in
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
CF Zipper Length	HOU7IU	1/4 in	0 in	0 in	23 1/2 in	0 in	0 in	0 in
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	0 in	0 in	5/16 in	0 in	0 in	0 in



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	0 in	0 in	0 in	26 1/2 in		-
Shoulder Drop from HPS (23" Shoulder Width Ref Point)	wQ4qr9	1/8 in	2 5/8 in	0 in	0 in	0 in	2 5/8 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	14 3/4 in	0 in	0 in	-1 3/4 in	13 in		See New Value
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	15 in	0 in	0 in	1/2 in	15 1/2 in		See New Value
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	0 in	0 in	0 in	25 1/4 in		-
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	0 in	0 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKiZ6U	3/8 in	19 3/4 in	0 in	0 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	lqURGW	1/8 in	2 5/8 in	0 in	0 in	0 in	2 5/8 in		-
Front Raglan Seam Placement from HPS @ Front Neck	8jWgXK	1/8 in	2 3/4 in	0 in	0 in	0 in	2 3/4 in		-
Back Raglan Seam Placement @ Neck	mFFqgx	1/8 in	2 1/2 in	0 in	0 in	0 in	2 1/2 in		-
Front Raglan Seam Length from Nk Sm to SS	U6mA9c	1/4 in	0 in	0 in	0 in	0 in	0 in		-
Back Raglan Seam Length from Nk Sm to SS	c934jJ	1/4 in	0 in	0 in	0 in	0 in	0 in		-
Sleeve Length From HPS to Cuff Edge (Straight)	A4qCGQ	3/8 in	31 1/4 in	0 in	0 in	0 in	31 1/4 in		-
Armhole Drop From HPS	hkBlb8	1/4 in	0 in	0 in	0 in	0 in	0 in		-
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	0 in	0 in	0 in	10 1/4 in		-
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	0 in	0 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	0 in	0 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	0 in	0 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	0 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	0 in	0 in	0 in	3 7/8 in		-
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	0 in	0 in	0 in	16 in		-
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	0 in	0 in	0 in	14 1/4 in		-
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	0 in	0 in	0 in	11 in		-
Hood Length @ CB Seam	qFhlCD	1/4 in	21 3/4 in	0 in	0 in	0 in	21 3/4 in		-
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	0 in	0 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	0 in	0 in	0 in	5 5/8 in		-
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	0 in	0 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	0 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	0 in	0 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	0 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	0 in	0 in	0 in	23 1/2 in		-
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	0 in	0 in	0 in	3/8 in		-



Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	26 1/2 in	0 in	0 in	26 1/2 in		-
Shoulder Drop from HPS (23" Shoulder Width Ref Point)	wQ4qr9	1/8 in	2 5/8 in	2 3/4 in	1/8 in	-1/8 in	2 1/2 in		See New Value
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	13 in	13 in	0 in	0 in	13 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	15 1/2 in	15 1/4 in	-1/4 in	-1/4 in	15 1/4 in		Keep As Sample
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	25 1/2 in	1/4 in	0 in	25 1/4 in		Within Tolerance
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 3/8 in	1/8 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKiZ6U	3/8 in	19 3/4 in	19 3/4 in	0 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	lqURGW	1/8 in	2 5/8 in	2 3/4 in	1/8 in	0 in	2 5/8 in		-
Front Raglan Seam Placement from HPS @ Front Neck	8jWgXK	1/8 in	2 3/4 in	2 3/4 in	0 in	0 in	2 3/4 in		-
Back Raglan Seam Placement @ Neck	mfFggx	1/8 in	2 1/2 in	2 1/2 in	0 in	0 in	2 1/2 in		-
Front Raglan Seam Length from Nk Sm to SS	U6mA9c	1/4 in	0 in	14 in	14 in	14 in	14 in		-
Back Raglan Seam Length from Nk Sm to SS	c934jJ	1/4 in	0 in	16 3/4 in	16 3/4 in	16 3/4 in	16 3/4 in		-
Sleeve Length From HPS to Cuff Edge (Straight)	A4qCGQ	3/8 in	31 1/4 in	31 1/4 in	0 in	0 in	31 1/4 in		-
Armhole Drop From HPS	hkBlb8	1/4 in	0 in	12 3/4 in	12 3/4 in	0 in	0 in		-
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	10 in	-1/4 in	0 in	10 1/4 in		Back To Spec
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 3/8 in	1/8 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 3/8 in	1/8 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 1/8 in	0 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 3/4 in	1/8 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	3 7/8 in	0 in	0 in	3 7/8 in		-
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	16 1/4 in	1/4 in	0 in	16 in		Back To Spec
Hood Height @ HPS	CiIGYS	1/4 in	14 1/4 in	14 in	-1/4 in	0 in	14 1/4 in		Back To Spec
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	10 7/8 in	-1/8 in	0 in	11 in		-
Hood Length @ CB Seam	qFhICD	1/4 in	21 3/4 in	21 1/4 in	-1/2 in	0 in	21 3/4 in		Back To Spec
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	1 1/4 in	1/4 in	0 in	1 in		Back To Spec
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	8 in	-1/4 in	0 in	8 1/4 in		Back To Spec
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	3 1/8 in	1/8 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	5 7/8 in	1/4 in	0 in	5 5/8 in		Back To Spec
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	7 1/2 in	-1/8 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	5 3/4 in	0 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	23 1/4 in	-1/4 in	0 in	23 1/2 in		Back To Spec
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	5/16 in	-1/16 in	-1/16 in	5/16 in		Keep As Sample



Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 19, 2025 3:15 PM

FIT/PATTERN

- 1) Make corrections to 1st proto of **SS26TZH1420 DT Chenille Embroidered Patch Zip Hoodie** and use 2nd proto base pattern as a block for this style
- 2) The fit should be the same, except for the raglan shape - the raglan seams at front and back need to be straightened
 - please follow update target specs for Across Front and Across Back and reshape the raglan sleeves

CONSTRUCTION/WORKMANSHIP

****Should match DT Chenille Embroidered Patch Zip Hoodie**

Thanks,



PPS PHẢI THEO ĐÚNG THÔNG SỐ KỸ THUẬT

Chiều dài thân áo ổn

Chiều rộng thân áo cũng ổn

• Chiều rộng ngang lưng hơi thấp hơn thông số -1/4" → giữ như mẫu

Độ dốc vai cảm giác hơi chặt → giảm xuống còn 2 1/2"

Tay áo / Raglan:

• Do giảm độ dốc, bắp tay sẽ tăng +1/4" để đạt thông số mục tiêu

• Làm thẳng đường may raglan phía sau – xem photo A → điền thêm 1/4" tại đường cong

Fitting 10.30.25 - Misha Strelnikov

CREATED ON NOV 6, 2025 4:01 PM

**PPS MUST BE ON SPEC

FIT/PATTERN

1) Body Length is good

2) Body Width is good too

• across back came slightly under spec -1/4"> please keep as per sample

3) Shoulder Slope feels a bit tight> please reduce to 2 1/2"

4) Sleeve/ Raglan:

• due to reduced slope, bicep will be increased +1/4" to meet target spec

• straighten the back raglan seam - see **photo A**> fill-in 1/4" at the curve

5) Hood - see **photo B**:

• hood height is slightly off> see spec page and correct to meet target specs

• the interior layer of the hood needs to be slightly smaller than the top layer> reduce each interior hood panel width ~3/8"

• the crown looks too pointy> we can shave-off 1/4" for a smoother curve

6) Kangaroo Pocket is slightly off spec as well> see spec page and bring all points back to spec

7) Keep CF lips at 5/16" as per sample

CONSTRUCTION/WORKMANSHIP

1) Add 2nd tack between the hood layers below the crown at CB hood seam (mid-hood)

2) The interior neck tape should be the same color as per CF zipper

Nón – xem photo B:

• Chiều cao nón hơi lệch → xem trang thông số và chỉnh để đạt thông số mục tiêu

• Lớp bên trong của nón cần nhỏ hơn lớp trên một chút → giảm chiều rộng mỗi mảnh lớp trong khoảng ~3/8"

• Phần đỉnh nón nhọn quá → có thể gọt bớt 1/4" để đường cong mềm mại hơn

Thanks,

Túi Kangaroo cũng hơi lệch thông số → xem trang thông số và đưa tất cả các điểm về đúng thông số

Giữ mép thân trước ở 5/16" như mẫu

CHẤT LƯỢNG

Thêm dây câu thứ 2 giữa các lớp mũ dưới phần đỉnh tại đường may giữa sau nón

Băng cổ bên trong nên cùng màu với khóa giữa trước



SS26TZH1422 Rugby Zip Hoodie - 2nd proto




SS26TZH1422 Rugby Zip Hoodie - 2nd proto-01.jpg



SS26TZH1422 Rugby Zip Hoodie - 2nd proto

A STRAIGHTEN THE BACK RAGLAN

B ADJUST THE HOOD



SS26TZH1422 Rugby Zip Hoodie - 2nd proto-02.jpg