



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/2025

Plates Zip Hoodie

NamePlates Zip HoodieStyle No.SS26TZH1507DescriptionPlates Hoodie

Division Mens

Category Zip Hoodie
Season Spring/Summer

Year 2026

Size Scale M -Sample size


XS S M L XL XXL

Factory Un-Available
Created by/Author 10/27/2025

Genny Mayden

genny@denimtears.com





DENIM TEADS	OUTERWEAR: PLATES HOODIE	SEASON: SS26	DESIGNER: BRYCE
DENIM HEARS	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
	SKETCH		



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/2025

PLATES HOODIE-SS26 (1)-1

DENIM TEARS	OUTERWEAR: PLATES HOODIE	SEASON: SS26	DESIGNER: BRYCE	
	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1	
	COLORWAYS			



BLACK

SELF: BLACK
RIBBING: BLACK
STITCH: BLACK
EMBROIDERED EYELET: BLACK
DRAWCORD: BLACK
ZIPPER TEETH + PULL: NICKEL
ZIPPER TAPE: DTM SELF A


DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/2025

PLATES HOODIE-SS26 (1)-2

TRIMS

NAME	ARTICLE #	SUPPLIER	LOCATION	COLORWAY
WOVEN LABEL RTW	EA01A4156	FACTORY	END FOLD (L/R) LABEL @ INTERIOR BACK NECK W/ EDGE STITCH TO INSTEAD BE STITCHED ALL AROUND IF GARMENT IS LINED - THREAD DTM	
INTERNAL SIZE LABEL	EA0530986	FACTORY	LOOP FOLD LABEL INSERTED UNDER RIGHT SIDE OF WOVEN LABEL	
CARE LABEL	xxxxxxxx	FACTORY	@ INTERIOR SIDE SEAM 6" ABOVE BOTTOM HEM PLACED HORIZONTALLY W/ EDGE STITCH @ LEFT EDGE - THREAD DTM	
HANGTAG	CA12A03928	FACTORY	ATTACHED W STRING + SAFETY PIN THROUGH SIZE LABEL LOOP	
T5 - HOODIES	DVTZ00164	FACTORY	REFER TO CONSTRUCTION PAGE FOR PLACEMENT & QTY	NICKEL
RGB SIDE TAB	EA01E10100	FACTORY	CENTER FOLD SIDE LABEL @ WEARER'S LEFT SIDE SEAM 6" ABOVE HEM CAUGHT IN SEAM W/ FOLD FACING OUTWARD 'DENIM' FACING THE FRONT	

HOODIE-TRIM-NICKEL-RGB-TAB-BLOCK-1



HOODIE-TRIM-NICKEL-RGB-TAB-BLOCK-2


DENIM TEADS	OUTERWEAR: PLATES HOODIE	SEASON: SS26	DESIGNER: BRYCE				
DENIM TEARS	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1				
COLOR & QUALITY STANDARDS							

ITEM	LOCATION	COLORWAY 1
COTTON	SELF A: MAIN BODY	BLACK
KNIT RIB	SELF A: SLEEVE CUFF & HEM	BLACK
BASKETWEAVE FLAT DRAWCORD	ON HOOD, 1/4" WIDE	BLACK
ZIPPER TEETH+ KK PULL	CENTER FRONT, SIZE #5	NICKEL
ZIPPER TAPE	CENTER FRONT	BLACK
TWILL TAPE	BACKNECK, 3/8" WIDE	BLACK
THREAD	SELF A: MAIN BODY	ртм
ARTWORK	METALLIC FOIL ALL OVER PRINT	METALLIC FOIL ALL OVER PRINT
WASH	GARMENT	ENZYME WASH


DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/2025

PLATES HOODIE-SS26 (1)-4


1. No Color Assigned



Screen Shot 2025-09-16 at 9-1



PLATES HOODIE-SS26 (1)-5



PLATES HOODIE-SS26 (1)-6

## Size Specifications - Graded Rules

10-27-2025

## Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	М	L	XL	XXL
Body Length from CB Neck	L51T0o	1/4 in	0 in	0 in	26 1/2 in	0 in	0 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS	wQ4qr9	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	0 in	0 in	23 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	21 1/2 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	22 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	25 1/4 in	0 in	0 in	0 in
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	0 in	0 in	24 1/4 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	0 in	19 3/4 in	0 in	0 in	0 in
Cuff Height @ Sweep	IqURGW	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	0 in	0 in	36 in	0 in	0 in	0 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	0 in	10 1/2 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	10 1/4 in	0 in	0 in	0 in
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	0 in	0 in	6 1/4 in	0 in	0 in	0 in
Sleeve Opening on Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Sleeve Cuff Height	cHRgwT	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	9 1/2 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	3 7/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	0 in	0 in	16 in	0 in	0 in	0 in
Hood Height @ HPS	CilGYS	1/4 in	0 in	0 in	14 1/4 in	0 in	0 in	0 in
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	0 in	0 in	11 in	0 in	0 in	0 in
Hood Length @ CB Seam	qFhlCD	1/4 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	0 in	0 in	7 in	0 in	0 in	0 in
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	0 in	0 in	5 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	0 in	0 in	7 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Widest (Each Side)	2liSl	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	0 in	0 in	5 3/4 in	0 in	0 in	0 in
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
CF Zipper Length	H0U7IU	1/4 in	0 in	0 in	23 1/2 in	0 in	0 in	0 in
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	0 in	0 in	5/16 in	0 in	0 in	0 in

# Size Specifications - Measurements / 2nd Proto

10-27-2025

### **Measured Size: M**

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	26 in	-1/2 in	0 in	26 1/2 in		Back To Spec
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	23 in	0 in	0 in	23 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	21 1/2 in	0 in	0 in	21 1/2 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	22 1/4 in	1/4 in	0 in	22 in		Within Tolerance
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	25 3/8 in	1/8 in	0 in	25 1/4 in		-
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 1/8 in	-1/8 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	19 3/4 in	0 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	IqURGW	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	36 1/2 in	35 1/2 in	-1 in	-1/2 in	36 in	L - 35 1/4"	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 in	-1/2 in	0 in	10 1/2 in		Back To Spec
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	9 3/4 in	-1/2 in	0 in	10 1/4 in		Back To Spec
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 1/8 in	-1/8 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 1/8 in	-1/8 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 1/8 in	0 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	3 3/8 in	-1/2 in	0 in	3 7/8 in	high/low neck @ CF	Back To Spec
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	15 1/2 in	-1/2 in	0 in	16 in		Back To Spec
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	14 1/4 in	0 in	0 in	14 1/4 in		-
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	10 7/8 in	-1/8 in	0 in	11 in		-
Hood Length @ CB Seam	qFhlCD	1/4 in	21 3/4 in	20 3/4 in	-1 in	0 in	21 3/4 in		Back To Spec
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	9 in	2 in	0 in	7 in		Back To Spec
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	7 1/2 in	-3/4 in	0 in	8 1/4 in		Back To Spec
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	2 7/8 in	-1/8 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	5 1/8 in	-1/2 in	0 in	5 5/8 in	L 5 3/8"	Back To Spec
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	6 3/4 in	-7/8 in	0 in	7 5/8 in	L 7 3/8"	Back To Spec
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	7 5/8 in	-5/8 in	0 in	8 1/4 in	L 8 1/8"	Back To Spec
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	0 in	0 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	23 3/4 in	1/4 in	0 in	23 1/2 in		Back To Spec
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	5/16 in	-1/16 in	-1/16 in	5/16 in		Keep As Sample

## Fitting 9.5.25 - Freelance Account

CREATED ON SEP 15, 2025 6:29 PM

#### FIT/PATTERN

- \*\*Please follow the provided reference block pattern of ZIP HOODIE and make the following revisions
  - Shorten Body Length -1/2" and reduce zipper length accordingly

#### CONSTRUCTION/WORKMANSHIP

- \*\*Make SS26 season construction updates on the hood (this applies to all SS26 hoodies):
  - Revise hood to have CB Seam instead of the dart> CB Hood Seam from back neck seam to hood opening
  - Add seam at the hood opening and finish with single needle edge stitch on the interior to hold the seam allowances in place
  - Increase Tunnel Width to 1"
- \*\*Finish the following seams with 1/4" split needle top stitch (bottom coverstsitch):
  - CB hood seam
  - Shoulder seams
  - Armholes
  - Seams @ Sleeve and Bottom Opening Cuffs
  - Please keep each side of the seam flat without bumps see image below for the finish reference

#### **SEW-BY**

- I'm going to send a Zip Hoodie sew-by to follow the overall construction and finish
- Please follow the sew-by EXACTLY as is since the overall finish on it looks much cleaner

Thanks,



Zip Hoodie Sew-By 9.10.25.jpg



Split Needle Finish.jpg

## Fitting 10.23.25 - Freelance Account

CREATED ON OCT 24, 2025 3:00 PM

#### \*\*PPS MUST BE ON SPEC

#### FIT/PATTERN

- 1) Body length is short> please bring back to spec +1/2"
- 2) Body width is OK
- 3) Sleeve/ Armhole:
  - drop armhole +1/2" to meet target spec
  - increase bicep +1/2" to meet target
  - revise finished sleeve length to 36"
- 4) Neck/ Hood:
  - neck width is missing -1/2"> bring back to spec
  - increase hood height at opening +1/2" accordingly
  - drawcord is too long> shorten -2" on each side
- 5) Kangaroo pocket:
  - pocket height at center is missing -3/4"> please bring back to spec
  - pocket width is off spec and inconsistent on each side> please follow target specs and maintain even pocket width on each side
- 6) Keep CF zipper welts width at 5/16" as per sample

#### CONSTRUCTION/WORKMANSHIP

\*\*Approved> the workmanship looks great - please follow as a standard for all zip hoodies

Thank you,

Misha

## SS26TZH1507 Plates Zip Hoodie - 2nd proto



SS26TZH1507 Plates Zip Hoodie - 2nd proto.jpg

## FIT/PATTERN (THÔNG SỐ/RẬP)

## 10/23 design notes - Genny Mayden

CREATED ON OCT 27, 2025 8:39 PM

- updated artwork see email
- please print the rib

In tại Rib

- 1. Dài áo bị thiếu > Vui lòng điều chỉnh lại theo đúng thông số kỹ thuật cộng thêm 1/2 inch.
- 2. Ngang bodyđạt yêu cầu (OK)
- 3. (Tay áo/Vòng nách)

Hạ sâu vòng nách thêm 1/2 inch để đạt đúng thông số mục tiêu.

Tăng bắp tay thêm 1/2 inch để đạt đúng thông số mục tiêu.

Chỉnh lại dài tay hoàn tất về 36 inch.

4. (Cổ/Nón)

Ngang cổ bị thiếu 1/2 inch > Điều chỉnh lại cho đúng thông số kỹ thuật.

Tăng chiều cao nón tại vị trí mở thêm 1/2 inch cho phù hợp.

Dây rút quá dài > Cắt ngắn bớt 2 inch mỗi bên.

5. (Túi Kangaroo)

Chiều cao túi tại vị trí trung tâm bị thiếu 3/4 inch > Vui lòng điều chỉnh lại cho đúng thông số kỹ thuật.

Ngang túi bị lệch so với thông số kỹ thuật và không đều giữa hai bên > Vui lòng làm theo thông số mục tiêu và giữ ngang túi đều nhau ở cả hai bên.

6. Giữ độ rộng của viền/nẹp che dây kéo khóa tại tâm Thân trước 5/16 inch theo mẫu.

CONSTRUCTION/WORKMANSHIP (CÁCH MAY/TAY NGHỀ/CHẤT LƯỢNG MAY)

(ĐƯỢC DUYỆT \$>\$ Chất lượng may/tay nghề nhìn rất tốt - Vui lòng tuân thủ làm tiêu chuẩn cho tất cả các kiểu áo hoodie có khóa kéo.)