



## All Over Floral Wreath Zip Hoodie - Style #SS26TZH1430

Mens, Zip Hoodie, Spring/Summer, 2026

Summary

12-19-2025

**DENIM TEARS**

SKETCH

OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3



Name	All Over Floral Wreath Zip Hoodie
Style No.	SS26TZH1430
Description	All Over Floral Wreath Zip Up
Division	Mens
Category	Zip Hoodie
Season	Spring/Summer
Year	2026
Size Scale	<b>M</b> -Sample size
	<input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> XXL
Factory	Un-Available
Created by/Author	12/19/2025 Genny Mayden genny@denimtears.com

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

## All Over Floral Wreath Zip Hoodie



1. No Color Assigned

Style Color Code	Not Set
Carryover/New	Not Set



<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
SKETCH			



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H015\_Zip Hoodie\_12-1





<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
COLORWAYS			



**BLACK**

**SELF: BLACK**  
**RIBBING: BLACK**  
**STITCH: TONAL**  
EMBROIDERED EYELET: BLACK  
DRAWCORD: BLACK  
ZIPPER TAPE: BLACK  
ZIPPER TEETH & PULL: NICKEL



DENIM TEARS		OUTERWEAR:H015 ZIP HOODIE		SEASON:SP26		DESIGNER: BRYCE	
		FACTORY:FACTORY		COLLECTION:OUR LADY LIBERTY		VARIANTS: 3	
COLOR & QUALITY STANDARDS							
ITEM	PLACEMENT	QUANTITY	SIZE	COLORWAY 1	COLORWAY 2		
100% COTTON - XXXX	SELF A: MAIN BODY						
				BLACK - JET BLACK 19-0303 TCX			
2X1KNIT RIB- XXXX	SELF B: SLEEVE CUFF & HEM						
				BLACK - JET BLACK 19-0303 TCX			
BASKETBALL WEAVE FLAT DRAWCORD - 100% HIGH DENSITY COTTON	TRIM A: HOOD	1	1/4" WIDE				
				BLACK - JET BLACK 19-0303 TCX			
ZIPPER TEETH & PULL - YKK METAL OPEN END	TRIM B: CENTER FRONT	1	#5				
				NICKEL			
ZIPPER TAPE	TRIM B: CENTER FRONT	1					
				BLACK - JET BLACK 19-0303 TCX			
TWILL TAPE - 100% COTTON	TRIM C: BACK NECK	1	3/8" WIDE				
				BLACK - JET BLACK 19-0303 TCX			
THREAD 1:	SELF A: MAIN BODY, EMBROIDERED EYELET, BNT						
				BLACK - JET BLACK 19-0303 TCX			
WASH:	GARMENT			45 MIN ENZYME WASH & SOFTENER			

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H015\_Zip Hoodie\_12-4



TRIMS

\*\*\*\*\*NOT SHOWN TO SCALE

WOVEN LABEL



\*TO BE EDGESTITCHED ALL AROUND IF GARMENT IS LINED\*

INTERNAL SIZE LABEL



CONSTRUCTION



HANG TAG



T5 HOODIES



BLACK SIDE TAB



HOODIE-TRIM-NICKEL-BLACK TAB-2



### DENIM TEARS

OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

#### CONSTRUCTION

The diagram illustrates the construction of the hoodie with various sewing techniques and materials:

- Neckline:** 1/4" wide cotton drawcord w/ single knotted end, 5/8" sewn eyelet placed 1" from neckline, 1" tunnel w/ single-needle topstitch.
- Hood:** 2- separate layer self-fabric hood, 1/4" split needle coverstitch edgestitch on inside edge.
- Interior:** cotton twill tape on neck interior & CF zipper tape, 1/4" single needle topstitch.
- Bottom Hem:** 3/4" hem w/ 1/4" double needle coverstitch, 3/16" single needle topstitch, bartacks.
- Waistband:** knit rib cuff, waistband, 1/4" split needle coverstitch.
- Shoulders:** 1/4" split needle coverstitch.

**Detailed Callouts:**

- Eyelet:** A small inset image shows a close-up of the 5/8" sewn eyelet placed 1" from the neckline.
- Drawcord:** A small inset image shows a close-up of the 1/4" wide cotton drawcord with a single knotted end.
- Neckline Tunnel:** A small inset image shows a close-up of the 1" tunnel with a single-needle topstitch.
- Inside Edge:** A small inset image shows a close-up of the 1/4" split needle coverstitch edgestitch on the inside edge of the hood.
- Cuff and Waistband:** A small inset image shows a close-up of the knit rib cuff and waistband with a 1/4" split needle coverstitch.

**Denim Tears Confidential** **Updated: XX/XX/XXXX**

SP26-H015\_Zip Hoodie\_12-3



<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
GRAPHICS			
<p>DTG PRINT 50" WIDE, 35.62" TALL</p>  <p>ARTWORK NOT @ 100% SCALE</p>			
DENIM TEARS CONFIDENTIAL		UPDATED: XX/XX/XXXX	

SP26-H015\_Zip Hoodie\_12-5



<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
GRAPHIC			

**BACK BODY PANEL:**  
**DTG PRINT**  
**50" WIDE, 35.62" TALL**

ARTWORK NOT @ 100% SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H015\_Zip Hoodie\_12-6



<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
GRAPHIC			
<p>WEARER'S LEFT SLEEVE PANEL: DTG PRINT 26.84" WIDE, 30" TALL</p>  <p>ARTWORK NOT @ 100% SCALE</p>			
DENIM TEARS CONFIDENTIAL		UPDATED: XX/XX/XXXX	

SP26-H015\_Zip Hoodie\_12-7



**DENIM TEARS**

OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3

GRAPHIC

WEARER'S RIGHT SLEEVE PANEL:

DTG PRINT

50" WIDE, 35.62" TALL



ARTWORK NOT @ 100% SCALE

DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H015\_Zip Hoodie\_12-8



<b>DENIM TEARS</b>	OUTERWEAR: H015 ZIP HOODIE	SEASON: SP26	DESIGNER: BRYCE
	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3
ARTWORK PLACEMENT			

**\*MATCH CAD FOR PRINT PLACEMENT\***



DENIM TEARS CONFIDENTIAL

UPDATED: XX/XX/XXXX

SP26-H015\_Zip Hoodie\_12-9

**Sample Size: M**

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Body Length from CB Neck	L51T0o	1/4 in	0 in	0 in	26 1/2 in	0 in	0 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS	wQ4qr9	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	RT4BS0	1/4 in	0 in	0 in	23 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	21 1/2 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	22 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	25 1/4 in	0 in	0 in	0 in
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	0 in	0 in	24 1/4 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	0 in	19 3/4 in	0 in	0 in	0 in
Cuff Height @ Sweep	IqURGW	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	0 in	0 in	36 in	0 in	0 in	0 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	0 in	10 1/2 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	10 1/4 in	0 in	0 in	0 in
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	0 in	0 in	6 1/4 in	0 in	0 in	0 in
Sleeve Opening on Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Sleeve Cuff Height	cHRgwT	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	9 1/2 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	3 7/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	0 in	0 in	16 in	0 in	0 in	0 in
Hood Height @ HPS	CiIGYS	1/4 in	0 in	0 in	14 1/4 in	0 in	0 in	0 in
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	0 in	0 in	11 in	0 in	0 in	0 in
Hood Length @ CB Seam	qFhICD	1/4 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	0 in	0 in	7 in	0 in	0 in	0 in
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	0 in	0 in	5 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	0 in	0 in	7 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	0 in	0 in	5 3/4 in	0 in	0 in	0 in
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
CF Zipper Length	H0U7IU	1/4 in	0 in	0 in	23 1/2 in	0 in	0 in	0 in
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	0 in	0 in	5/16 in	0 in	0 in	0 in



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	2ND PROTO - RCV'D	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	26 in	-1/2 in	0 in	26 1/2 in		Back To Spec
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	3 in	3/8 in	0 in	2 5/8 in		Back To Spec
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	22 1/2 in	-1/2 in	0 in	23 in		Back To Spec
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	21 in	-1/2 in	0 in	21 1/2 in		Back To Spec
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	22 in	0 in	0 in	22 in		-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	25 1/4 in	0 in	0 in	25 1/4 in		-
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 1/4 in	0 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	19 1/2 in	-1/4 in	0 in	19 3/4 in		Within Tolerance
Cuff Height @ Sweep	lqURGW	1/8 in	2 5/8 in	2 1/2 in	-1/8 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	36 1/2 in	35 1/4 in	-1 1/4 in	-1/2 in	36 in	RVSD	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 in	-1/2 in	0 in	10 1/2 in		Back To Spec
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	9 3/4 in	-1/2 in	0 in	10 1/4 in		Back To Spec
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 1/8 in	-1/8 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 in	-1/4 in	0 in	6 1/4 in		Back To Spec
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 1/8 in	0 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 9/16 in	-1/16 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 in	-1/2 in	0 in	9 1/2 in		Back To Spec
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	3 5/8 in	-1/4 in	0 in	3 7/8 in		Back To Spec
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	15 1/2 in	-1/2 in	0 in	16 in		Back To Spec
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	13 3/4 in	-1/2 in	0 in	14 1/4 in		Back To Spec
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	11 in	0 in	0 in	11 in		-
Hood Length @ CB Seam	qFhLCD	1/4 in	21 3/4 in	20 1/2 in	-1 1/4 in	0 in	21 3/4 in		Back To Spec
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	1 1/8 in	1/8 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXA	1/4 in	7 in	7 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	8 in	-1/4 in	0 in	8 1/4 in		Back To Spec
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	5 1/2 in	-1/8 in	0 in	5 5/8 in		-
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	7 5/8 in	0 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	5 5/8 in	-1/8 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	23 1/2 in	0 in	0 in	23 1/2 in		-
CF Zipper Welt Width (Each Side)	HWjlWw	1/16 in	3/8 in	5/16 in	-1/16 in	-1/16 in	5/16 in		Keep As Sample



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	PPS - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	26 1/2 in	0 in	0 in	26 1/2 in		-
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	23 in	0 in	0 in	23 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	21 1/2 in	0 in	0 in	21 1/2 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	22 in	0 in	0 in	22 in		-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	25 in	-1/4 in	0 in	25 1/4 in		Within Tolerance
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 in	-1/4 in	0 in	24 1/4 in		Within Tolerance
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	19 3/4 in	0 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	lqURGW	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	36 in	36 1/4 in	1/4 in	0 in	36 in		Within Tolerance
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 3/8 in	-1/8 in	0 in	10 1/2 in		Within Tolerance
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	10 1/4 in	0 in	0 in	10 1/4 in		-
Elbow @ Half of Inseam (Excl Cuff)	OR4AXC	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 1/4 in	0 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 in	-1/8 in	0 in	4 1/8 in		Within Tolerance
Sleeve Cuff Height	CHRgwT	1/8 in	2 5/8 in	2 3/4 in	1/8 in	0 in	2 5/8 in		Within Tolerance
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	4 in	1/8 in	0 in	3 7/8 in		Back To Spec
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	16 in	0 in	0 in	16 in		-
Hood Height @ HPS	CIIGYS	1/4 in	14 1/4 in	14 in	-1/4 in	0 in	14 1/4 in		Within Tolerance
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	11 in	0 in	0 in	11 in		-
Hood Length @ CB Seam	qFhICD	1/4 in	21 3/4 in	21 1/2 in	-1/4 in	0 in	21 3/4 in		-
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	6 1/2 in	-1/2 in	0 in	7 in	Ensure this meets spec	Back To Spec
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	3 1/4 in	1/4 in	0 in	3 in		Back To Spec
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	5 3/4 in	1/8 in	0 in	5 5/8 in		Within Tolerance
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	7 1/2 in	-1/8 in	0 in	7 5/8 in		Within Tolerance
Kangaroo Width from CF @ Widest (Each Side)	2lISI	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	5 5/8 in	-1/8 in	0 in	5 3/4 in		Within Tolerance
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	23 1/2 in	0 in	0 in	23 1/2 in		-
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	5/16 in	5/16 in	0 in	0 in	5/16 in		-



## 9/5 design notes - Genny Mayden

CREATED ON SEP 8, 2025 5:10 PM

- make print scale smaller by 50%



## Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 12, 2025 8:41 PM

### FIT/PATTERN

\*\*Please follow the provided reference block pattern of **ZIP HOODIE** and make the following revisions

- Shorten Body Length -1/2" and reduce zipper length accordingly

### CONSTRUCTION/WORKMANSHIP

\*\*Make SS26 season construction updates on the hood (this applies to all SS26 hoodies):

- Revise hood to have CB Seam instead of the dart> CB Hood Seam from back neck seam to hood opening
- Add seam at the hood opening and finish with single needle edge stitch on the interior to hold the seam allowances in place
- Increase Tunnel Width to 1"

\*\*Finish the following seams with 1/4" split needle top stitch (bottom coverstitch):

- CB hood seam
- Shoulder seams
- Armholes
- Seams @ Sleeve and Bottom Opening Cuffs
- Please keep each side of the seam flat without bumps - see image below for the finish reference

### SEW-BY

- I'm going to send a Zip Hoodie sew-by to follow the overall construction and finish
- Please follow the sew-by EXACTLY as is since the overall finish on it looks much cleaner

Thanks,



Zip Hoodie Sew-By 9.10.25.jpg



Split Needle Finish.jpg



## Fitting 10.23.25 - Misha Strelnikov

CREATED ON OCT 23, 2025 6:27 PM

**\*\*PPS MUST BE ON SPEC**

### **FIT/PATTERN**

1) Body Length:

- increase body length +1/2" to hit target

2) Reduce shoulder drop -3/8" to meet target at 2 5/8"

3) Body width - bring the following points back to spec:

- shoulder width +1/2"
- across front +1/2"

4) Armhole/ Sleeve:

- armhole sits too high> drop by 1/2" to meet target spec at 10 1/2"
- increase bicep +1/2" to meet target spec and blend to 0" at elbow
- sleeve opening above cuff seam is missing -1/4"> get back to spec
- revise finished sleeve length to be at 36" !!!

5) Neck/ Hood:

- increase neck width +1/2" to meet target at 9 1/2"
- front neck drop came 1/4" higher> please bring back to spec
- hood height is missing -1/2" at opening and HPS> bring back to spec
- there's an excess of fabric at interior of the hood> please reduce hood panel width @ interior only -3/8" each side - see **photo A**

6) Keep CF lips width at 5/16" as per sample

### **CONSTRUCTION/WORKMANSHIP**

1) Add additional tack between hood layers at the middle of the hood at back - see phot A again

2) Top stitching around neck is too wide> should NOT exceed 5/16 - see **photo B** and improve

- also, back neck tape should be tonal to the tape used at CF zipper

Thanks,



SS26TZh1430 All Over Floral Wreath Zip Hoodie - 2nd proto



SS26TZh1430 All Over Floral Wreath Zip Hoodie - 2nd proto-01.jpg



### SS26TZH1430 All Over Floral Wreath Zip Hoodie - 2nd proto

**A**

\*\*REDUCE HOOD WIDTH AT INTERIOR  
TO PICK UP THE EXTRA FABRIC  
\*\*ADD 2ND TACK AT BACK MID-HOOD



**B**

CONTROL TOP STITCH WIDTH AROUND THE NECK  
UNDER 5/16" MAX> IT LOOKS TOO WIDE ON PROTO AT 3/8"



SS26TZH1430 All Over Floral Wreath Zip Hoodie - 2nd proto.jpg



## 10/23 design notes - Genny Mayden

CREATED ON OCT 27, 2025 8:34 PM

- please print on the rib
- use cream colored drawcords (match to cream in artwork)
- add black herringbone tape to back neck
- adding logo on chest - artwork TBC



## Fitting 12.16.25 - Misha Strelnikov

CREATED ON DEC 17, 2025 3:52 PM  
PPS: SIZE:M, ARRIVAL DATE:12-16-2025

**STATUS:** PPS is approved to TOP

\*Please follow all corrections below

### FIT/PATTERN:

1. Please keep side kangaroo pocket height within tolerance. Slightly bigger than tolerance on sample.
2. Ensure Drawcord exposed length meets spec of 7".

### CONSTRUCTION/WORKMANSHIP:

1. Please make knots tighter at the end of drawcords, and ensure ends are trimmed.
2. Zipper puller is on the Wearer's Left side... if possible, please switch the puller to the Wearer's right side.
3. Thank you for making back neck tape tonal to zipper. This is okay as the PPS.
4. Improve sewing tension around the front kangaroo pockets. There are areas where thread is pulling and causing small lines due to tension being too tight. Thanks!

TRẠNG THÁI: PPS được duyệt để lên TOP

Vui lòng thực hiện tất cả các chỉnh sửa bên dưới

### FIT / PATTERN:

Vui lòng giữ chiều cao túi kangaroo hai bên trong phạm vi dung sai. Trên mẫu hiện tại kích thước hơi lớn hơn dung sai cho phép.

Đảm bảo chiều dài phần dây rút lộ ra đúng theo spec là 7".

### KẾT CẤU / TAY NGHÊ MAY:

Vui lòng thắt nút chặt hơn ở đầu dây rút và đảm bảo các đầu dây được cắt gọn.

Dây tape cổ sau cùng tông màu với khóa kéo. Phần này OK ở PPS.

Cải thiện độ căng chỉ khi may quanh túi kangaroo phía trước. Có một số khu vực chỉ bị kéo gây ra các vết nhỏ do lực căng quá lớn.



THREAD TENSION.jpg

Cải thiện độ căng chỉ khi may quanh túi. Tránh tình trạng bề mặt vải/màu sắc bị kéo giãn.



SS26TZH1430 All Over Floral Wreath Zip Hoodie - PPS



SS26TZH1430 All Over Floral Wreath Zip Hoodie - PPS.jpg