

Peace Wreath Knockout Zip Hoodie

Name Peace Wreath Knockout Zip Hoodie

SS26TZH1427 Style No.

Description Peace Wreath Knockout Zip Hoodie

Division Mens

Zip Hoodie Category

Spring/Summer Season

2026 Year

Size Scale M -Sample size

XS S M L XL XXL

11/6/2025 Created by/Author

Genny Mayden

genny@denimtears.com




1. No Color Assigned

Style Color Code Not Set

Carryover/New Not Set



SP26-H011\_Zip Hoodie\_9-1



SP26-H011\_Zip Hoodie\_9-2

DENIM TEADS	OUTERWEAR: H011 ZIP HOODIE	SEASON: SP26	DESIGNER: TINA					
DENIM IEARS	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3					
COLOR & QUALITY STANDARDS								

ITEM	PLACEMENT	QUANITY	SIZE	COLORWAY 1	COLORWAY 2	COLORWAY 3	COLORWAY 4	COLORWAY 5	COLORWAY 6
100% COTTON - XXXX	SELF A: MAIN BODY								
				BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
2X1KNIT RIB- XXXX	SELF B: SLEEVE CUFF & HEM								
				BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
BASKETWEAVE FLAT DRAWCORD - 100% HIGH DENSITY	TRIM A: HOOD								
COTTON		1	1/4"WIDE	BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
ZIPPER TEETH & PULL - YKK METAL OPEN END	TRIM B: CENTER FRONT								
TREMETAL OF LIVERD		1	#5	NICKEL	NICKEL	NICKEL			
ZIPPERTAPE	TRIM B: CENTER FRONT								
		1		BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
TWILL TAPE - 100% COTTON	TRIM C: BACK NECK		3/8" WIDE						
100% COTTON	The state of the s	1	3/6 WIDE	BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
THREAD 1:	MAIN BODY, EMBROIDERED EYELET,								
	BNT			BLACK - JET BLACK 19-0303 TCX	ORANGE - CHERRY TOMATO 17-1563 TCX	BLUE - BLUESTEEL 18-4222 TCX			
WASH:	GARMENT			45 MIN ENZYME WASH & SOFTENER	45 MIN ENZYME WASH & SOFTENER	45 MIN ENZYME WASH & SOFTENER			

DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX



DENIM TEADS	OUTERWEAR: H011 ZIP HOODIE	SEASON: SP26	DESIGNER: TINA					
DENIM LEARS	FACTORY: FACTORY	COLLECTION: OUR LADY LIBERTY	VARIANTS: 3					
1ST PROTO COMMENTS								

#### **DESIGN**

- Drawcords are incorrect, should be a single-knotted end no fraying. Also should have PP spray to match hoodie



- Otherwise, approved

#### **GRAPHIC**


- Peacewreath artwork has increased in scale, please see new aw
- We would like to see strike off of Anarchy peace wreath

#### FIT


- Approved




DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX



HOODIE-TRIM-NICKEL-BLOCK-2




Screen Shot 2025-09-16 at 9-1



SP26-H011\_Zip Hoodie\_9-5








\*MATCH THIS FOR POTASSIUM SPRAY GRAPHIC TECHNIQUE\*



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX



## \*MATCH THIS CAD FOR POTASSIUM SPRAY PLACEMENT\*



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX

Size Specifications - Graded Rules

11-06-2025

## Sample Size: M

POINT OF MEASURE	CODE	TOLERANCE	XS	S	М	L	XL	XXL
Body Length from CB Neck	L51T0o	1/4 in	0 in	0 in	26 1/2 in	0 in	0 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in
Shoulder Drop from HPS	wQ4qr9	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	0 in	0 in	23 in	0 in	0 in	0 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	0 in	21 1/2 in	0 in	0 in	0 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	0 in	22 in	0 in	0 in	0 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	0 in	25 1/4 in	0 in	0 in	0 in
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	0 in	0 in	24 1/4 in	0 in	0 in	0 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	0 in	19 3/4 in	0 in	0 in	0 in
Cuff Height @ Sweep	IqURGW	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	0 in	0 in	36 in	0 in	0 in	0 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	0 in	10 1/2 in	0 in	0 in	0 in
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	0 in	10 1/4 in	0 in	0 in	0 in
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	0 in	0 in	6 1/4 in	0 in	0 in	0 in
Sleeve Opening on Edge	evuF23	1/8 in	0 in	0 in	4 1/8 in	0 in	0 in	0 in
Sleeve Cuff Height	cHRgwT	1/8 in	0 in	0 in	2 5/8 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	0 in	9 1/2 in	0 in	0 in	0 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	0 in	3 7/8 in	0 in	0 in	0 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	0 in	0 in	16 in	0 in	0 in	0 in
Hood Height @ HPS	CilGYS	1/4 in	0 in	0 in	14 1/4 in	0 in	0 in	0 in
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	0 in	0 in	11 in	0 in	0 in	0 in
Hood Length @ CB Seam	qFhlCD	1/4 in	0 in	0 in	21 3/4 in	0 in	0 in	0 in
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	0 in	0 in	7 in	0 in	0 in	0 in
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	0 in	0 in	5 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	0 in	0 in	7 5/8 in	0 in	0 in	0 in
Kangaroo Width from CF @ Widest (Each Side)	2liSl	1/4 in	0 in	0 in	8 1/4 in	0 in	0 in	0 in
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	0 in	0 in	5 3/4 in	0 in	0 in	0 in
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	0 in	0 in	3/4 in	0 in	0 in	0 in
CF Zipper Length	H0U7IU	1/4 in	0 in	0 in	23 1/2 in	0 in	0 in	0 in
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	0 in	0 in	5/16 in	0 in	0 in	0 in

### **Measured Size: M**

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T0o	1/4 in	26 1/2 in	27 in	1/2 in	0 in	26 1/2 in		-
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		-
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	23 1/2 in	1/2 in	0 in	23 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	22 in	1/2 in	0 in	21 1/2 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	22 1/2 in	1/2 in	0 in	22 in		-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	26 in	3/4 in	0 in	25 1/4 in		-
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 in	-1/4 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	20 in	1/4 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	IqURGW	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	36 1/2 in	37 3/4 in	1 1/4 in	0 in	36 1/2 in		-
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 1/2 in	0 in	0 in	10 1/2 in		-
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	10 3/8 in	1/8 in	0 in	10 1/4 in		-
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 in	-1/4 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 in	-1/8 in	0 in	4 1/8 in		-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 1/2 in	0 in	0 in	9 1/2 in		-
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	3 7/8 in	0 in	0 in	3 7/8 in		-
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	7/8 in	-1/8 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	16 in	0 in	0 in	16 in		-
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	14 1/4 in	0 in	0 in	14 1/4 in		-
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	11 in	0 in	0 in	11 in		-
Hood Length @ CB Seam	qFhlCD	1/4 in	21 3/4 in	0 in	0 in	0 in	21 3/4 in		-
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	0 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	0 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	6 1/8 in	1/2 in	0 in	5 5/8 in		-
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	7 3/4 in	1/8 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	8 5/8 in	3/8 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	0 in	0 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	0 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	24 in	23 1/2 in	-1/2 in	-1/2 in	23 1/2 in		-
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	0 in	0 in	0 in	3/8 in		-

### **Measured Size: M**

POINT OF MEASURE	CODE	TOLEDANCE	EVDECTED	2ND DDOTO DCVD	VADIANCE	ADJUST BY 1	DEVICED CDEC	MEASUREMENT NOTES	MEASUREMENT STATUS
POINT OF MEASURE	CODE	TOLERANCE						MEASUREMENT NOTES	MEASUREMENT STATUS
Body Length from CB Neck	L51T00	1/4 in	26 1/2 in	27 1/4 in	3/4 in	0 in	26 1/2 in		Back To Spec
Shoulder Seam Forward	xgRDFB	1/8 in	1/2 in	1/2 in	0 in	0 in	1/2 in		- !
Shoulder Drop from HPS	wQ4qr9	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 in	23 in	0 in	0 in	23 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	21 1/2 in	21 5/8 in	1/8 in	0 in	21 1/2 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	22 in	22 1/4 in	1/4 in	0 in	22 in		Within Tolerance
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	25 1/4 in	25 1/4 in	0 in	0 in	25 1/4 in		- !
Bottom Sweep @ 1" Above Cuff Seam	E40dli	3/8 in	24 1/4 in	24 1/8 in	-1/8 in	0 in	24 1/4 in		-
Bottom Sweep @ Edge	tKtZ6U	3/8 in	19 3/4 in	19 5/8 in	-1/8 in	0 in	19 3/4 in		-
Cuff Height @ Sweep	IqURGW	1/8 in	2 5/8 in	2 1/2 in	-1/8 in	0 in	2 5/8 in		-
Sleeve Length From CB Neck to Cuff Edge (3-Point Measurement)	A4qCGQ	3/8 in	36 1/2 in	37 3/4 in	1 1/4 in	-1/2 in	36 in	Reduce -1 1/4"	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	10 1/2 in	10 in	-1/2 in	0 in	10 1/2 in		See New Value
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	10 1/4 in	9 3/4 in	-1/2 in	0 in	10 1/4 in		See New Value
Elbow @ Half of Inseam (Excl Cuff)	0R4AXC	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Sleeve Opening @ 1" Above Cuff Seam	08zjxU	1/4 in	6 1/4 in	6 1/4 in	0 in	0 in	6 1/4 in		-
Sleeve Opening on Edge	evuF23	1/8 in	4 1/8 in	4 1/8 in	0 in	0 in	4 1/8 in	bulky cuff	-
Sleeve Cuff Height	cHRgwT	1/8 in	2 5/8 in	2 5/8 in	0 in	0 in	2 5/8 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	9 1/2 in	9 in	-1/2 in	0 in	9 1/2 in		Back To Spec
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	3 7/8 in	4 in	1/8 in	0 in	3 7/8 in		-
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Hood Height @ Opening (from CF Neck to Top Edge)	y7RXJh	1/8 in	16 in	15 3/4 in	-1/4 in	0 in	16 in		Back To Spec
Hood Height @ HPS	CilGYS	1/4 in	14 1/4 in	14 in	-1/4 in	0 in	14 1/4 in		Back To Spec
Hood Width @ 5" Blw Top Edge	LmTEaK	1/8 in	11 in	10 3/4 in	-1/4 in	0 in	11 in		Back To Spec
Hood Length @ CB Seam	qFhlCD	1/4 in	21 3/4 in	21 in	-3/4 in	0 in	21 3/4 in		Back To Spec
Hood Tunnel Height @ Opening	Rlm51r	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Eyelet Placement (CF Neck Seam to Bottom of Eyelet)	JW2tiN	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Drawcord Drop (Exposed Length)	xmREXa	1/4 in	7 in	7 in	0 in	0 in	7 in		-
Kangaroo Pocket Height @ CF	sTDD5N	1/8 in	8 1/4 in	8 in	-1/4 in	0 in	8 1/4 in		Back To Spec
Kangaroo Pocket Height @ Sides	WK6RrV	1/8 in	3 in	3 in	0 in	0 in	3 in		-
Kangaroo Width from CF @ Top Edge (Each Side)	RrmoVB	1/4 in	5 5/8 in	5 5/8 in	0 in	0 in	5 5/8 in		-
Kangaroo Width from CF @ Cuff Seam (Each Side)	E14Gq	1/4 in	7 5/8 in	7 5/8 in	0 in	0 in	7 5/8 in		-
Kangaroo Width from CF @ Widest (Each Side)	2liSI	1/4 in	8 1/4 in	8 1/4 in	0 in	0 in	8 1/4 in		-
Kangaroo Pocket Opening Length (Bartack to Bartack)	smuBA0	1/8 in	5 3/4 in	5 3/4 in	0 in	0 in	5 3/4 in		-
Turnback Height @ Pocket Opening	NicmOZ	1/8 in	3/4 in	3/4 in	0 in	0 in	3/4 in		-
CF Zipper Length	H0U7IU	1/4 in	23 1/2 in	23 3/4 in	1/4 in	0 in	23 1/2 in		Back To Spec
CF Zipper Welt Width (Each Side)	HWjLwW	1/16 in	3/8 in	5/16 in	-1/16 in	-1/16 in	5/16 in		Keep As Sample

# 9/5 design notes - Genny Mayden

CREATED ON SEP 8, 2025 5:09 PM

- make wreath larger by 20%
- ask to potassium spray drawcords
- drawcord ends should be knotted
- asking for a strikeoff in Anarchy Wreath

DENIM TEARS	OUTERWEAR: H011 ZIP HOODIE	SEASON: SP26	DESIGNER: TINA					
	FACTOR{: FACTOR{	COLLECTION: OUR LAD{ LIBERT{	VARIANTS: 3					
1ST PROTO COMMENTS								

#### **DESIGN**

- Drawcords are incorrect, should be a single-knotted end no fraying. Also should have PP spray to match hoodie



- Otherwise, approved

#### **GRAPHIC**

- Peacewreath artwork has increased in scale, please see new aw dimensions
- We would like to see strike off of Anarchy peace wreath

### FIT

- Approved



DENIM TEARS CONFIDENTIAL UPDATED: XX/XX/XXXX

Screen Shot 2025-09-08 at 2.34.56 PM.jpg

# Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 15, 2025 6:36 PM

#### FIT/PATTERN

- \*\*Please follow the provided reference block pattern of ZIP HOODIE and make the following revisions
  - Shorten Body Length -1/2" and reduce zipper length accordingly

#### CONSTRUCTION/WORKMANSHIP

- \*\*Make SS26 season construction updates on the hood (this applies to all SS26 hoodies):
  - Revise hood to have CB Seam instead of the dart> CB Hood Seam from back neck seam to hood opening
  - Add seam at the hood opening and finish with single needle edge stitch on the interior to hold the seam allowances in place
  - Increase Tunnel Width to 1"
- \*\*Finish the following seams with 1/4" split needle top stitch (bottom coverstsitch):
  - CB hood seam
  - Shoulder seams
  - Armholes
  - Seams @ Sleeve and Bottom Opening Cuffs
  - Please keep each side of the seam flat without bumps see image below for the finish reference

#### **SEW-BY**

- I'm going to send a Zip Hoodie sew-by to follow the overall construction and finish
- Please follow the sew-by EXACTLY as is since the overall finish on it looks much cleaner

Thanks,

# SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 1st Proto



SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 1st Proto.jpg



Zip Hoodie Sew-By 9.10.25.jpg



Split Needle Finish.jpg

## Fitting 10.23.25 - Misha Strelnikov

CREATED ON NOV 5, 2025 9:20 PM

#### \*\*PPS MUST BE ON SPEC

\*\*Looks like body/sleeve are growing in length too much> FTY needs to control shrinkage

#### FIT/PATTERN

- 1) Body is too long +3/4"> get back to spec
- 2) Armhole/ Sleeve:
  - drop AH +1/2" to meet target spec
  - increase bicep +1/2" accordingly
  - reduce sleeve length to finish at 36"
- 3) Neck width is missing -1/2"> please adjust to meet target spec at 9 1/2"
- 4) Hood is slightly off spec in width and height> see spec page for discrepancies and adjust the pattern accordingly
  - also, the interior layer of the hood should be slightly smaller than the top layer see photo comments
  - pick-up approx 3/8" from the width of each interior panel
- 5) Kangaroo pocket:
  - pocket height at center came shorter -1/4"> please correct to finish at 8 1/4"
- 6) Keep CF lips width at 5/16" as per sample

#### CONSTRUCTION/WORKMANSHIP

- 1) Continue back neck tape through the front neck> the entire neck's interior needs to be clean finished with the tape +1/4" SNTS
  - this is the same finish as per any other Zip Hoodie that you submitted for SS26
  - make sure the top stitch width around the neck is at 1/4"> on proto the top stitch is too narrow at 3/16"
- 2) Kangaroo pocket:
  - top edge + side edges of the pocket should be finished with 3/16" SNTS instead of edge stitch> please correct
- 3) Hood:
  - add 2nd tack between layers below the crown at mid-hood @ CB seam

Thank you,

# SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 2nd proto



SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 2nd proto-01.jpg

# SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 2nd proto



SS26TZH1427 Peace Wreath Knockout Zip Hoodie - 2nd proto-02.jpg

# 10/30 design notes - Genny Mayden

CREATED ON NOV 6, 2025 3:26 PM

- Make spray more gradual / faded on sleeve and back
- Add RGB side tab EA01E11O54

Làm hiệu ứng phun màu (spray) mờ dần – chuyển nhẹ – loang tự nhiên hơn → Không được tạo một đường ranh giới rõ, sắc, hoặc cứng (harsh line) giữa vùng có màu spray và nền vải.

### PPS PHẢI ĐÚNG THEO SPEC

Có vẻ thân áo/tay áo đang bị dài thêm quá nhiều → Nhà máy cần kiểm soát độ co rút

Thân áo quá dài +3/4" → cần chỉnh về đúng spec

Vòng nách / Tay áo:
hạ vòng nách +1/2" để đạt spec mục tiêu
tăng bắp tay +1/2" tương ứng
rút ngắn chiều dài tay áo để thành phẩm 36"
Rộng cổ bị thiếu -1/2" → vui lòng chỉnh để đạt spec mục tiêu 9 1/2"
Nón bị lệch spec về chiều rộng và chiều cao → xem trang spec để điều chỉnh rập
lớp trong của nónnên nhỏ hơn 1 chút so với lớp ngoài – xem hình góp ý
lấy vào 3/8" từ chiều rộng mỗi tấm mũ bên trong

## Túi kangaroo:

chiều cao túi ở giữa thân bị ngắn hơn -1/4"  $\rightarrow$  chỉnh lại hoàn thiện ở 8 1/4" Giữ mép giữa trước ở mức 5/16" theo mẫu

### CONSTRUCTION / WORKMANSHIP - MAY & HOÀN THIÊN

Tiếp tục may viền băng cổ từ trước ra sau → toàn bộ bên trong cổ phải hoàn thiện sạch bằng tape +1/4" SNTS hoàn thiện giống mẫu Zip Hoodie khác đã nộp cho SS26 đảm bảo đường mí may quanh cổ là 1/4" → mẫu thử đang may mí quá nhỏ chỉ 3/16"

### Túi kangaroo:

mép trên + cạnh túi phải hoàn thiện bằng 3/16" SNTS thay vì mí viền → vui lòng chỉnh

Nón

thêm 2 dây câu giữa 2 lớp mũ ở vị trí đỉnh mũ ngay đường may sau (CB seam)