



# Shooting Shirt - Style #SS26TKJ1440

Mens, T-Shirt, Spring/Summer, 2026

Summary

12-15-2025

**DENIM TEARS**

TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

SKETCH



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

Name	Shooting Shirt
Style No.	SS26TKJ1440
Description	Shooting Shirt
Division	Mens
Category	T-Shirt
Season	Spring/Summer
Year	2026
Size Scale	<b>M</b> -Sample size <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL <input type="checkbox"/> XXL
Created by/Author	12/15/2025 Genny Mayden genny@denimtears.com



**DENIM TEARS**

The color palette for the Denim Tears shooting shirt includes the following colors: Black, White, Blue, Red, Green, Yellow, and Purple. The palette is organized into four main sections: Men's (top left), Women's (top right), Denim (bottom left), and Fabric (bottom right). Each section contains a grid of color swatches with corresponding labels. The labels include: Men's (Black, White, Blue, Red, Green, Yellow, Purple), Women's (Black, White, Blue, Red, Green, Yellow, Purple), Denim (Black, White, Blue, Red, Green, Yellow, Purple), and Fabric (Black, White, Blue, Red, Green, Yellow, Purple). The palette is enclosed in a box with a black border.

1. No Color Assigned

Style Color Code	Not Set
Carryover/New	Not Set



<b>DENIM TEARS</b>	TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
SKETCH			



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-1



## DENIM TEARS

TOPS: COTTON WREATH LONG SLEEVE

SEASON: SS26

DESIGNER: DESIGNER

FACTORY: FACTORY

COLLECTION: CORE

VARIANTS: 1

COLORWAYS



NAVY

SELF A: NAVY  
SELF B: WHITE  
PIPING: LT. BLUE  
KNIT RIB COLLAR: WHITE/NAVY  
KNIT RIB CUFF: NAVY  
STITCH: TONAL  
FABRIC: PLEASE MATCH TO VINTAGE REF



GREEN

SELF A: GREEN  
SELF B: WHITE  
PIPING: GOLD  
KNIT RIB COLLAR: WHITE/GREEN  
KNIT RIB CUFF: GREEN  
STITCH: TONAL  
FABRIC: PLEASE MATCH TO VINTAGE REF



BROWN

SELF A: BROWN  
SELF B: WHITE  
PIPING: BURGUNDY  
KNIT RIB COLLAR: WHITE/BROWN  
KNIT RIB CUFF: BROWN  
STITCH: TONAL  
FABRIC: PLEASE MATCH TO VINTAGE REF


DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-2



DENIM TEARS		TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER	
		FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1	
COLOR STANDARDS					

SHOOTING SHIRT	SELF A	SELF B	PIPING	RIBBING @ COLLAR	RIBBING @ CUFF
NAVY	 NAVY 	 WHITE	 LIGHT BLUE 	 NAVY BASE, WHITE STRIPE: 	 NAVY 
GREEN	 FORMAL GARDEN PANTONE 19-6350 TCX 	 WHITE	 RICH GOLD PANTONE 16-0836 TCX 	 GREEN BASE, WHITE STRIPE: 	 GREEN - FORMAL GARDEN PANTONE 19-6350 TCX 
BROWN	 BROWN CHESTNUT PANTONE 19-1118 TCX 	 WHITE	 BURGUNDY MAROON BANNER PANTONE 19-1529 TCX 	 BROWN BASE, WHITE STRIPE: 	 BROWN CHESTNUT PANTONE 19-1118 TCX 

DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-4

1. No Color Assigned



TRIMS

\*\*\*\*\*NOT SHOWN TO SCALE

WOVEN LABEL



\*TO BE EDGESTITCHED ALL AROUND IF GARMENT IS LINED\*

INTERNAL SIZE LABEL

S

CONSTRUCTION



S



HANG TAG



TSHIRT-STANDARD-BLOCK-2



<b>DENIM TEARS</b>		TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
		FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
CONSTRUCTION				
<p>PLEASE MATCH FOR FIT/CONSTRUCTION. REFERENCE IS A SIZE XL, GRADE ACCORDINGLY:</p>				
DENIM TEARS CONFIDENTIAL		UPDATED: 03/18/2025		

SS26ShootingShirt\_9-3



<b>DENIM TEARS</b>	TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
	FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
GRAPHICS			

ARTWORK TECHNIQUE: EMBROIDERY  
ARTWORK AT 100% ACTUAL SCALE

3.25" WIDE X 2.8342" TALL

COLOR D

COLOR C

COLOR B

COLOR A

3/4" X 3/4"

ARTWORK COLOR:  
BLACK

ARTWORK COLORS:

COLOR A = LUREX GOLD THREAD

COLOR B = MATCH TO BASE COLOR FABRIC

COLOR C = BLACK

COLOR D = GREEN, PANTONE 2265 C

DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-5




## DENIM TEARS

TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

GRAPHICS

ARTWORK TECHNIQUE: JACQUARD  
PLEASE SEE SEPARATE ARTWORK FILE FOR REPEAT  
NOT AT 100% ACTUAL SCALE

REFERENCE FOR JACQUARD TECHNIQUE:



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-6



## DENIM TEARS

TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

ARTWORK PLACEMENT



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-7



**DENIM TEARS**

TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1

REFERENCE FOR FIT ONLY

PLEASE MATCH FOR FIT/CONSTRUCTION,  
REFERENCE IS A SIZE XL, GRADE ACCORDINGLY:



DENIM TEARS CONFIDENTIAL

UPDATED: 03/18/2025

SS26ShootingShirt\_9-8



Vui lòng cải thiện chất lượng thêu để làm cho đôi mắt con báo trông rõ nét và sắc sảo hơn bằng cách sử dụng file graphic đã được cập nhật.

Vui lòng dịch chuyển graphic con báo về phía bên phải 2/8" và xuống dưới 2/8" để đảm bảo căn chỉnh thị giác.

Vui lòng nhớ thêm artwork thứ 2 được thêm vào vải phoi tại thân trước theo chi tiết trong trang graphic.

<b>DENIM TEARS</b>		TOPS: COTTON WREATH LONG SLEEVE	SEASON: SS26	DESIGNER: DESIGNER
		FACTORY: FACTORY	COLLECTION: CORE	VARIANTS: 1
2ND PROTO COMMENTS				

**DESIGN**

- PLEASE UPDATE INSERT PANELS TO END @ ARMHOLES WHILE STILL HAVING A TAPER. PIPING TO REMAIN.

**GRAPHIC**

- PLEASE IMPROVE EMBROIDERY QUALITY TO MAKE EYES OF PANTHER MORE DISTINCT USING UPDATED ARTWORK.
- PLEASE NUDGE CENTER PANTHER GRAPHIC 2/8" TO THE RIGHT AND 2/8" DOWN ENSURING IT IS OPTICALLY CENTERED.
- PLEASE REMEMBER TO ADD IN SECOND GRAPHIC ON INSERT PANEL AS PER GRAPHIC PAGE DETAILS.



PLEASE IMPROVE EMBROIDERY QUALITY TO SHOW MORE DETAIL USING UPDATED GRAPHIC.



Cập nhật đường tape như hình

UPDATED INSERT TAPE  
+ ARMHOLE END REF.



Cập nhật vị trí đặt graphic theo căn chỉnh thị giác.

UPDATED PLACEMENT REF  
W/ OPTICAL ALIGNMENT

Vui lòng cải thiện chất lượng thêu để thể hiện nhiều chi tiết hơn, sử dụng graphic đã update.



**Sample Size: M**

POINT OF MEASURE	CODE	TOLERANCE	XS	S	M	L	XL	XXL
Back Body Length from CB Neck Seam	Pat8dp	1/4 in	-3/4 in	-3/4 in	27 3/4 in	3/4 in	3/4 in	0 in
Shoulder Seam Forward	xgRDFB	1/8 in	0 in	0 in	0 in	0 in	0 in	0 in
Shoulder Drop from HPS	03dOTI	1/8 in	0 in	0 in	1 3/4 in	0 in	0 in	0 in
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	-1 in	-1 in	23 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	-1 in	-1 in	23 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	-1 in	-1 in	23 1/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	-1 in	-1 in	24 in	1 1/4 in	1 1/4 in	1 1/4 in
Bottom Sweep @ Edge	tKtZ6U	3/8 in	-1 in	-1 in	23 3/4 in	1 1/4 in	1 1/4 in	1 1/4 in
Turnback Height @ Sweep	LEiFO7	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Sleeve Length From CB Neck (3-Point Measurement)	A4qCGQ	3/8 in	-1 1/4 in	-1 1/4 in	35 3/4 in	1 in	1 in	1 in
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	-1/2 in	-1/2 in	11 1/2 in	1/2 in	1/2 in	1/2 in
Bicep @ 1" Blw Armhole	ZFbGff	1/4 in	-1/2 in	-1/2 in	10 1/2 in	1/2 in	1/2 in	1/2 in
Elbow @ Half of Inseam	0R4AXC	1/4 in	-3/8 in	-3/8 in	8 in	3/8 in	3/8 in	3/8 in
Sleeve Width @ 1" Above Cuff	Bh7SGr	1/8 in	-1/4 in	-1/4 in	6 1/4 in	1/4 in	1/4 in	1/4 in
Sleeve Opening on Cuff Edge	evuF23	1/8 in	-1/4 in	-1/4 in	4 1/4 in	1/4 in	1/4 in	1/4 in
Sleeve Cuff Height	DPEe3X	1/8 in	0 in	0 in	2 in	0 in	0 in	0 in
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	-1/4 in	-1/4 in	8 1/4 in	1/4 in	1/4 in	1/4 in
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	-1/8 in	-1/8 in	5 1/4 in	1/8 in	1/8 in	1/8 in
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	0 in	1 1/2 in	0 in	0 in	0 in
Neck Trim Height	AqR78o	1/8 in	0 in	0 in	1 in	0 in	0 in	0 in
Front Yoke Seam placement from CF Neck	CqaAu6	0 in	-1/8 in	-1/8 in	4 1/4 in	1/8 in	1/8 in	1/8 in
Front Yoke Seam Placement on AH from Shoulder Seam	FM26EE	1/8 in	-1/4 in	-1/4 in	4 1/4 in	1/4 in	1/4 in	1/4 in
Back Yoke Seam Placement from CB Neck	OYDOCE	1/8 in	-1/4 in	-1/4 in	8 3/4 in	1/4 in	1/4 in	1/4 in
Back Yoke Placement on Armhole, from Shoulder Seam	Tg2gRu	1/8 in	-1/8 in	-1/8 in	5 1/2 in	1/8 in	1/8 in	1/8 in



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE	EXPECTED	1ST PROTO - RCVD	VARIANCE	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Back Body Length from CB Neck Seam	Pat8dp	1/4 in	0 in	28 1/2 in	28 1/2 in	27 3/4 in	27 3/4 in	Reduce -3/4"	See New Value
Shoulder Seam Forward	xgRDFB	1/8 in	-	-	-	-	-	-	-
Shoulder Drop from HPS	03dOTi	1/8 in	0 in	0 in	0 in	1 3/4 in	1 3/4 in	Increase	See New Value
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	0 in	24 1/4 in	24 1/4 in	23 1/4 in	23 1/4 in	Reduce -1"	-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	0 in	24 1/4 in	24 1/4 in	23 1/4 in	23 1/4 in	Reduce -1"	-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	0 in	24 1/4 in	24 1/4 in	23 1/4 in	23 1/4 in	Reduce -1"	-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	0 in	25 in	25 in	24 in	24 in	Reduce -1"	-
Bottom Sweep @ Edge	tKtZ6U	3/8 in	0 in	24 in	24 in	23 in	23 in	Reduce -1"	-
Turnback Height @ Sweep	LEiFO7	1/8 in	0 in	1 in	1 in	1 in	1 in	-	-
Sleeve Length From CB Neck (3-Point Measurement)	A4qCGQ	3/8 in	0 in	35 1/4 in	35 1/4 in	35 3/4 in	35 3/4 in	RVSD Sleeve	See New Value
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	0 in	12 3/4 in	12 3/4 in	11 1/2 in	11 1/2 in	Reduce -1 1/4	See New Value
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	12 3/4 in	12 3/4 in	0 in	0 in	FTY Advised	-
Elbow @ Half of Inseam	0R4AXC	1/4 in	0 in	9 3/8 in	9 3/8 in	0 in	0 in	FTY Advised	-
Sleeve Width @ 1" Above Cuff	Bh7SGr	1/8 in	0 in	6 1/4 in	6 1/4 in	6 1/4 in	6 1/4 in	-	-
Sleeve Opening on Cuff Edge	evuF23	1/8 in	0 in	4 1/4 in	4 1/4 in	4 1/4 in	4 1/4 in	-	-
Sleeve Cuff Height	DPEe3X	1/8 in	0 in	2 in	2 in	2 in	2 in	-	-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	0 in	8 1/4 in	8 1/4 in	8 in	8 in	Reduce -1/4"	See New Value
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	0 in	5 1/4 in	5 1/4 in	5 in	5 in	Reduce -1/4"	See New Value
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	0 in	1 1/2 in	1 1/2 in	1 1/2 in	1 1/2 in	-	-
Neck Trim Height	AqR78o	1/8 in	0 in	7/8 in	7/8 in	7/8 in	7/8 in	-	-
Front Yoke Seam placement from CF Neck	CqaAu6	0 in	-	-	-	-	-	-	-
Front Yoke Seam Placement on AH from Shoulder Seam	FM26EE	1/8 in	-	-	-	-	-	-	-
Back Yoke Seam Placement from CB Neck	OYDOCE	1/8 in	-	-	-	-	-	-	-
Back Yoke Placement on Armhole, from Shoulder Seam	Tg2gRu	1/8 in	-	-	-	-	-	-	-



## Measured Size: M

POINT OF MEASURE	CODE	TOLERANCE E	EXPECTE D	2ND PROTO - RCVD	VARIANC E	ADJUST BY +/-	REVISED SPEC	MEASUREMENT NOTES	MEASUREMENT STATUS
Back Body Length from CB Neck Seam	Pat8dp	1/4 in	27 3/4 in	27 3/4 in	0 in	0 in	27 3/4 in		-
Shoulder Seam Forward	xgRDFB	1/8 in	-	-	-	-	-		-
Shoulder Drop from HPS	03dOTi	1/8 in	1 3/4 in	1 3/4 in	0 in	0 in	1 3/4 in		-
Shoulder Width (Sm to Sm)	Rt4BS0	1/4 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Across Front @ 6" Blw HPS	KBgWIO	1/4 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Across Back @ 6" Blw HPS	vxCJU5	1/4 in	23 1/4 in	23 1/4 in	0 in	0 in	23 1/4 in		-
Chest @ 1" Blw Armhole	zuEYg1	3/8 in	24 in	24 1/4 in	1/4 in	0 in	24 in		Back To Spec
Bottom Sweep @ Edge	tKtZ6U	3/8 in	23 in	23 in	0 in	3/4 in	23 3/4 in	Increase the width by 3/4" flat so that bottom isn't as tapered	See New Value
Turnback Height @ Sweep	LEiFO7	1/8 in	1 in	1 in	0 in	0 in	1 in		-
Sleeve Length From CB Neck (3-Point Measurement)	A4qCGQ	3/8 in	35 3/4 in	36 in	1/4 in	0 in	35 3/4 in		Back To Spec
Armhole Straight (Sm to Sm)	hkBlb8	1/4 in	11 1/2 in	11 1/4 in	-1/4 in	0 in	11 1/2 in		Back To Spec
Bicep @ 1" Blw Armhole	ZFbGfF	1/4 in	0 in	10 1/2 in	10 1/2 in	10 1/2 in			Keep As Sample
Elbow @ Half of Inseam	OR4AXC	1/4 in	0 in	8 in	8 in	8 in			Keep As Sample
Sleeve Width @ 1" Above Cuff	Bh7SGr	1/8 in	6 1/4 in	6 1/4 in	0 in	0 in	6 1/4 in		-
Sleeve Opening on Cuff Edge	evuF23	1/8 in	4 1/4 in	4 1/4 in	0 in	0 in	4 1/4 in		-
Sleeve Cuff Height	DPEe3X	1/8 in	2 in	2 in	0 in	0 in	2 in		-
Neck Width @ HPS (Sm to Sm)	mKoBax	1/8 in	8 in	8 1/4 in	1/4 in	1/4 in	8 1/4 in		Keep As Sample
Front Neck Drop (HPS to CF Neck Sm)	TjF8iY	1/8 in	5 in	5 1/4 in	1/4 in	1/4 in	5 1/4 in		Keep As Sample
Back Neck Drop (HPS to CB Neck Sm)	30zyGo	1/8 in	1 1/2 in	1 1/2 in	0 in	0 in	1 1/2 in		-
Neck Trim Height	AqR78o	1/8 in	7/8 in	3/4 in	-1/8 in	1/8 in	1 in	Increase 1/4"	See New Value
Front Yoke Seam placement from CF Neck	CqaAu6	0 in	0 in	5 1/4 in	5 1/4 in	4 1/4 in	4 1/4 in	Shift placement up 1"	See New Value
Front Yoke Seam Placement on AH from Shoulder Seam	FM26EE	1/8 in	0 in	5 1/4 in	5 1/4 in	4 1/4 in	4 1/4 in	Shift Placement up 1" on AH	See New Value
Back Yoke Seam Placement from CB Neck	OYDOC E	1/8 in	0 in	8 3/4 in	8 3/4 in	8 3/4 in	8 3/4 in		Keep As Sample
Back Yoke Placement on Armhole, from Shoulder Seam	Tg2gRu	1/8 in	0 in	5 1/2 in	5 1/2 in	5 1/2 in	5 1/2 in		Keep As Sample



## Fitting 9.5.25 - Misha Strelnikov

CREATED ON SEP 17, 2025 2:47 PM

\*\*The sample came too big> please size it down to Medium

### FIT/PATTERN

- 1) Reduce Body Length -3/4"
- 2) Body Width:
  - Reduce the entire body width from top to bottom -1"> follow new target specs
- 3) Increase shoulder slope to 1 3/4"
- 4) Sleeve/ Armhole - see **image A**:
  - adjust sleeve cap so the sleeve fold edge follows the shoulder line
  - reduce armhole to finish at 11 1/2"
  - reduce bicep and elbow proportionately blending to 0" at cuff seam
  - after all corrections, the finished sleeve length should be at 35 1/2"
  - eliminate droopiness at sleeve's inseam> it has to have a straighter shape
- 5) Neck:
  - reduce neck width -1/4" to finish at 8"
  - raise front neck drop by 1/4" to finish at 5"
  - rib neck trim needs to sit closer to the neck - see **image B**

### CONSTRUCTION/WORKMANSHIP

\*\*See design call-outs



**SS26TKJ1440 SHOOTING SHIRT - 1ST PROTO**



SS26TKJ1440 Shooting Shirt - 1st Proto-01.jpg



## SS26TKJ1440 SHOOTING SHIRT - 1ST PROTO

**A**

INCREASE SLOPE AND ADJUST SLEEVE CAP



SS26TKJ1440 Shooting Shirt - 1st Proto-02.jpg



## SS26TKJ1440 SHOOTING SHIRT - 1ST PROTO

**B**

REDUCE NECK TRIM LENGTH AFTER ADJUSTING THE NECK>  
TAKE OUT AND ADDITIONAL -1/2"~3/4" SO THE TRIM SITS CLOSER TO NECK



SS26TKJ1440 Shooting Shirt - 1st Proto.jpg



## Fitting 12.11.25 - Misha Strelnikov

CREATED ON DEC 12, 2025 9:37 PM

2ND PROTO: SIZE:M, ARRIVAL DATE:12-12-2025

**STATUS:** APPROVED AS PPS TO TOP, WITH COMMENTS

### **FIT COMMENTS/ PATTERN:**

#### 1. FRONT YOKE:

- a. shift the Yoke up 1" at CF - New spec is 4 1/4" from CF Neck drop.
- b. Keeping the shape, shift the Yoke Seam at front AH up 1" - New Spec is 4 1/4" from shoulder seam, at the AH
- c. See photo comments for how to blend the curve shape into the sleeve

#### 2. BACK YOKE:

- d. Shape and placement ok as the sample

#### 3. NECK TRIM HEIGHT:

- e. Increase the neck trim height by 1/4"

#### 4. BOTTOM SWEEP:


- f. Increase the width by 3/4" and blend to chest
- g. Width has increased so that bottom is not as tapered

### **WORKMANSHIP/ CONSTRUCTION:**

1. **REMOVE the cording from inside the piping, please.**
2. Keep the fabric binding height, construction, fabric used the same - cording inside is just too hard and causing bad drape, so we are removing it.
3. Ensure that the bottom hem does not have any raw edges showing, and that edges are covered by thread.



COMMENTS 1.jpg



COMMENTS 2.jpg