SKETCH		1	tsu bi
STYLE NUMBER:	WSP26FT005	STYLE NAME:	WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME
RANGE:	SPRING 26	DATE CREATED:	10/03/25
TARGET FOB:	\$XX USD		




ART SPEC IN SEPERATE FILE

STYLE NUMBER: WSP26FT005

STYLE NAME:

WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME



CONSTRUCTION NOTES:

- 1. BODY STITCH COLOUR TO MATCH MAIN FABRIC
- 2. REFER TO SEPERATE ART SPECS FOR TECHNIQUE & PLACEMENT

STYLE NUMBER: | WSP26FT005 | STYLE NAME: | WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME

CODE: 1 x KL-001 KSUBI BACK NECK LABEL (DYMO)

SUPPLIER: LE BLANC COLOUR: BLACK POSITION: INSIDE CB NECK

- END STITCH LABEL WITH FOLDS

XS

If I were a human I'd be made in Heaven.
If I were an animal I'd be made in Africa.
If I were this thing I'd be MADE IN CHINA...

CODE: 1 X KL-002 WOVEN SIZE LABEL

SUPPLIER: LE BLANC COLOUR: BLACK

POSITION: SEW TO BOTTOM OF KL-001





CODE: 1 X KS24LA011-WHT CARE LABEL (VERSION 2)

SUPPLIER: VENDOR TO PROVIDE

POSITION: WEARER R.H.S INTERNAL SIDE SEAM



CODE: 1 X KS002-PIN/2 - KSUBI CARDBOARD SWINGTAG (WITH SAFETY PIN)

COLOUR: KRAFT BROWN WITH BLACK STRING

POSITION: - PIN UNDER ARM




CODE: 1 X KS24AS008-WHT

SUPPLIER: LE BLANC

POSITION: 3CM IN FROM SIDE SEAM

3CM ABOVE HEM EDGE

BRANDING DIMENSIONS



KTP-001 DUAL T-BOX EMBROIDERY COLOUR: DTM MAIN BODY

FABRICATION

tsub

STYLE NUMBER: WSP26FT005 STYLE NAME: WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME

AS PER REFERENCE SAMPLE (PICTURED BELOW)

- PLEASE PROVIDE FABRIC #, COMPOSITION AND GSM

COLOUR: DIGITAL PRINT - SEE ART SPEC

RIB: 1X1 COTTON RIB

MAIN QUALITY:

RIB COLOUR: PLEASE SOURCE TWO OPTIONS:

- BLACK WITH CONTRAST RED STRIPE (SEE BELOW)

- BLACK WITH SILVER LUREX STRIPE (SEE BELOW)







RIB OPTION 2:





STYLE NUMBER: WSP26FT005

STYLE NAME: | WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME

V NECK RIB BAND WITH SELF **FABRIC INSERT**







STYLE NUMBER: WSP26FT005

STYLE NAME: WESTWOOD LS BOYFRIEND JERSEY PLAID FLAME

PLEASE USE BELOW IMAGE AS FIT REFERENCE EXCEPT: **EXTEND SLEEVES TO BE LONG**

ENSURE TO FOLLOW MEASUREMENT SPEC FOR ALL DETAILS

