


ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET



SELF: SINGLE JERSEY 100% COTTON 190 GSM
COMBO RIB: RIB 1X1 260 GSM


COLOR:

COVER REMARKS:


2/10/25 TP SENT - FCTY TO DEVELOP BLANK IN SAMPLE SIZE LARGE

3/31/25 SAMPLE APPROVED - PLS GO BACK TO SPEC ON ALL & REMOVE CB NECK BINDING DETAIL TO PROCEED WITH PRODUCTION


ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH 
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

CONSTRUCTION



ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH 
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	


REFERENCE




FOLLOW OVERALL SPECS & CONSTRUCTION OF COMFORT COLORS - GARMENT-DYED
HEAVYWEIGHT LONG SLEEVE T-SHIRT - 6014




ENCHANTÉ

STYLE #			STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP		SKETCH			
SEASON		2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY					
FACTORY		UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON					
SIZE RANGE		XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET					
			STAGE	PROTO							
			DATE	03.31.25							
POM	DESCRIPTION	TOL +/-	SAMPLE								
1	CF FROM HPS TO HEM	1/2	29 1/2								
2	NECK BAND HEIGHT	1/8	3/4								
3	NECK WIDTH (SEAM TO SEAM)	1/2	8 1/4								
4	FRONT NECK DROP (HPS TO SEAM)	1/4	4 1/4								
5	BACK NECK DROP (HPS TO SEAM)	1/8	1								
6	ACROSS SHOULDER (SEAM TO SEAM)	1/2	20 1/4								
7	ACROSS FRONT (6" DOWN FROM HPS)	1/2	18 1/8								
8	CHEST (1" BELOW ARMHOLE)	1/2	21 3/4								
9	BOTTOM OPENING	1/2	21 3/4								
10	ARMHOLE STRAIGHT	3/8	10								
11	SLEEVE LENGTH FROM SHOULDER SEAM	1/2	25 1/4								
12	BICEP (1" BELOW ARMHOLE)	1/4	9								
13	SLEEVE OPENING AT CUFF SEAM	1/4	3 1/2								
14	SLEEVE OPENING AT CUFF EDGE	1/4	3 1/8								
15	SLEEVE BENDBACK TRIM HEIGHT	1/8	1 3/4								
16	HEM BENDBACK HEIGHT	1/8	1								

ENCHANTÉ

STYLE #			STYLE NAME		LONG SLEEVE T-SHIRT			CATEGORY		TOP		SKETCH	
SEASON		2025 BLANKS		XF					FABRIC DESCRIPTION		190 GSM SINGLE JERSEY		
FACTORY		UA		STAGE		PRODUCTION			FABRIC CONTENT		100% COTTON		
SIZE RANGE		XS-XXL		SAMPLE SIZE		LARGE			TP BY:		ET		
SELF				COMBO				LINING					
CUTTING DIRECTION				CUTTING DIRECTION				CUTTING DIRECTION					
PLACEMENT				PLACEMENT				PLACEMENT					
TREATMENT				TREATMENT				TREATMENT					
SAMPLE NOTES / CALLOUTS										1	2	3	4
										COLOR NAME			
										COLOR #			
CUTTING MATERIAL(S)										COLOR OF MATERIAL			
ITEM	CONTENT	ARTICLE #	DESCRIPTION	SUPPLIER	WIDTH	YIELD	UOM	PLACEMENT	1	2	3	4	
SELF	100% COTTON		Single Jersey 190 GSM	UA	180cm			Bodice, Sleeves					
COMBO A	100% COTTON		Rib 1x1 (260GSM)	UA	180cm			Neck Trim					
TRIM(S)										COLOR OF TRIM			
ITEM	IMAGE	ARTICLE #	DESCRIPTION	SUPPLIER	SIZE	QUANTITY	UOM	PLACEMENT	1	2	3	4	
THREAD		Factory Sourced	Thread	Factory Sourced				All Sewing / Topstitching					
LABELS + HANGTAGS + PACKAGING										COLOR OF TRIM			
ITEM	IMAGE	ARTICLE #	DESCRIPTION	SUPPLIER	SIZE	QUANTITY	UOM	PLACEMENT	1	2	3	4	
LABEL		TBC	Enchante Woven Label	TBC	TBC	1	Units	1 x CB Neck					
LABEL		TBC	Enchante Care Label - Alpha	TBC	TBC	1	Units	1 x Wearer's Left SS (See Label Guide)					
PACKAGING		TBC	Poly Bag - Updated logo	Factory Sourced		1	Units						
PACKAGING		TBC	Barcode Sticker	Factory Sourced		1	Units						

ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH 
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

LABEL GUIDE


NOTES:

MAIN LABEL PLACEMENT




Label should be stitched through garment on both sides of label at **INSIDE EDGE OF FOLD LINE**
(Stitch should NOT be visible on front side of label)

Sewing thread color:
Top thread- DTM to label, Bobbin - DTM to Self



CARE LABEL PLACEMENT





1.13"

0.75"



Wearer's Left Side Seam

2" from hem

Hem


Interior Construction View



Insert at Wearer's Left SS, 2" above hem


2 3/4"

ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH 
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	




REMOVE BACK NECK BINDING & FOLLOW
SAME INTERIOR CONSTRUCTION AS
SHORT SLEEVE TSHIRT



PROTO FIT COMMENTS (03.31.25)

- OVERALL SPECS ARE WITHIN TOLERANCE BUT PLEASE MAKE SURE TO GO BACK TO SPEC ON ALL POMs TO PROCEED WITH PRODUCTION
- REMOVE INTERIOR BACK NECK BINDING DETAIL - INTERIOR BACK NECK FINISHING CAN FOLLOW SHORT SLEEVE TSHIRT

ENCHANTÉ

STYLE #		STYLE NAME	LONG SLEEVE T-SHIRT	CATEGORY	TOP	
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

APPROVED PRODUCTION SPECS

POM	DESCRIPTION	TOL +/-		XS	S	M	L	XL	XXL
1	CF FROM HPS TO HEM	1/2		27 1/4	28	28 3/4	29 1/2	30 1/4	31
2	NECK BAND HEIGHT	1/8		3/4	3/4	3/4	3/4	3/4	3/4
3	NECK WIDTH (SEAM TO SEAM)	1/2		7 1/4	7 1/2	7 3/4	8	8	8 1/4
4	FRONT NECK DROP (HPS TO SEAM)	1/4		3 3/8	3 5/8	3 7/8	4 1/8	4 3/8	4 5/8
5	BACK NECK DROP (HPS TO SEAM)	1/8		1	1	1	1	1	1
6	ACROSS SHOULDER (SEAM TO SEAM)	1/2		18	18 1/2	19 1/4	20	20 3/4	21 1/2
7	ACROSS FRONT (6" DOWN FROM HPS)	1/2		16 1/4	16 3/4	17 1/2	18 1/4	19	19 3/4
8	CHEST (1" BELOW ARMHOLE)	1/2		18 1/8	19 1/8	20 1/2	22	23 1/2	25
9	BOTTOM OPENING	1/2		18 1/8	19 1/8	20 1/2	22	23 1/2	25
10	ARMHOLE STRAIGHT	3/8		8 5/8	9	9 3/8	9 3/4	10 1/8	10 1/2
11	SLEEVE LENGTH FROM SHOULDER SEAM	1/2		24 1/4	24 5/8	25	25 3/8	25 3/4	26 1/8
12	BICEP (1" BELOW ARMHOLE)	1/4		7 3/4	8 1/8	8 1/2	8 7/8	9 1/4	9 5/8
13	SLEEVE OPENING AT CUFF SEAM	1/4		2 5/8	2 7/8	3 1/8	3 3/8	3 5/8	3 7/8
13	SLEEVE OPENING AT CUFF EDGE	1/4		3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4
14	SLEEVE BENDBACK TRIM HEIGHT	1/8		7/8	7/8	7/8	7/8	7/8	7/8
15	HEM BENDBACK HEIGHT	1/8		1	1	1	1	1	1
17									
18									
19									
20									
21									
22									
23									
24									

STYLE #		STYLE NAME	SHORT SLEEVE TSHIRT		CATEGORY	TOP
SEASON	2025 BLANKS	XF			FABRIC DESCRIPTION	190 GSM SINGLE JERSEY
FACTORY	UA	STAGE	DEVELOPMENT		FABRIC CONTENT	100% COTTON
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE		TP BY:	ET

APPROVED
PRODUCTION
SPECS

BẢNG THÔNG SỐ

POM	DESCRIPTION		TOL +/-	GRADING		XS	S	M	L	XL	XXL
1	CF FROM HPS TO HEM	GIỮA TRƯỚC TỪ ĐỈNH VAI ĐẾN LẠI ÁO	1/2			27 1/4	28	28 3/4	29 1/2	30 1/4	31
2	NECK BAND HEIGHT	CHIỀU CAO BỎ LẠI CÔ	1/8			3/4	3/4	3/4	3/4	3/4	3/4
3	NECK WIDTH (SEAM TO SEAM)	RỘNG CÔ (TỪ ĐƯỜNG MAY ĐẾN ĐƯỜNG MAY)	1/2			7 1/4	7 1/2	7 3/4	8	8	8 1/4
4	FRONT NECK DROP (HPS TO SEAM)	HẠ CÔ TRƯỚC	1/4			3 3/8	3 5/8	3 7/8	4 1/8	4 3/8	4 5/8
5	BACK NECK DROP (HPS TO SEAM)	HẠ CÔ SAU	1/8			1	1	1	1	1	1
6	ACROSS SHOULDER (SEAM TO SEAM)	NGANG VAI (TỪ ĐƯỜNG MAY ĐẾN ĐƯỜNG MAY)	1/2			18	18 1/2	19 1/4	20	20 3/4	21 1/2
7	ACROSS FRONT (6" DOWN FROM HPS)	NGANG THÂN TRƯỚC (DƯỚI ĐỈNH VAI 6")	1/2			16 1/4	16 3/4	17 1/2	18 1/4	19	19 3/4
8	CHEST (1" BELOW ARMHOLE)	VÒNG NGỰC (DƯỚI NÁCH 1")	1/2			18 1/8	19 1/8	20 1/2	22	23 1/2	25
9	BOTTOM OPENING	RỘNG LẠI DƯỚI	1/2			18 1/8	19 1/8	20 1/2	22	23 1/2	25
10	ARMHOLE STRAIGHT	NÁCH ĐO THẲNG	3/8			8 5/8	9	9 3/8	9 3/4	10 1/8	10 1/2
11	SLEEVE LENGTH FROM SHOULDER SEAM	DÀI TAY TỪ VAI	1/2			24 1/4	24 5/8	25	25 3/8	25 3/4	26 1/8
12	BICEP (1" BELOW ARMHOLE)	VÒNG BẮP TAY (DƯỚI NÁCH 1")	1/4			7 3/4	8 1/8	8 1/2	8 7/8	9 1/4	9 5/8
13	SLEEVE OPENING AT CUFF SEAM	ĐƯỜNG XẾ TAY TẠI ĐM BỎ TAY	1/4			2 5/8	2 7/8	3 1/8	3 3/8	3 5/8	3 7/8
14	SLEEVE OPENING AT CUFF EDGE	ĐƯỜNG XẾ TAY TẠI MÉP BỎ TAY	1/4			3 1/8	3 1/4	3 3/8	3 1/2	3 5/8	3 3/4
15	SLEEVE BENDBACK TRIM HEIGHT	CHIỀU CAO BỎ LẠI TAY	1/8			7/8	7/8	7/8	7/8	7/8	7/8
16	HEM BENDBACK HEIGHT	CHIỀU CAO BỎ LẠI DƯỚI	1/8			1	1	1	1	1	1