


STYLE #		STYLE NAME	SHORT SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

CONSTRUCTION



STYLE #		STYLE NAME	SHORT SLEEVE T-SHIRT	CATEGORY	TOP	SKETCH
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

REFERENCE



FOLLOW OVERALL SPECS & CONSTRUCTION FROM MOTOCROSS 2024 EN1124MT7 STAIRCASE TSHIRT / EN1124MT8 NUMBER PLATE TSHIRT

STYLE #		STYLE NAME	SHORT SLEEVE T-SHIRT	CATEGORY	ТОР	SKETCH
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	

	STAGE	PROTO								
	DATE	03.06.25								
DESCRIPTION	TOL +/-	SAMPLE								
CF FROM HPS TO HEM	1/2	29								
NECK BAND HEIGHT	1/8	1								
NECK WIDTH (SEAM TO SEAM)	1/2	8 1/4								
FRONT NECK DROP (HPS TO SEAM)	1/4	3 3/4								
BACK NECK DROP (HPS TO SEAM)	1/8	1								
ACROSS SHOULDER (SEAM TO SEAM)	1/2	21 1/2								
ACROSS FRONT (6" DOWN FROM HPS)	1/2	19 7/8								
CHEST (1" BELOW ARMHOLE)	1/2	23 3/4								
BOTTOM OPENING	1/2	23 1/2								
ARMHOLE STRAIGHT	3/8	10 3/4								
SLEEVE LENGTH FROM SHOULDER SEAM	1/2	10								
BICEP (1" BELOW ARMHOLE)	1/4	9								
SLEEVE OPENING (RELAXED)	1/4	7								
SLEEVE BENDBACK TRIM HEIGHT	1/8	1								
HEM BENDBACK HEIGHT	1/8	1								
	CF FROM HPS TO HEM         NECK BAND HEIGHT         NECK WIDTH (SEAM TO SEAM)         FRONT NECK DROP (HPS TO SEAM)         BACK NECK DROP (HPS TO SEAM)         ACROSS SHOULDER (SEAM TO SEAM)         ACROSS FRONT (6" DOWN FROM HPS)         CHEST (1" BELOW ARMHOLE)         BOTTOM OPENING         ARMHOLE STRAIGHT         SLEEVE LENGTH FROM SHOULDER SEAM         BICEP (1" BELOW ARMHOLE)         SLEEVE OPENING (RELAXED)         SLEEVE BENDBACK TRIM HEIGHT	DESCRIPTIONTOL +/-CF FROM HPS TO HEM1/2NECK BAND HEIGHT1/8NECK WIDTH (SEAM TO SEAM)1/2FRONT NECK DROP (HPS TO SEAM)1/4BACK NECK DROP (HPS TO SEAM)1/8ACROSS SHOULDER (SEAM TO SEAM)1/2ACROSS FRONT (6" DOWN FROM HPS)1/2CHEST (1" BELOW ARMHOLE)1/2BOTTOM OPENING1/2SLEEVE LENGTH FROM SHOULDER SEAM1/2BICEP (1" BELOW ARMHOLE)1/4SLEEVE OPENING (RELAXED)1/4SLEEVE BENDBACK TRIM HEIGHT1/8	DATE         03.06.25           DESCRIPTION         TOL +/-         SAMPLE           CF FROM HPS TO HEM         1/2         29           NECK BAND HEIGHT         1/8         1           NECK WIDTH (SEAM TO SEAM)         1/2         8 1/4           FRONT NECK DROP (HPS TO SEAM)         1/4         3 3/4           BACK NECK DROP (HPS TO SEAM)         1/8         1           ACROSS SHOULDER (SEAM TO SEAM)         1/2         21 1/2           ACROSS SHOULDER (SEAM TO SEAM)         1/2         19 7/8           CHEST (1" BELOW ARMHOLE)         1/2         23 3/4           BOTTOM OPENING         1/2         23 1/2           ARMHOLE STRAIGHT         3/8         10 3/4           SLEEVE LENGTH FROM SHOULDER SEAM         1/2         10           BICEP (1" BELOW ARMHOLE)         1/4         9           SLEEVE OPENING (RELAXED)         1/4         7           SLEEVE BENDBACK TRIM HEIGHT         1/8         1	DATE         03.06.25           DESCRIPTION         TOL +/-         SAMPLE           CF FROM HPS TO HEM         1/2         29           NECK BAND HEIGHT         1/8         1           NECK WIDTH (SEAM TO SEAM)         1/2         8 1/4           FRONT NECK DROP (HPS TO SEAM)         1/4         3 3/4           BACK NECK DROP (HPS TO SEAM)         1/8         1           ACROSS SHOULDER (SEAM TO SEAM)         1/8         1           ACROSS SHOULDER (SEAM TO SEAM)         1/2         21 1/2           ACROSS SHOULDER (SEAM TO SEAM)         1/2         19 7/8           CHEST (1" BELOW ARMHOLE)         1/2         23 3/4           BOTTOM OPENING         1/2         23 1/2           ARMHOLE STRAIGHT         3/8         10 3/4           SLEEVE LENGTH FROM SHOULDER SEAM         1/2         10           BICEP (1" BELOW ARMHOLE)         1/4         9           SLEEVE OPENING (RELAXED)         1/4         7           SLEEVE BENDBACK TRIM HEIGHT         1/8         1	DATE         03.06.25           DESCRIPTION         TOL +/-         SAMPLE           CF FROM HPS TO HEM         1/2         29           NECK BAND HEIGHT         1/8         1           NECK WIDTH (SEAM TO SEAM)         1/2         8 1/4           FRONT NECK DROP (HPS TO SEAM)         1/4         3 3/4           BACK NECK DROP (HPS TO SEAM)         1/8         1           ACROSS SHOULDER (SEAM TO SEAM)         1/2         21 1/2           ACROSS SHOULDER (SEAM TO SEAM)         1/2         19 7/8           CHEST (1" BELOW ARMHOLE)         1/2         23 3/4           BOTTOM OPENING         1/2         23 1/2           ARMHOLE STRAIGHT         3/8         10 3/4           SLEEVE LENGTH FROM SHOULDER SEAM         1/2         10           BICEP (1" BELOW ARMHOLE)         1/4         9           SLEEVE OPENING (RELAXED)         1/4         7           SLEEVE BENDBACK TRIM HEIGHT         1/8         1	DATE         03.06.25         0         0           DESCRIPTION         TOL +/-         SAMPLE         0         0           CF FROM HPS TO HEM         1/2         29         0         0         0           NECK BAND HEIGHT         1/8         1         0         0         0         0           NECK WIDTH (SEAM TO SEAM)         1/12         8 1/4         0         0         0         0           FRONT NECK DROP (HPS TO SEAM)         1/4         3 3/4         0         0         0         0           BACK NECK DROP (HPS TO SEAM)         1/14         3 3/4         0         0         0         0           ACROSS SHOULDER (SEAM TO SEAM)         1/12         21 1/2         0         0         0         0           ACROSS FRONT (6" DOWN FROM HPS)         1/2         19 7/8         0         0         0         0           GHEST (1" BELOW ARMHOLE)         1/2         23 3/4         0 <td>DATE         03.06.25         03.06.25           DESCRIPTION         TOL +/-         SAMPLE         Image: Constant of the state of</td> <td>DATE         03.06.25         0         0         0         0           DESCRIPTION         TOL +/-         SAMPLE         0         &lt;</td> <td>DATE         03.06.25         Image: Construct of the symbol of the symbo</td> <td>DATE         03.06.25         Image: Constraint of the constr</td>	DATE         03.06.25         03.06.25           DESCRIPTION         TOL +/-         SAMPLE         Image: Constant of the state of	DATE         03.06.25         0         0         0         0           DESCRIPTION         TOL +/-         SAMPLE         0         <	DATE         03.06.25         Image: Construct of the symbol of the symbo	DATE         03.06.25         Image: Constraint of the constr

그 그렇게 수 있었다. 그 않았다. 그 나 있는 것 같이 하는 것 같이 가지?	
ENCHANT	
ENCHAN	

			i		1			1			1			
STY	′LE #		STYL	E NAME	SHOR	T SLEEVE T-	SHIRT	CATEGORY	т	OP	SKETCH			
SEA	SON	2025 BL	ANKS	XF				FABRIC DESCRIPTION	190 GSM SIN	IGLE JERSEY				
FAC	TORY	UA	A ST	AGE	1	PRODUCTIO	N	FABRIC CONTENT	100% C	OTTON		× P		
SIZE F	RANGE	XS-X	XL SAMP	LE SIZE	LARGE			TP BY:	E	T				
SELF		1		СОМВО				LINING						
CUTTING DIRECTION CUTTING DIRECTION CUTTING DIRECTION														
PLACEMENT PLACEMENT							PLACEMENT							
TREATMENT				TREATMENT				TREATMENT						
SAMPLE NOTES	/ CALLOUTS								1	2	3	4		
								COLOR NAME						
								COLOR #				<u> </u>		
			CUTTING	MATERIAL(S)						COLOR O	MATERIAL			
ITEM	CONTENT	ARTICLE #	DESCRIPTION	SUPPLIER	WIDTH YIELD UOM PLACEMENT			PLACEMENT	1	2	3	4		
SELF	100% COTTON		Single Jersey 190 GSM	UA	180cm			Bodice, Sleeves						
COMBO A	100% COTTON		Rib 1x1 (260GSM)	UA	180cm			Neck Trim						
			TF	LIM(S)				COLOR OF TRIM						
ITEM	IMAGE	ARTICLE #	DESCRIPTION	SUPPLIER	SIZE	QUANTITY	UOM	PLACEMENT	1	2	3	4		
THREAD		Factory Sourced	Thread	Factory Sourced				All Sewing / Topstitching						
										COL 08	OF TRIM			
ITEM	IMAGE	ARTICLE #	DESCRIPTION	SUPPLIER	SIZE	QUANTITY	UOM	PLACEMENT	1	2	3	4		
LABEL		TBC	Enchante Woven Label	TBC	TBC	1	Units	1 x CB Neck			5			
LABEL		ТВС	Enchante Care Label - Alpha	ТВС	твс	1	Units	1 x Wearer's Left SS (See Label Guide)						
PACKAGING		твс	Poly Bag - Updated logo	Factory Sourced		1	Units							
			TBC Poly Bag - Updated logo Factory Sourced TBC Barcode Sticker Factory Sourced									1		

STYLE #		STYLE NAME	SHORT SLEEVE T-SHIRT	CATEGORY	ТОР	SKETCH		
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY			
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON			
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	LARGE TP BY: ET				
BEL GUIDE		•	-					
TES:			1					
	MAIN LABEL PLACEM	ENT		CARE L	ABEL PLACEMENT			
ENCHANT	(Stitch should NOT Sewing thread col	ides of label at DLD LINE be visible on front side o	Self	Insert at Wearer'	Dors ore ENCHANTÉ S Dors oreadous certres C D parts Million	TS"		

STYLE #		STYLE NAME	SHORT SLEEVE T-SHIRT CATEGORY		TOP	SKETCH
SEASON	2025 BLANKS	XF		FABRIC DESCRIPTION	190 GSM SINGLE JERSEY	
FACTORY	UA	STAGE	PRODUCTION	FABRIC CONTENT	100% COTTON	
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE	TP BY:	ET	



PROTO FIT COMMENTS (03.31.25)

- PLS GO BACK TO SPEC TO FOLLOW PREVIOUS APPROVED PRODUCTION - OTHERWISE SAMPLE APPROVED TO PROCEED

	STYLE #			STYLE NAME		SHORT SLE SHIRT		(	CATEGORY	TOP		SKETCH	
	SEASON	2025 BLANKS	XF				FABR	IC DESCRIPTION	190 GSM SINGLE JERSEY				
	FACTORY	UA	STAGE		PRODUC	PRODUCTION FA			100% COTTON		$\langle \rangle$		
	SIZE RANGE XS-XXL			SAMPLE SIZE		LARGI	RGE		ТР ВҮ:	ET			
						APPROVI	ED PRODUCTI	ION SP	ECS				
POM	DESCR	RIPTION	TOL +/-		X	S	S		М	L	X	L	XXL
1	CF FROM HPS TO HE	M	1/2		27		27 3/4		28 1/2	29 1/4	30		30 3/4
2	NECK BAND HEIGHT		1/8		3/4		3/4		3/4	3/4	3/4		3/4
3	NECK WIDTH (SEAM	TO SEAM)	1/2		7 7/8		8 1/8		8 3/8	8 5/8	8 7/8		9 1/8
4	FRONT NECK DROP (	,	1/4		2 3/4		3		3 1/4	3 1/2	3 3/4		4
5	5 BACK NECK DROP (HPS TO SEAM)		1/8		1		1		1	1	1		1
6	ACROSS SHOULDER (SEAM TO SEAM)		1/2		20 1/8	20 5/8			21 3/8	22 1/8	22 7/8		23 5/8
7	ACROSS FRONT (6" DOWN FROM HPS)		1/2		18 3/8		18 7/8		19 5/8	20 3/8	21 1/8		21 7/8
8	CHEST (1" BELOW AR	(MHOLE)	1/2		20 1/8		21 1/8		22 5/8	24 1/8	25 5/8		27 1/8
9	BOTTOM OPENING		1/2		19 5/8		20 5/8		22 1/8	23 5/8	25 1/8		26 5/8
10	ARMHOLE STRAIGHT		3/8		8 7/8		9 1/4		9 5/8	10	10 3/8		10 3/4
11	SLEEVE LENGTH FRO		1/2		8 3/8		8 3/4		9 1/8	9 1/2	9 7/8		10 1/4
12	BICEP (1" BELOW ARI	MHOLE)	1/4		7 5/8		8		8 3/8	8 3/4	9 1/8		9 1/2
13	SLEEVE OPENING (R	,	1/4		6 1/2		6 3/4		7	7 1/4	7 1/2		7 3/4
14	SLEEVE BENDBACK	-	1/8		7/8		7/8		7/8	7/8	7/8		7/8
15	HEM BENDBACK HEI	GHT	1/8		1		1		1	1	1		1
16													
17													
18													
19													
20													
21													
22													
23													
24													

STYLE #		STYLE NAME	1								
			SHORT SLEEVE TSHIRT		CATEGORY	ТОР					
SEASON	2025 BLANKS	XF			FABRIC DESCRIP TION	190 GSM SINGLE JERSEY					
FACTORY	UA	STAGE	DEVELOPMENT		FABRIC CONTENT	100% COTTON					
SIZE RANGE	XS-XXL	SAMPLE SIZE	LARGE		TP BY:	ET					
APPROVED PRODUCTION SPECS	·	BẢNG THÔNG SỐ									
POM	DESCRIPTION		TOL +/-	GRADING		XS	S	М	L	XL	XXL
1	CF FROM HPS TO HEM	GIỮA TRƯỚC TỪ ĐỈNH VAI ĐẾN LAI ÁO	1/2			27	27 3/4	28 1/2	29 1/4	30	30 3/4
2	NECK BAND HEIGHT	CHIÈU CAO BO LAI CỔ	1/8			3/4	3/4	3/4	3/4	3/4	3/4
3	NECK WIDTH (SEAM TO SEAM)	RỘNG CỐ (TỪ ĐƯỜNG MAY ĐẾN ĐƯỜNG MAI)	1/2			7 7/8	8 1/8	8 3/8	8 5/8	8 7/8	9 1/8
4	FRONT NECK DROP (HPS TO SEAM)	HẠ CỔ TRƯỚC	1/4			2 3/4	3	3 1/4	3 1/2	3 3/4	4
5	BACK NECK DROP (HPS TO SEAM)	HẠ CỔ SAU	1/8			1	1	1	1	1	1
6	ACROSS SHOULDER (SEAM TO SEAM)	NGANG VAI ( TỪ ĐƯỜNG MAY ĐẾN ĐƯỜNG MAI)	1/2			20 1/8	20 5/8	21 3/8	22 1/8	22 7/8	23 5/8
7	ACROSS FRONT (6" DOWN FROM HPS)	NGANG THÂN TRƯỚC (DƯỚI ĐỈNH VAI 6')	1/2			18 3/8	18 7/8	19 5/8	20 3/8	21 1/8	21 7/8
8	CHEST (1" BELOW ARMHOLE)	VÒNG NGỰC (DƯỚI NÁCH 1')	1/2			20 1/8	21 1/8	22 5/8	24 1/8	25 5/8	27 1/8
9	BOTTOM OPENING	RỘNG LAI DƯỚI	1/2			19 5/8	20 5/8	22 1/8	23 5/8	25 1/8	26 5/8
10	ARMHOLE STRAIGHT	NÁCH ĐO THẮNG	3/8			8 7/8	9 1/4	9 5/8	10	10 3/8	10 3/4
11	SLEEVE LENGTH FROM SHOULDER SEAM	DÀI TAY TỪ VAI	1/2			8 3/8	8 3/4	9 1/8	9 1/2	9 7/8	10 1/4
12	BICEP (1" BELOW ARMHOLE)	VÒNG BẮP TAY (DƯỚI NÁCH 1')	1/4			7 5/8	8	8 3/8	8 3/4	9 1/8	9 1/2
13	SLEEVE OPENING (RELAXED)	CỦA TAY	1/4			6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4
14	SLEEVE BENDBACK TRIM HEIGHT	CHIÈU CAO BO LAI TAY	1/8			7/8	7/8	7/8	7/8	7/8	7/8
15	HEM BENDBACK HEIGHT	CHIỀU CAO BO LAI DƯỚI	1/8			1	1	1	1	1	1