


Description	Greatest of All Time Heavyweight Oversized Hoodie	Collection	
Type	Pullover Hoodies	Story	
Size Scale	3XS-3XL	Category	Tops
Agent		License	
Factory	Un-Available Ltd	Design No.	
Designer	Emma McNaughton	Label	
Colour	Washed Black-Open Air, Off White-Scarlet	Composition	66% Dry Cotton 34% Polyester 490GSM



SPECIFICATION

POM	POINTS TO MEASURE	3XS	2XS	XS	S	M	L	XL	2XL	3XL	Tol+	Tol-
A	Chest at underarm	63	65.5	68	70.5	73	75.5	78	80.5	83	1	1
B	Bottom band relaxed - FLAT	37.5	40	42.5	45	47.5	50	52.5	55	57.5	1	1
C	Sweep/ meas on seam line - FLAT	40	42.5	45	47.5	50	52.5	55	57.5	60	1	1
D	Full length/frm H.P.S. to bottom of basque	65.75	67	68.25	69.5	70.75	72	73.25	74.5	75.75	1	1
E	FT Neck depth w/o trim	9.25	9.4	9.55	9.7	9.85	10	10.15	10.3	10.45	0.5	0.5
F	BK Neck depth w/o trim	3	3	3	3	3	3	3	3	3	0.25	0.25
G	H.P.S. TO H.P.S. w/o trim	27	27.5	28	28.5	29	29.5	30	30.5	31	0.5	0.5
H	Shoulder Breadth	70.5	72	73.5	75	76.5	78	79.5	81	82.5	0.75	0.75
I	Sleeve length/frm shoulder point incl' slv band	49.75	51	52.25	53.5	54.75	56	57.25	58.5	59.75	0.5	0.5
J	Undersleeve length/frm armpit incl' slv band	45.85	46.48	47.11	47.74	48.37	49	49.63	50.26	50.89	0.5	0.5
K	Armhole on curve - FLAT	28.5	29.5	30.5	31.5	32.5	33.5	34.5	35.5	36.5	0.5	0.5
L	Armhole at widest point: Bicep - FLAT	29.35	29.98	30.61	31.24	31.87	32.5	33.13	33.76	34.39	0.5	0.5
M	Sleeve width 20cm above slv opening - FLAT	21.5	22	22.5	23	23.5	24	24.5	25	25.5	0.5	0.5
N	Sleeve rib opening w/ cuff relaxed - FLAT	9	9.3	9.6	9.9	10.2	10.5	10.8	11.1	11.4	0.5	0.5
O	Sleeve opening / meas on seam line - FLAT	13.5	13.8	14.1	14.4	14.7	15	15.3	15.6	15.9	0.5	0.5
P	Sleeve band rib height	5	5	5	5	5	5	5	5	5	0.5	0.5
Q	Hem basque rib height	5	5	5	5	5	5	5	5	5	0.5	0.5
R	Shoulder Slope	12	12	12	12	12	12	12	12	12	0.25	0.25
S	Hood Width at Widest Point when folded	30	30	30	30	30	30	30	30	30	0.6	0.6
T	Hood Length From Top Front along center to neck seam	60	60	60	60	60	60	60	60	60	1	1
U1	Hood Opening Height @ Center Front	42	42	42	42	42	42	42	42	42	0.6	0.6
U2	Hood Overlap Distance Point-to-Point	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	0.25	0.25
V	BK neck taping width	1	1	1	1	1	1	1	1	1	0.25	0.25
W	LOWER FT Pkt width at widest point	35	37.5	40	42.5	45	47.5	50	52.5	55	0.5	0.5
X	LOWER FT Pkt height at CF	25	25	25	25	25	25	25	25	25	0.5	0.5
Y	LOWER FT Pkt width at bottom	27.5	30	32.5	35	37.5	40	42.5	45	47.5	0.5	0.5
Z	LOWER FT Pkt width at top	16.5	19	21.5	24	26.5	29	31.5	34	36.5	0.5	0.5
1	LOWER FT Pkt opening length	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5	0.5	0.5
2	LOWER FT Pkt height at side (meas on angle)	6	6	6	6	6	6	6	6	6	0.25	0.25
4	LOWER FT Pkt plcmnt above basque seam	0	0	0	0	0	0	0	0	0	0.25	0.25



DEFINITION

Fabric

Colourway	Code	Description	Colour	QTY	Source
Off White-Scarlet	1-0118A02	Ultra Heavyweight Mill Name: Un-Available 490gsm 66% COTTON 34% POLYESTER			Factory
Washed Black-Open Air	1-0118A02	Ultra Heavyweight Mill Name: Un-Available 490gsm 66% COTTON 34% POLYESTER			Factory

Trim

Colourway	Code	Description	Colour	QTY	Source
All	L0001	Brand Label - 40W x 32.5H (Folded) 1% Better Everyday Designed In Australia High Density Woven Label High Density Woven Label			JOINTAK
All	L0002	Printed Care Label - Jersey & Fleece Styles Polyester/Satin Polyester/Satin			JOINTAK
All	L0005	PO/SKU Label Poly/Satin Poly/Satin			JOINTAK
All	NT0001	1CM Loop Herringbone Tape - 1CM to RHS Main Label @ Neckline DTM Label Colour Cotton Herringbone Tape 100% Cotton Herringbone Tape 100%			Factory
All	SGNGL-058	Large swing tag - format for sticker information			JOINTAK
All	SR0001	260mm White Recycled String & White Recycled Clasp (Jersey/Fleece)			JOINTAK
All	P0005	Sports Shorts Large -Garment Polybag -40.5cm x 52.5cm -AS5810 - Bone Seal Compostable resin Thickness: 70micron Compostable resin Thickness: 70micron			Wuhan Huali Biomaterial Co., Ltd

Labels

Colourway	Code	Description	Colour	QTY	Source
All	LSKDXTCTOST	Tia-Clair Toomey-Orr Swing Tag			Factory
All	OPER001	RFID Barcode Sticker (hangtag) - 44mm wide x 18mm high			Factory
All	CMP00031	Barcode Sticker (polybag) - 44mm wide x 18mm high			Factory

IMAGES



