






	Article Code	C-0325-KT-6193			Product Group	TOP					
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE					
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall					
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation					
Gender Classification		Collaboration	Sub Class D	PULLOVER	Fabrication	KNIT TOP					
Supplier		UN-AVAILABLE CO. LTD	Release Date	12 Sep 2025	Ex-Factory	20 Jun 2025					
								COLORS			
									BLUE NIGHTS (BLN) 19-4023 TCX NAVY		
									OLIVE GREEN (OL) Deep Lichen Green, 18-0312 TCX		
SIZES											
000, 001, 002, 003, 004, 005, 006, 007											




Article Description							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation	


Material Description

UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)
PIGMENT DYE ACID WASH
FLEECE_100% COTTON_PFD_350_S0004


Bill of Materials										Version 1	
	Article Code	C-0325-KT-6193					Product Group	TOP			
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT					Product Sub-Category	SWEAT TOPS-DO NOT USE			
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)			Season	2025 Fall			
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004			Life Cycle Stage	Sample Evaluation			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BLN BLUE NIGHTS June Ex-factory3	OL OLIVE GREEN June Ex-factory3
Fabric											
BODY	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004		BODY/SLEEVES		0	Meter	GARMENT DYED		DEVPGA W001	None	None
	NYLON QLTY USED ON THE PLAYSTATION PROTOS (FB-W1314)		HOOD, POCKET		0	Meter	COLOUR TBD			None	None
	1X1 RIB COTTON /LYCRA (FB-K1066) WEIGHT TBD		BODY BAND/ CUFFS		0	Meter	GARMENT DYED			None	None
Trims											
BACK NECK	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		CENTRED INSIDE BACK NECK, 1/2" DOWN FROM NECK SEAM *PATCH NOT REQUIRED		1	Each		Reca Mainetti Asia Ltd	LBOVO172	None	None
BACK NECK	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		CENTRED & STITCHED TO BOTTOM OF MAIN LABEL		1	Each		Reca Mainetti Asia Ltd	LBOVO175	None	None
BACK NECK	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		TACKED INSIDE BACK NECK SEAM *REMOVABLE*		1	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	None	None
SIDE INSERT 1	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each	VENDOR SOURCED	Vendor Sourced		None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		HANGTAG ATTACHMENT		1	Each		Vendor Sourced		None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each	VENDOR SOURCED	Vendor Sourced		None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER		1. INSIDE HANGTAG 2. ON POLYBAG		2	Each				None	None
PLACKET	BUTTON HOLE HIGH STITCH COUNT (BB105)		ALONG PLACKET		2	Each	dtm body	Vendor Sourced		None	None
	VELCRO (VL101)		at sleeve pocket		1	Meter	1" W x 3/4" H-DTM POCKET	Vendor Sourced		None	None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				0	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None

Bill of Materials										Version 1	
	Article Code	C-0325-KT-6193					Product Group		TOP		
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT					Product Sub-Category		SWEAT TOPS-DO NOT USE		
	Created On	10-23-2024 9:51:36 AM	Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004			Season		2025 Fall		
	Last Modified	03-07-2025 4:38:44 PM					Life Cycle Stage		Sample Evaluation		
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BLN BLUE NIGHTS June Ex-factory3	OL OLIVE GREEN June Ex-factory3
	GARMENT DYE HANG TAG (HG121) REF# OVOF22_060_T				0	Each		Laven Industries Ltd.	OVOF22_060_T	None	None
	TBD SNAP CLOSURE (HD135)		ALONG PLACKET		2	Each	22L	Vendor Sourced		None	None

Bill of Materials Material Image Sheet					Version 1	
	Article Code	C-0325-KT-6193			Product Group	TOP
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation
			Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004		
						
FB-K1191 UA BRUSHED FLEECE 100% COTTON 350GSM		TR-LT247 OVO 2023 One Side Main Label		TR-LT246 OVO 2023 Alpha Sizing Tab		
						
		LT138 TEAR-AWAY COO TAB: OVOF21_217_T		LT110 CC LABEL - APPAREL		
						
				TR-TV140 5mm GROSGRAIN RIBBON LOOP		
						
PK101 POLY BAG - GENERIC		TR-ST114 UPC STICKER- 1" X 2.5"		VL101 VELCRO		
						
		TR-HG142 OVO 2023 Booklet Hangtag		HG121 GARMENT DYE HANG TAG		

Construction details - Hoodie with snap placket							
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation	
			Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004			

QUY CÁCH MAY



Comments

- ** HOOD AND SLEEVE POCKET WILL BE IN CONTRAST NYLON FABRIC**
- CONTRAST NYLON HOOD
Nylon hood with dart at CB and built-up collar at CF, join with #512 mock safety stitch. Lined with SELF FLEECE. Fleece edge extends into CF finishing. Inside CF edge finished with nylon FACING, edges turned under. SN edge topstitch to hold layers together at CF.
** OVER LAP @ CF NECK, WIDTH PER HEM HEIGHT, LEFT OVERLAPS RIGHT. 1 Snap closure at CF of hood, applied 1" up from the neck seam. Ensure rubber disks are used on snaps.

1. NÓN VÀ TÚI TRÊN TAY ÁO LÀ VẢI NYLON

2. NÓN HOODIE

Nón 1 mảnh, pen nón ở giữa sau, thêm chân cổ ở giữa cổ trước. Lớp lót bên trong bằng vải nỉ. Lớp vải nỉ kéo dài đến miệng nón. Gấp miệng nón - lớp nylon- vào trong . Điều 1K để giữa các lớp vải tại miệng nón.

Chỗ ở giữa thân trước, bên trái người mặc đắp qua bên phải

người mặc. Nút snap tại giữa, từ đường may cổ lên 1", đảm bảo nút bấm có sử dụng vòng đệm nhựa (ron nhựa)

3 NECK SEAM

Hood join to body with #512 mock safety stitch. Taping applied around inside of neck seam to cleanfinish seam allowance. SN edge topstitch on taping, ends turned in to cleanfinish.

** TAPE PRE-SHRUNK, COLOURFAST

Cổ áo:

Vắt số 2k4c tra vào thân sau đó viền cổ sau bên trong toàn bộ cổ áo.

Điều 1 kim xung quanh và may sạch ở đầu dây.

QUY CÁCH MAY



- 4 CONTRAST NYLON CF PLACKET: fused EXPOSED SNAP CLOSURE centered at placket. SN TOPSTITCH. SEPARATE CONTRAST NYLON FOLDED UNDER PLACKET, LIGHTLY FUSED. JOIN TO BODY WITH SN EDGE TOPSTITCH. Box + "X" topstitch at bottom of the placket SN TOPSTITCH JOINING ALL LAYERS.

Nẹp trụ phổi bằng vải nylon: có ép keo

Nút đóng cạnh giữa nẹp trụ. Điều 1k xung quanh Gấp vải phổi nylon cùng với nẹp trụ dưới có ép keo. Điều chữ x ở đáy hộp trụ.

May sạch tất cả các lớp vải.

- 5 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

Sườn vai: Có chồm vai, vắt sổ 2K4C, điều rề 2K 1/4 đánh bông dưới

- 6 ARMHOLE SEAM
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

Nách áo: Vắt sổ 2K4C, điều rề 2K 1/4" đánh bông dưới

- 7 SLEEVE/ SIDE SEAM
MOCK SAFETY SERGE TO JOIN IN ONE OPERATION

Tay áo, sườn áo: vắt sổ vào thân

- 8 SLEEVE OPENING CUFF
Folded rib cuff join to body with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.

Bo tay: Gấp đôi vắt sổ 2K4C tra vào thân, điều 2K rề 1/4"

- 9 KANGA POCKET
Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.
Side and top edges serged and turned in. JOIN to body with SN edge topstitch. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.

Túi kangaroo

Bao túi vải chính, miệng túi gấp vào điều 2k 1/4" đánh bông dưới


Các cạnh còn lại gấp vào và điều 1k xung quanh

Cạnh dưới túi tra vào bo lại.

Đánh bông trên và dưới miệng túi kangaroo

Construction details - Hoodie with snap placket							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation	

QUY CÁCH MAY



- 10** BODY BAND
Folded rib band join to body with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 11** CONTRAST NYLON WEARER'S RIGHT SIDE SLEEVE POCKET: NYLON, velcro closure.
FLAP: doubled, all edges are cleanfinished, 1/4" S/N T/S. Set to sleeve with S/N understitch. Bartacks at top corners.
NYLON PATCH: bellows around the pocket, S/N Edge T/S, opening hem self turn & S/N T/S. Set to SLV with S/N Edge T/S. Darts at bottom of the bag.
Velcro closure, SN edge topstitch with "X" stitch through middle. Ensure velcro corners are rounded.
See next page for detailed photo of pocket

10. BO LẠI


Vắt sổ 2k4c vào thân, điều rẽ 2K 1/4 " đánh bông dưới

11. Túi áo ở tay phải người mặc:

Sử dụng vải nylon, khóa nắp túi bằng băng gai/xù


Nắp túi: 2 lớp, có ép keo, điều sạch tất cả các cạnh, điều 1k 1/4". Tra vào thân bằng chỉ 1K. Đánh bọ miệng túi.

Bao túi : Vải nilon có xếp ly cao xung quanh túi. Điều 1k ở các cạnh trên. Miệng túi gấp vào và điều 1K miệng túi. May pen ở 2 góc đáy túi. Tra bao túi vào thân bằng 1K. Điều chữ X ở giữa miệng băng gai/xù
Đảm bảo băng gai băng xù cắt tròn góc

Pocket Construction Details							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation	
		Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004				

QUY CÁCH MAY

DETAIL OF SLEEVE POCKET



Comments

- FLAP
2 layers of nylon, fused, cleanfinished. 1/4" S/N T/S. Set to sleeve with S/N understitch. Bartacks at top corners.

Nắp túi: 2 lớp, có ép keo, điều sạch tất cả các cạnh, điều 1k 1/4". Tra vào thân bằng chỉ 1K. Đánh bọ ở cạnh trên túi

- PATCH
Nylon patch pocket with side panel forming bellows. Seams join with #512 mock safety stitch. SN edge topstitch on top of pkt bag. Top edge double fold in to form opening hem, SN topstitch. Darts at bottom corners. Bag sides serged and turned in, join to sleeve with SN edge topstitch. Vertical bartacks at top corners for reinforcement.

Bao túi:
Bao túi vải nilon có xếp ly cao xung quanh túi. Vắt sổ 2K4C. Điều 1k ở các cạnh trên bao túi. Miệng túi gấp vào trong 2 lần, điều 1k. May pen ở 2 góc đáy túi. Vắt sổ và tra túi vào thân bằng 1K. Đóng 2 bọ dọc ở 2 bên túi

- VELCRO CLOSURE
SN edge topstitch around and "X" stitch through the middle. Ensure velcro corners are rounded.

Băng gai: Điều 1K xung quanh và chữ X,đảm bảo băng gai bo tròn góc

Measurement - Hoodie - Relaxed Fit ver2

All Measurements are in Inches


Version 1



Article Code	C-0325-KT-6193
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT
Created On	10-23-2024 9:51:36 AM
Last Modified	03-07-2025 4:38:44 PM


Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)
Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004


Product Group	TOP
Product Sub-	SWEAT TOPS-DO NOT USE
Season	2025 Fall
Life Cycle Stage	Sample Evaluation




BẢNG THÔNG SỐ MAY MẪU FIT


POM	Description		+	-	Grade	XXS	XS	S	M	L	XL	XXL	3XL
Tol	Tol												
A201	Front body length from HPS : Top	Dài thân trước bằng cao vai	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31
H101	Neck width :: SEAM TO SEAM	Ngang cổ : từ đường may đến đường may	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2
H201	Front neck drop from HPS : Crew	Hạ cổ trước từ cao vai	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16
H301	Back neck drop from HPS Crew	Hạ cổ sau từ cao vai	1/8	1/8	NA	1 1/8	1 1/8	1 3/16	1 1/4	1 5/16	1 7/16	1 9/16	1 11/16
Q101	CF placket width	Rộng trụ áo	1/8	1/8	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
Q104	Placket opening length	Dài mở trụ áo	1/4	1/4	NA	2 1/2	2 1/2	3	3	3	3 1/2	3 1/2	3 1/2
F702	Placket box stitch height	Cao hộp trụ	1/8	1/8	0	1	1	1	1	1	1	1	1
D102	Shoulder slope :: from HPS	Xuôi vai từ cao vai	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16
D103	Shoulder displacement to front	Chồm vai	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
D101	Shoulder width : measured on CB body	Ngang vai đo từ giữa cổ	3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4
B301	Across: Chest : at mid. armhole	Ngang ngực đo ở giữa hõm nách	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2
B201	Across Back : at mid. armhole	Ngang lưng đo ở giữa hõm nách	1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4
B101	Chest width : 1" below armhole	Ngang ngực dưới nách 1"	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2
C102	Bottom width : 1" above band seam	Ngang lai: trên đường tra bo 1"	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2
C101	Bottom width at band: inside fold edges of band/hem	Ngang lai: tại mép bo lai	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
E101	Armhole Straight :: measured straight	Nách đo thẳng	1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8
G101	Bicep width: 1" below armhole	Ngang bắp tay dưới nách 1"	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	Dài tay từ giữa cổ: đo 3 điểm	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
G104	L:Sleeve opening: inside fold edges of cuff/hem	Ngang cửa tay đo tại mép bo	1/8	1/8	NA	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16
G103	L:Sleeve :: 1" above cuff seam	Ngang cửa tay đo trên đường tra bo 1"	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16
F701	Sleeve Cuff Band Height	Cao bo tay	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
A703	Body Band Height	Cao bo lai	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
H708	Hood casing width :: at CF	Cao miệng nón ở giữa cổ trước	1/8	1/8	NA	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8
H703	Hood width :: at 5" Below Top Edge	Ngang nón dưới cạnh trên 5"	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
H701	Hood height at CF	Cao nón ở giữa trước	1/4	1/4	NA	14 1/2	15	15	15 1/2	15 1/2	16	16	16
H702	Hood height at HPS	Cao nón ở cao vai	1/4	1/4	NA	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2
H705	Hood Scooba Height : neck seam to top edge	CAO CHÂN CỔ - TỪ ĐM CỔ ĐẾN MÉP TRÊN	1/8	1/8	0	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
N101	Kanga pocket height at center	Cao túi ở giữa thân	1/4	1/4	NA	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4
N102	Kanga pocket width at top edge	Ngang túi ở cạnh trên	1/4	1/4	NA	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2
N103	Kanga pocket width at widest point	Ngang túi ở điểm rộng nhất	1/4	1/4	NA	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2
N104	Kanga pocket width at band seam	Ngang túi ở đường tra bo	1/4	1/4	NA	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2
N201	Pocket opening hem height	Cao miệng túi kangaroo	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
N603	Sleeve pocket height at center (including flap)	Cao túi hộp đo ở giữa - tính luôn nắp túi	1/8	1/8	NA	4 3/4	4 3/4	4 3/4	5	5	5 1/4	5 1/2	5 1/2
N604	Sleeve pocket flap height at center	Cao nắp túi hộp ở giữa	1/8	1/8	NA	1 3/4	1 3/4	1 3/4	2	2	2 1/4	2 1/2	2 1/2

Measurement - Hoodie - Relaxed Fit ver2					All Measurements are in Inches								Version 1								
	Article Code	C-0325-KT-6193				Product Group		TOP													
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT				Product Sub-		SWEAT TOPS-DO NOT USE													
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)		Season		2025 Fall													
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004		Life Cycle Stage		Sample Evaluation													
	BẢNG THÔNG SỐ MAY MẪU FIT																				
POM	Description			+	-	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
	N608 Sleeve pocket flap width at top edge	Ngang nắp túi hộp ở cạnh trên	1/8	1/8	NA	4	4	4	4 1/4	4 1/4	4 1/2	4 3/4	4 3/4								
! N606	Sleeve pocket OPENING width at top edge	Ngang miệng túi hộp ở cạnh trên	1/8	1/8	NA	3 3/4	3 3/4	3 3/4	4	4	4 1/4	4 1/2	4 1/2								
N312	Sleeve pocket bellow width	Cao túi hộp	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4								
N232	Sleeve pocket position from armhole seam	Vị trí túi từ đường tra tay	1/8	1/8	GA	GA	GA	GA	2 1/4	GA	GA	GA	GA								
H606	Neck binding width	Viền cổ sau	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8								
! H404	Minimum Neck Stretch	Giãn cổ tối thiểu	1/2	0	NA	24	24	24	24	24	24	24	24								

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample [Sample 1 (M)]							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	

BẢNG THÔNG SỐ MẪU PROTO - KHÁCH ĐO									
POM	Description		+ Tol	- Tol	M	Sample	Diff	Revised	
A201	Front body length from HPS : Top	Dài thân trước bằng cao vai	1/2	1/2	27 1/2	27	-1/2		
H101	Neck width :: SEAM TO SEAM	Ngang cổ : từ đường may đến đường may	1/4	1/4	9 1/2	9 1/2	0		
H201	Front neck drop from HPS : Crew	Hạ cổ trước từ cao vai	1/8	1/8	3 1/2	3 1/8	-3/8		
H301	Back neck drop from HPS Crew	Hạ cổ sau từ cao vai	1/8	1/8	1	1	0	1 1/4	
Q101	CF placket width	Rộng trụ áo	1/8	1/8	1 3/8	1 1/4	-1/8		
Q104	Placket opening length	Dài mở trụ áo	1/4	1/4	3	3	0		
F702	Placket box stitch height	Cao hộp trụ	1/8	1/8	1 3/8	1 3/8	0	1	
D102	Shoulder slope :: from HPS	Xuôi vai từ cao vai	1/8	1/8	2	2	0		
D103	Shoulder displacement to front	Chôm vai	1/8	1/8	3/4	3/4	0		
D101	Shoulder width :measured on CB body	Ngang vai đo từ giữa cổ	3/8	3/8	21	21 1/2	1/2		
B301	Across: Chest : at mid. armhole	Ngang ngực đo ở giữa hõm nách	1/4	1/4	18 3/4	19 3/8	5/8		
B201	Across Back : at mid. armhole	Ngang lưng đo ở giữa hõm nách	1/4	1/4	19	19 5/8	5/8		
B101	Chest width :1" below armhole	Ngang ngực dưới nách 1"	1/2	1/2	23	23 3/8	3/8		
C102	Bottom width : 1" above band seam	Ngang lai: trên đường tra bo 1"	1/2	1/2	21	21 1/2	1/2		
C101	Bottom width at band:inside fold edges of band/hem	Ngang lai: tại mép bo lai	1/2	1/2	18 1/2	18 3/8	-1/8		
E101	Armhole Straight :: measured straight	Nách đo thẳng	1/4	1/4	11	10 5/8	-3/8		
G101	Bicep width:1" below armhole	Ngang bắp tay dưới nách 1"	1/4	1/4	10	10 1/4	1/4		
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	Dài tay từ giữa cổ: đo 3 điểm	1/2	1/2	35 1/2	36	1/2		
G104	L/Sleeve opening: inside fold edges of cuff/hem	Ngang cửa tay đo tại mép bo	1/8	1/8	3 3/4	3 3/4	0	4	
G103	L/Sleeve :: 1" above cuff seam	Ngang cửa tay đo trên đường tra bo 1"	1/8	1/8	6	6	0		
F701	Sleeve Cuff Band Height	Cao bo tay	1/8	1/8	2 3/4	2 3/4	0		
A703	Body Band Height	Cao bo lai	1/8	1/8	2 3/4	2 3/4	0		
H708	Hood casing width :: at CF	Cao miệng nón ở giữa cổ trước	1/8	1/8	1 3/8	1 3/8	0		
H703	Hood width :: at 5" Below Top Edge	Ngang nón dưới cạnh trên 5"	1/4	1/4	11	11 1/4	1/4		
H701	Hood height at CF	Cao nón ở giữa trước	1/4	1/4	15 1/2	15 3/8	-1/8		
H702	Hood height at HPS	Cao nón ở cao vai	1/4	1/4	14	14 1/2	1/2		
H705	Hood Scooba Height : neck seam to top edge	CAO CHÂN CỔ - TỪ ĐỂM CỔ ĐẾN MÉP TRÊN	1/8	1/8	0	0	0	1 3/4	
N101	Kanga pocket height at center	Cao túi ở giữa thân	1/4	1/4	9 1/4	9	-1/4		
N102	Kanga pocket width at top edge	Ngang túi ở cạnh trên	1/4	1/4	10	10 1/8	1/8		
N103	Kanga pocket width at widest point	Ngang túi ở điểm rộng nhất	1/4	1/4	14	13 3/4	-1/4		
N104	Kanga pocket width at band seam	Ngang túi ở đường tra bo	1/4	1/4	11	10 7/8	-1/8		
N201	Pocket opening hem height	Cao miệng túi kangaroo	1/8	1/8	3/4	3/4	0		
N603	Sleeve pocket height at center (including flap)	Cao túi hộp đo ở giữa - tính luôn nắp túi	1/8	1/8	5	5	0		
N604	Sleeve pocket flap height at center	Cao nắp túi hộp ở giữa	1/8	1/8	2	2	0		
N608	Sleeve pocket flap width at top edge	Ngang nắp túi hộp ở cạnh trên	1/8	1/8	4 1/4	4	-1/4		
N606	Sleeve pocket OPENING width at top edge*	Ngang miệng túi hộp ở cạnh trên	1/8	1/8	4	3 7/8	- 1/8		
N312	Sleeve pocket bellow width	Cao túi hộp	1/8	1/8	3/8	3/8	0	3/4	
N232	Sleeve pocket position from armhole seam	Vị trí túi từ đường tra tay	1/8	1/8	2	2	0	2 1/4	
H606	Neck binding width	Viền cổ sau	1/8	1/8	3/8	0	- 3/8		
H404	Minimum Neck Stretch	Giãn cổ tối thiểu	1/2	0	24	24	0		

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample [Sample 1 (M)]										Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP				
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE				
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall				
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation				
POM	Description				+ Tol	- Tol	M	Sample	Diff	Revised
N606	Sleeve pocket OPENING width at top edge*				1/8	1/8	4	3 7/8	-1/8	
N312	Sleeve pocket bellow width				1/8	1/8	3/8	3/8	0	3/4
N232	Sleeve pocket position from armhole seam				1/8	1/8	2	2	0	2 1/4
H606	Neck binding width				1/8	1/8	3/8	0	-3/8	
H404	Minimum Neck Stretch				1/2	0	24	24	0	
Renamed Points of Measurement										
*N606 - Sleeve pocket width at top edge Revised to N606 - Sleeve pocket OPENING width at top edge										
Newly Added Points of Measurement										
H705 - Hood Scooba Height : neck seam to top edge										
COMMENT										
7.03.2025 Proto: vendor style # C0008-HOD160, brushed fleece 100% cotton, 350 GSM, OLIVE STYLING DETAILS: 1. Please change the hood lining to SELF. Extend the lining into the CF nylon hem so there is more structure to the front of the hood. Change the CF hem finishing to NYLON FACING, facing edges turned in to cleanfinish- see updated Construction page 2. Please adjust the shaping of the CF of the hood, add a built-up collar at the hood CF- see photos, updated Construction page, and added specs. FITTING COMMENTS: 1. The front and back neck depths are too high, please lower- Lower the front neck 3/8" back to spec. Lower the back neck 1/4"- see updated spec. 2. Reduce the placket box stitching height to 1"- see revised spec. 3. Increase the sleeve opening width at cuff edge 1/4"- see revised spec. 4. Increase the sleeve bellow width to 3/4"- see revised spec. 5. Move the sleeve pocket down slightly, revising the spec to match the Crewneck. 6. Ensure all other measurements out of tolerance are brought back to spec. WORKMANSHIP COMMENTS: 1. The neck seam allowance is missing taping. It should be with "Taping applied around inside of neck seam to cleanfinish seam allowance" as mentioned in the Construction page. 2. Ensure the neck shaping is a smooth curve and is symmetrical. 3. Ensure the CF placket is straight and even in width. 4. Ensure the top and bottom of the snaps are aligned so there is no gaping or pulling at the CF edge. 5. Ensure the bottom rib band and sleeve opening rib cuff heights are even all around. SUBMIT A 2ND FIT SAMPLE WITH ALL CORRECTIONS A201 - Front body length from HPS : Top : BRING BACK TO SPEC H201 - Front neck drop from HPS : Crew : BRING BACK TO SPEC										

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample [Sample 1 (M)]							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation	
			Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)			
			Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004			

Renamed Points of Measurement - [Đổi tên điểm đo](#)
*N606 - Sleeve pocket width at top edge Revised to N606 - Sleeve pocket OPENING width at top edge [Đổi Ngang túi hộp ở cạnh trên thành Ngang miệng túi hộp ở cạnh trên](#)

Newly Added Points of Measurement [Thêm điểm đo](#)
H705 - Hood Scooba Height : neck seam to top edge [Thêm điểm đoCAO CHÂN CỔ - TỪ ĐM CỔ ĐẾN MÉP TRÊN](#)

COMMENT MẪU PROTO

7.03.2025

Proto: vendor style # C0008-HOD160, brushed fleece 100% cotton, 350 GSM, OLIVE

STYLING DETAILS:

- Please change the hood lining to SELF. Extend the lining into the CF nylon hem so there is more structure to the front of the hood. Change the CF hem finishing to NYLON FACING, facing edges turned in to cleanfinish- see updated Construction page
- Please adjust the shaping of the CF of the hood, add a built-up collar at the hood CF- see photos, updated Construction page, and added specs.

- Điều chỉnh lại lót nón hoodie bằng vải chính, kéo dài đến miệng nón để phía trước nón đứng form hơn. Gấp miệng nón vải nylon vào lớp lót nỉ và may sạch - xemcập nhật trang quy cách may
- Điều chỉnh nón hoodie, thêm chân cổ như hình minh họa- xem hình bên dưới. Cập nhật trang thông số, quy cách may.

FITTING COMMENTS:

- The front and back neck depths are too high, please lower- Lower the front neck 3/8" back to spec. Lower the back neck 1/4"- see updated spec.
- Reduce the placket box stitching height to 1"- see revised spec.
- Increase the sleeve opening width at cuff edge 1/4"- see revised spec.
- Increase the sleeve bellow width to 3/4"- see revised spec.
- Move the sleeve pocket down slightly, revising the spec to match the Crewneck.
- Ensure all other measurements out of tolerance are brought back to spec.

- Hạ cổ trước và sau quá cao, vui lòng hạ thấp xuống. Hạ cổ trước hạ xuống thêm 3/8" (về thông số yêu cầu). Hạ cổ sau hạ xuống thêm 1/4" - xem thông số cập nhật.
- Giảm cao điều hộp trụ còn 1" - xem thông số điều chỉnh
- Tăng ngang cửa tay tại mép bo 1/4"- xem thông số điều chỉnh
- Tăng cao túi hộp thành 3/4"- xem thông số điều chỉnh
- Dời vị trí túi tay xuống, điều chỉnh cho giống mã C-0325-KT-6194 - C0008-CRW036
- Đảm bảo tất cả thông số trong dung sai.

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample [Sample 1 (M)]							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation	

WORKMANSHIP COMMENTS:

- The neck seam allowance is missing taping. It should be with "Taping applied around inside of neck seam to cleanfinish seam allowance" as mentioned in the Construction page.
- Ensure the neck shaping is a smooth curve and is symmetrical.
- Ensure the CF placket is straight and even in width.
- Ensure the top and bottom of the snaps are aligned so there is no gaping or pulling at the CF edge.
- Ensure the bottom rib band and sleeve opening rib cuff heights are even all around.

- Cổ áo thiếu viền cổ sau. Mẫu proto may bị thiếu
- Đảm bảo đường cong cổ tròn đều và cân đối.
- Đảm bảo ngang nẹp cổ thẳng đều nhau
- Đảm bảo nút trên và dưới canh đều nhau hợp lý để không bị hở hoặc đùn ở giữa thân
- Đảm bảo bo lai áo và bo lai tay đều nhau.

SUBMIT A 2ND FIT SAMPLE WITH ALL CORRECTIONS

Làm mẫu fit với các điều chỉnh

- A201 - Front body length from HPS : Top : BRING BACK TO SPEC

H201 - Front neck drop from HPS : Crew : BRING BACK TO SPEC
- Dài thân áo - đảm bảo thông số trong dung sai

Hạ cổ trước - - đảm bảo thông số trong dung sai
- H301 - Back neck drop from HPS Crew : REVISED

F702 - Placket box stitch height : REVISED
- Hạ cổ sau - có cập nhật

Cao điều hộp trụ - có cập nhật
- D101 - Shoulder width :measured on CB body : BRING BACK TO SPEC

B301 - Across: Chest : at mid. armhole : BRING BACK TO SPEC
- Ngang vai - - đảm bảo thông số trong dung sai

Ngang ngực giữa hõm nách - - đảm bảo thông số trong dung sai
- B201 - Across Back : at mid. armhole : BRING BACK TO SPEC

E101 - Armhole Straight :: measured straight : BRING BACK TO SPEC
- Ngang lưng giữa hõm nách - - đảm bảo thông số trong dung sai

Nách đo thẳng - - đảm bảo thông số trong dung sai
- G104 - L/Sleeve opening: inside fold edges of cuff/hem : REVISED

H702 - Hood height at HPS : BRING BACK TO SPEC
- Cửa tay đo tai mép bo - có cập nhật

Cao nón tại cao vai - đảm bảo thông số trong dung sai
- H705 - Hood Scooba Height : neck seam to top edge : ADDED POM AND SPEC



N608 - Sleeve pocket flap width at top edge : BRING BACK TO SPEC
- CAO CHÂN CỔ - TỪ ĐM CỔ ĐẾN MÉP TRÊN - thêm thông số

Ngang nắp túi hộp ở cạnh trên- - đảm bảo thông số trong dung sai
- N312 - Sleeve pocket bellow width : REVISED

N232 - Sleeve pocket position from armhole seam : REVISED
- Cao túi hộp - điều chỉnh


Cao túi hộp- có điều chỉnh
- H606 - Neck binding width : Inner neck seam taping is missing on the sample.

Viền cổ sau bị thiếu

UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample - Proto sample photos - Proto: front, side, back							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM			Life Cycle Stage	Sample Evaluation	
					Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	



UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample - Proto sample photos - Neck and placket revisions							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM		Material	Season	2025 Fall	
	Last Modified	03-07-2025 4:38:44 PM		Description	Life Cycle Stage	Sample Evaluation	
				UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004			





Article Code	C-0325-KT-6193			Product Group	TOP	
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation	




Giảm ngang nón khoảng 1/4"

Thêm chân cổ ở nếp nút , chiều cao 1 3/4"
Đảm bảo khoảng 3/4"

Add a built-up collar at the front of the hood, 1 3/4" in height. Ensure it angles out from the face approx. 3/4"



UN-AVAILABLE CO. LTD: Fit Approval-1 - Proto sample - Proto sample photos - Pocket revisions						Version 1
Article Code	C-0325-KT-6193			Product Group	TOP	
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	03-07-2025 4:38:44 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Sample Evaluation	



Dời vị trí túi áo trên tay xuống 1/4". Đảm bảo may bao túi thẳng form túi. Mẫu đang bị méo.

Increase the bellow width to 3/4"

Tăng cao bao túi thành 3/4"