

Article Summary							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM	Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Season	2025 Fall	
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production	
Gender Classification	Collaboration	Sub Class D	PULLOVER	Fabrication	KNIT TOP		
Supplier	UN-AVAILABLE CO. LTD	Release Date	12 Sep 2025	Ex-Factory	20 Jun 2025		
 							COLORS
							BURNT OLIVE 18-0521 TCX (ABO) OG-107 Green
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Article Description					
	Article Code	C-0325-KT-6193		Product Group	TOP
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE
	Created On	10-23-2024 9:51:36 AM		Season	2025 Fall
	Last Modified	05-22-2025 12:46:24 PM	Material Description	Life Cycle Stage	Production





Material Description

UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)

PIGMENT DYE ACID WASH


FLEECE_100% COTTON_PFD_350_S0004

Bill of Materials									Version 1					
	Article Code	C-0325-KT-6193	Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP								
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE								
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall								
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production								
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	ABO				
										BURNT OLIVE 18-0521 TCX				
June Ex-factory3														
Fabric														
BODY	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004		BODY/SLEEVES		0	Meter	GARMENT DYED		DEVPGA W001	None				
	NYLON QLTY USED ON THE PLAYSTATION PROTOS (FB-W1314)		HOOD, POCKET		0	Meter	COLOUR TBD			None				
	2x1 rib 95% cotton/ 5% spandex_PFD_400_s0004. (FB-K1389)		BODY BAND/ CUFFS		0	Meter	GARMENT DYED			None				
Trims														
BACK NECK	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		CENTRED INSIDE BACK NECK, 1/2" DOWN FROM NECK SEAM *PATCH NOT REQUIRED		1	Each		Reca Mainetti Asia Ltd	LBOVO17 2	None				
BACK NECK	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		CENTRED & STITCHED TO BOTTOM OF MAIN LABEL		1	Each		Reca Mainetti Asia Ltd	LBOVO17 5	None				
BACK NECK	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB		TACKED INSIDE BACK NECK SEAM *REMOVABLE*		1	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	None				
SIDE INSERT 1	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each	VENDOR SOURCED	Vendor Sourced		None				
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		HANGTAG ATTACHMENT		1	Each		Vendor Sourced		None				
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each	VENDOR SOURCED	Vendor Sourced		None				
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER		1. INSIDE HANGTAG 2. ON POLYBAG		2	Each				None				
PLACKET	BUTTON HOLE HIGH STITCH COUNT (BB105)		ALONG PLACKET		2	Each	dtm body	Vendor Sourced		None				
POCKETS	VELCRO (VL101)		at sleeve pocket		1	Meter	1"x 3/4"height-colour Black.	Vendor Sourced		None				
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None				

Bill of Materials									Version 1		
	Article Code	C-0325-KT-6193		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP					
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE					
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall					
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production					
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	ABO BURNT OLIVE 18- 0521 TCX June Ex-factory3	
	GARMENT DYE HANG TAG (HG121) REF# OVOF22_060_T				1	Each		Laven Industries Ltd.	OVOF22_060_T	None	
PLACKET	TBD SNAP CLOSURE (HD135)		ALONG PLACKET		2	Each	20L - follow quality, size and colour as per proto sample	Vendor Sourced		None	
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)				0	Each				None	


Bill of Materials Material Image Sheet


Version 1

	Article Code	C-0325-KT-6193		Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM		Season	2025 Fall	
	Last Modified	05-22-2025 12:46:24 PM		Life Cycle Stage	Production	
FB-K1191 UA BRUSHED FLEECE 100% COTTON 350GSM	TR-LT247 OVO 2023 One Side Main Label	TR-LT246 OVO 2023 Alpha Sizing Tab	LT138 TEAR-AWAY COO TAB: OVOF21_217_T	LT110 CC LABEL - APPAREL	TR-TV140 5mm GROSGRAIN RIBBON LOOP	
PK101 POLY BAG - GENERIC	TR-ST114 UPC STICKER- 1" X 2.5"	VL101 VELCRO	TR-HG142 OVO 2023 Booklet Hangtag	HG121 GARMENT DYE HANG TAG		

Construction details - Hoodie with snap placket

Version 1

	Article Code	C-0325-KT-6193		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall	
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production	



Comments

- 1 ** HOOD AND SLEEVE POCKET WILL BE IN CONTRAST NYLON FABRIC**
- 2 CONTRAST NYLON HOOD

Nylon hood with dart at CB and built-up collar at CF, join with #512 mock safety stitch. Lined with SELF FLEECE. Fleece edge extends into CF finishing. Inside CF edge finished with nylon FACING, edges turned under. SN edge topstitch to hold layers together at CF.

** OVER LAP @ CF NECK, WIDTH PER HEM HEIGHT, LEFT OVERLAPS RIGHT. 1 Snap closure at CF of hood, applied 1" up from the neck seam. Ensure rubber disks are used on snaps.
- 3 NECK SEAM

Hood join to body with #512 mock safety stitch. Taping applied around inside of neck seam to cleanfinish seam allowance. SN edge topstitch on taping, ends turned in to cleanfinish.

** TAPE PRE-SHRUNK, COLOURFAST
- 4 CONTRAST NYLON CF PLACKET: fused EXPOSED SNAP CLOSURE centered at placket. SN TOPSTITCH.

SEPARATE CONTRAST NYLON FOLDED UNDER PLACKET, LIGHTLY FUSED. JOIN TO BODY WITH SN EDGE TOPSTITCH.

Box + "X" topstitch at bottom of the placket SN TOPSTITCH JOINING ALL LAYERS.
- 5 SHOULDER SEAM

Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 6 ARMHOLE SEAM

Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 7 SLEEVE/ SIDE SEAM

MOCK SAFETY SERGE TO JOIN IN ONE OPERATION
- 8 SLEEVE OPENING CUFF


Folded rib cuff join to body with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 9 KANGA POCKET

Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.

Side and top edges serged and turned in. JOIN to body with SN edge topstitch. Bottom of bag finished into the band seam.

Construction details - Hoodie with snap placket

Version 1



Article Code	C-0325-KT-6193
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT
Created On	10-23-2024 9:51:36 AM
Last Modified	05-22-2025 12:46:24 PM

Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)
	PIGMENT DYE ACID WASH
	FLEECE_100% COTTON_PFD_350_S0004

Product Group	TOP
Product Sub-Category	SWEAT TOPS-DO NOT USE
Season	2025 Fall
Life Cycle Stage	Production



Bartacks at top and bottom of pkt openings. Triangular reinforcements at top and bottom of kanga opening with jersey fabric swatch at inner side of garment.

10 BODY BAND

Folded rib band join to body with #512 mock safety stitch. 2N coversitch straddling seam, 1/4" spacing.

11 CONTRAST NYLON WEARER'S RIGHT SIDE SLEEVE POCKET: NYLON, velcro closure.

FLAP: doubled, all edges are cleanfinished, 1/4" S/N T/S. Set to sleeve with S/N understitch. Bartacks at top corners.

NYLON PATCH: bellows around the pocket, S/N Edge T/S, opening hem self turn & S/N T/S. Set to SLV with S/N Edge T/S. Darts at bottom of the bag.

Velcro closure, SN edge topstitch with "X" stitch through middle. Ensure velcro corners are rounded. Square reinforcements at top corner of pocket bag opening with jersey fabric swatch at inner side of garment.

See next page for detailed photo of pocket

Reinforce kangaroo pocket corners with Jersey fabric (


Reinforce pocket opening corners(inner side of garment)
- Trim off fabric swatch neatly.

Pocket Construction Details

Version 1

	Article Code	C-0325-KT-6193	Material Description UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM		Season	2025 Fall	
	Last Modified	05-22-2025 12:46:24 PM		Life Cycle Stage	Production	

DETAIL OF SLEEVE POCKET



Comments

- 1 FLAP
2 layers of nylon, fused, cleanfinished. 1/4" S/N T/S. Set to sleeve with S/N understitch. Bartacks at top corners.
- 2 PATCH
Nylon patch pocket with side panel forming bellows. Seams join with #512 mock safety stitch. SN edge topstitch on top of pkt bag. Top edge double fold in to form opening hem, SN topstitch. Darts at bottom corners. Bag sides serged and turned in, join to sleeve with SN edge topstitch. Vertical bartacks at top corners for reinforcement.
- 3 VELCRO CLOSURE
SN edge topstitch around and "X" stitch through the middle. Ensure velcro corners are rounded.

Measurement - Hoodie - Relaxed Fit ver2

All Measurements are in Inches

Version 1


	Article Code	C-0325-KT-6193			UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004							Product Group	TOP					
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-	SWEAT TOPS-DO NOT USE												
	Created On	10-23-2024 9:51:36 AM		Material Description	Season	2025 Fall								Life Cycle Stage				
	Last Modified	05-22-2025 12:46:24 PM			Production													
POM	Description		+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL					
!A201	Front body length from HPS : Top		1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31					
!H101	Neck width :: SEAM TO SEAM		1/4	1/4	NA	7 3/4	7 3/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4					
!H201	Front neck drop from HPS : Crew		1/8	1/8	NA	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16					
H301	Back neck drop from HPS Crew		1/8	1/8	NA	1 3/8	1 3/8	1 7/16	1 1/2	1 9/16	1 11/16	1 13/16	1 15/16					
!Q101	CF placket width		1/8	1/8	0	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8	1 3/8					
Q104	Placket opening length		1/4	1/4	NA	2 1/2	2 1/2	3	3	3	3 1/2	3 1/2	3 1/2					
F702	Placket box stitch height		1/8	1/8	0	1	1	1	1	1	1	1	1					
!D102	Shoulder slope :: from HPS		1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16					
D103	Shoulder displacement to front		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4					
!D101	Shoulder width :measured on CB body		3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4					
!B301	Across: Chest : at mid. armhole		1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2					
!B201	Across Back : at mid. armhole		1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4					
!B101	Chest width :1" below armhole		1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2					
!C102	Bottom width : 1" above band seam		1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2					
!C101	Bottom width at band:inside fold edges of band/hem		1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24					
!E101	Armhole Straight :: measured straight		1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8					
!G101	Bicep width:1" below armhole		1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16					
!F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4					
!G104	L/Sleeve opening: inside fold edges of cuff/hem		1/8	1/8	NA	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16					
!G103	L/Sleeve :: 1" above cuff seam		1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16					
F701	Sleeve Cuff Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4					
A703	Body Band Height		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4					
H708	Hood casing width :: at CF		1/8	1/8	NA	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8					
!H703	Hood width :: at mid point		1/4	1/4	NA	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4					
!H701	Hood height at CF		1/4	1/4	NA	14 1/2	15	15	15 1/2	15 1/2	16	16	16					
H702	Hood height at HPS		1/4	1/4	NA	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2					
H705	Hood Scooba Height:neck seam to top edge (@ edge)		1/8	1/8	0	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4					
!N101	Kanga pocket height at center		1/4	1/4	NA	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4					
!N102	Kanga pocket width at top edge		1/4	1/4	NA	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2					
!N103	Kanga pocket width at widest point		1/4	1/4	NA	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2					
!N104	Kanga pocket width at band seam		1/4	1/4	NA	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2					
N201	Pocket opening hem height		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4					
!N603	Sleeve pocket height at center (including flap)		1/8	1/8	NA	4 3/4	4 3/4	4 3/4	5	5	5 1/4	5 1/2	5 1/2					
N604	Sleeve pocket flap height at center		1/8	1/8	NA	1 3/4	1 3/4	1 3/4	2	2	2 1/4	2 1/2	2 1/2					
N608	Sleeve pocket flap width at top edge		1/8	1/8	NA	4	4	4	4 1/4	4 1/4	4 1/2	4 3/4	4 3/4					
!N606	Sleeve pocket OPENING width at top edge		1/8	1/8	NA	3 3/4	3 3/4	3 3/4	4	4	4 1/4	4 1/2	4 1/2					


Measurement - Hoodie - Relaxed Fit ver2

All Measurements are in Inches

Version 1

	Article Code	C-0325-KT-6193									Product Group	TOP							
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT									Product Sub-	SWEAT TOPS-DO NOT USE							
	Created On	10-23-2024 9:51:36 AM		Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004						Season	2025 Fall							
	Last Modified	05-22-2025 12:46:24 PM									Life Cycle Stage	Production							
N312	Sleeve pocket bellow width		1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4					
N232	Sleeve pocket position from armhole seam		1/8	1/8	GA	GA	GA	2 1/4	GA	GA	GA	GA							
H606	Neck binding width		1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8						
! H404	Minimum Neck Stretch		1/2	0	NA	24	24	24	24	24	24	24	24						
Comments																			
11.4.2024 updated																			

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd [Sample 1 (M)]								Version 1				
	Article Code	C-0325-KT-6193		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP						
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE						
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall						
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production						
POM	Description				+ Tol	- Tol	M	Sample	Diff	Revised		
A201	Front body length from HPS : Top				1/2	1/2	27 1/2	27 1/4	-1/4			
H101	Neck width :: SEAM TO SEAM				1/4	1/4	9 1/2	9 1/4	-1/4	8 1/4		
H201	Front neck drop from HPS : Crew				1/8	1/8	3 1/2	3 1/2	0	3 3/4		
H301	Back neck drop from HPS Crew				1/8	1/8	1 1/4	1 1/4	0	1 1/2		
Q101	CF placket width				1/8	1/8	1 3/8	1 3/8	0			
Q104	Placket opening length				1/4	1/4	3	3	0			
F702	Placket box stitch height				1/8	1/8	1	1	0			
D102	Shoulder slope :: from HPS				1/8	1/8	2	2	0			
D103	Shoulder displacement to front				1/8	1/8	3/4	1/2	-1/4			
D101	Shoulder width :measured on CB body				3/8	3/8	21	21	0			
B301	Across: Chest : at mid. armhole				1/4	1/4	18 3/4	19	1/4			
B201	Across Back : at mid. armhole				1/4	1/4	19	19	0			
B101	Chest width :1" below armhole				1/2	1/2	23	23	0			
C102	Bottom width : 1" above band seam				1/2	1/2	21	21	0			
C101	Bottom width at band:inside fold edges of band/hem				1/2	1/2	18 1/2	19	1/2			
E101	Armhole Straight :: measured straight				1/4	1/4	11	10 3/4	-1/4			
G101	Bicep width:1" below armhole				1/4	1/4	10	9 3/4	-1/4			
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure				1/2	1/2	35 1/2	35 1/2	0			
G104	L/Sleeve opening: inside fold edges of cuff/hem				1/8	1/8	4	4	0			
G103	L/Sleeve :: 1" above cuff seam				1/8	1/8	6	5 3/4	-1/4			
F701	Sleeve Cuff Band Height				1/8	1/8	2 3/4	3	1/4			
A703	Body Band Height				1/8	1/8	2 3/4	3	1/4			
H708	Hood casing width :: at CF				1/8	1/8	1 3/8	7/8	-1/2	7/8		
H703	Hood width :: at mid point*				1/4	1/4	11	11	0	11 1/4		
H701	Hood height at CF				1/4	1/4	15 1/2	15 1/4	-1/4			
H702	Hood height at HPS				1/4	1/4	14	14	0			
H705	Hood Scooba Height:neck seam to top edge (@ edge)*				1/8	1/8	1 3/4	2 1/4	1/2	2 1/4		
N101	Kanga pocket height at center				1/4	1/4	9 1/4	9	-1/4			
N102	Kanga pocket width at top edge				1/4	1/4	10	10	0			
N103	Kanga pocket width at widest point				1/4	1/4	14	13 3/4	-1/4			
N104	Kanga pocket width at band seam				1/4	1/4	11	10 3/4	-1/4			
N201	Pocket opening hem height				1/8	1/8	3/4	3/4	0			
N603	Sleeve pocket height at center (including flap)				1/8	1/8	5	5	0			
N604	Sleeve pocket flap height at center				1/8	1/8	2	2	0			
N608	Sleeve pocket flap width at top edge				1/8	1/8	4 1/4	4 1/4	0			

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd [Sample 1 (M)]								Version 1	
	Article Code	C-0325-KT-6193		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Product Group	TOP			
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE			
	Created On	10-23-2024 9:51:36 AM			Season	2025 Fall			
	Last Modified	05-22-2025 12:46:24 PM			Life Cycle Stage	Production			

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
N606	Sleeve pocket OPENING width at top edge	1/8	1/8	4	3 7/8	-1/8	
N312	Sleeve pocket bellow width	1/8	1/8	3/4	3/4	0	
N232	Sleeve pocket position from armhole seam	1/8	1/8	2 1/4	2 3/8	1/8	
H606	Neck binding width	1/8	1/8	3/8	3/8	0	
H404	Minimum Neck Stretch	1/2	0	24	24	0	

Renamed Points of Measurement

*H703 - Hood width :: at 5" Below Top Edge Revised to [H703 - Hood width :: at mid point](#)

*H705 - Hood Scooba Height : neck seam to top edge Revised to [H705 - Hood Scooba Height:neck seam to top edge \(@ edge\)](#)

COMMENT

5.21.25

STYLING COMMENTS:

1. Add reinforcements to KANGA and SLEEVE POCKETS. Construction page added:

Square reinforcements at top corner of pocket bag opening with jersey fabric swatch at inner side of garment.

Triangular reinforcements at top and bottom of kanga opening with jersey fabric swatch at inner side of garment.

FITTING COMMENTS:

1. Adjusted hood shaping, please see below for correction photos
2. REVISED NECK WIDTH MEASUREMENT
3. REVISED FRONT NECK DROP MEASUREMENT
4. REVISED BACK NECK DROP MEASUREMENT
5. BRING BACK TO SPEC ON SHOULDER SLOPE MEASUREMENT
6. BRING BACK TO SPEC ON SLEEVE 1" ABOVE CUFF SEAM MEASUREMENT
7. BRING BACK TO SPEC ON SLEEVE AND BODY CUFF HEIGHT MEASUREMENT
8. KEEP HOOD CASING WIDTH AS PER SAMPLE
9. REVISED HOOD WIDTH MEASUREMENT
10. REVISED HOOD SCUBA HEIGHT MEASUREMENT
11. Ensure all measurements are brought back to spec.

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd [Sample 1 (M)]							Version 1
	Article Code	C-0325-KT-6193			Product Group	TOP	
	Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT			Product Sub-Category	SWEAT TOPS-DO NOT USE	
	Created On	10-23-2024 9:51:36 AM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
	Last Modified	05-22-2025 12:46:24 PM	Description	PIGMENT DYE ACID WASH FLEECE_100% COTTON_PFD_350_S0004	Life Cycle Stage	Production	



WORKMANSHIP COMMENTS:

1. We have identified holes in the garment. Please ensure that all garments are thoroughly inspected and that no holes or defects are present during production. This is critical, as defective garments cannot be sold.
2. Please ensure there is no excessive puckering on seams.
3. Ensure the hem edges are level at the CF.
4. PLEASE WATCH FOR LOOSE THREADS AND BROKEN THREADS, WATCH FOR THREAD TENSION/ QUALITY OF THREAD

2nd/ PP APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION AFTER SENDING PHOTO OF HOOD ON MANNEQUIN AND FLAT. PLEASE SEND FRONT AND SIDE PHOTO. AFTER RECEIVING EMAIL APPROVAL FROM OVO, YOU CAN PROCEED TO PRODUCTION.

Sample Size: M
 Status: Approved
 Approved By: KoryLui (October's Very Own Merchandising)
 Approved On: 05-22-2025 12:45:37 PM

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd - SAMPLE - FRONT, SIDE AND BACK

Version 1



Article Code	C-0325-KT-6193	Material Description	Product Group	TOP	
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE	
Created On	10-23-2024 9:51:36 AM		Season	2025 Fall	
Last Modified	05-22-2025 12:46:24 PM		Life Cycle Stage	Production	





Article Code C-0325-KT-6193

Article Name OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT

Created On 10-23-2024 9:51:36 AM

Last Modified 05-22-2025 12:46:24 PM

Product Group TOP

Product Sub-Category SWEAT TOPS-DO NOT USE


Season 2025 Fall

Life Cycle Stage Production



** PLEASE ENSURE TO
CORRECT PATTERN
ACCORDINGLY USING
PHOTO AS REFERENCE
ONLY**

VUI LÒNG ĐẢM BẢO CHỈNH SỬA MẪU
THEO ĐÚNG, CHỈ SỬ DỤNG HÌNH ẢNH
LÀM THAM KHẢO.




Article Code	C-0325-KT-6193	Material Description	Product Group	TOP	
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE	
Created On	10-23-2024 9:51:36 AM		Season	2025 Fall	
Last Modified	05-22-2025 12:46:24 PM		Life Cycle Stage	Production	




SẢN PHẨM CÓ LỖ HỔNG, VUI LÒNG ĐÁM BẢO TRONG QUÁ TRÌNH SẢN XUẤT KHÔNG CÓ BẤT KỲ LỖ HỔNG NÀO. VIỆC NÀY RẤT QUAN TRỌNG.

** THERE ARE HOLES IN THE GARMENT, PLEASE ENSURE THAT THERE ARE NO HOLES IN PRODUCTION. THIS IS CRUCIAL**





Article Code	C-0325-KT-6193	Material Description	Product Group	TOP	
Article Name	OVO X ALPHA INDUSTRIES GD HOODIE WITH NYLON HOOD/ ARM PKT		Product Sub-Category	SWEAT TOPS-DO NOT USE	
Created On	10-23-2024 9:51:36 AM		Season	2025 Fall	
Last Modified	05-22-2025 12:46:24 PM		Life Cycle Stage	Production	



TÚI KANGA BỊ NGHĨENG VÀ
LẮP ĐẶT KHÔNG ĐỀU, HÌNH
DÁNG MIỆNG TÚI CŨNG
KHÔNG ĐỒNG NHẤT VÀ
KHÔNG KHỚP NHAU. VUI
LÒNG ĐẨM BẢO CHẤT
LƯỢNG ĐƯỢC CẢI THIỆN
TRƯỚC KHI TIẾP TỤC.

** KANGA POCKET IS
CROOKED AND SET
UVENELY, POCKET
OPENING SHAPING IS
ALSO UNEVEN AND DO
NOT MATCH. PLEASE
ENSURE
WORKMANSHIP IS
IMPROVED BEFORE
PROCEEDING.**



Article Code C-0325-KT-6193

Article Name OVO X ALPHA INDUSTRIES GD HOODIE
WITH NYLON HOOD/ ARM PKT

Created On 10-23-2024 9:51:36 AM


Last Modified 05-22-2025 12:46:24 PM

Product Group TOP

Product Sub-Category SWEAT TOPS-DO NOT USE

Season 2025 Fall

Life Cycle Stage Production



Reinforce kangaroo pocket corners with Jersey fabric

Gia cố góc túi kangaroo bằng vải jersey ở mặt trong



** SEE CONSTRUCTION PAGE, ADDED REINFORCEMENTS ON SLEEVE AND KANGA POCKETS**

XEM TRANG HƯỚNG DẪN MAY, ĐÃ BỔ SUNG
MIẾNG GIA CỐ Ở TÚI TAY VÀ TÚI KANGA

- Reinforce pocket opening corners(inner side of garment)

- Trim off fabric swatch neatly.

Gia cố các góc miệng túi (phía mặt trong của sản phẩm)
Cắt gọn mép mẫu vải thừa, đảm bảo hoàn thiện sạch sẽ





**THÊM MIẾNG GIA CỐ BẰNG VẢI SINGLE- CẮT GỌN
NHƯ HÌNH**