

Article Summary

Article Code M-0325-KT-6101 Article Name INTERNATIONAL TERRY HOODIE Created On 09-10-2024 3:17:43 PM Last Modified 06-11-2025 3:21:53 PM	Material Description FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group TOP Product Sub-Category HOODIE-DO NOT USE Season 2025 Fall Life Cycle Stage Production							
Gender Classification	Mens	Sub Class D	PULLOVER	Fabrication	KNIT TOP				
Supplier	UN-AVAILABLE CO. LTD	Release Date	07 Nov 2025	Ex-Factory	15 Aug 2025				
					COLORS				
					<table border="1"> <tr> <td></td><td>BLACK (BK) BLACK</td></tr> <tr> <td></td><td>CAMO (CM) CAMO</td></tr> </table>		BLACK (BK) BLACK		CAMO (CM) CAMO
	BLACK (BK) BLACK								
	CAMO (CM) CAMO								
SIZES									
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008									

Article Description					
Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production



Material Description

FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)

CM30/1 + 20/1+ 10CD

P19-4321: FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM

Bill of Materials										Version 1		
	Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD			Product Group	TOP				
	Article Name	INTERNATIONAL TERRY HOODIE					Product Sub-Category	HOODIE-DO NOT USE				
	Created On	09-10-2024 3:17:43 PM					Season	2025 Fall				
	Last Modified	06-11-2025 3:21:53 PM					Life Cycle Stage	Production				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK Aug Ex factory3	CM CAMO Aug Ex factory3	
Fabric												
	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM (FB-K1311) CM30/1 + 20/1+ 10CD		BODY/ HOOD/ SLV			0	Meter	AOP		P19-4321	None	None
	P19-4321: FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM											
	JERSEY - 100C - 180 GSM (FB-K122) 100% COTTON, 180 GSM		POCKET BAG, KNUCKLE SIDE			0	Meter	DTM GROUND			BLACK BK BLACK	DYED TO MATCH BODY DTMB
	JERSEY - 100C - 180 GSM (FB-K122) 100% COTTON, 180 GSM		BACK NECK TAPE			0	Meter	BACK NECK TAPE WILL BE COLOUR LINT FOR CAMO COLOURWAY			BLACK BK BLACK	CAMO CM CAMO
Trims												
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172					1	Each		Reca Mainetti Asia Ltd	LBOVO172	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175					1	Each		Reca Mainetti Asia Ltd	LBOVO175	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB					1	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	None	None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT					1	Each		Vendor Sourced		None	None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A					1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.					1	Each		Vendor Sourced		None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.					1	Each		Vendor Sourced		None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER					2	Each				None	None



Bill of Materials

Version 1

	Article Code	M-0325-KT-6101						Product Group	TOP			
	Article Name	INTERNATIONAL TERRY HOODIE				Product Sub-Category	HOODIE-DO NOT USE					
	Created On	09-10-2024 3:17:43 PM				Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD				Season	2025 Fall
	Last Modified	06-11-2025 3:21:53 PM									Life Cycle Stage	Production
Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK Aug Ex factory3	CM CAMO Aug Ex factory3			
	SHOCK CORD - 3MM (TR-TRIM-SC) CINCH CORD: 3MM SHOCK CORD * PLS SUBMIT FOR APPROVAL *	AT HOOD, BOTTOM HEM	2	Each	submit for qty and size approval	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK			
	BEAD (HD126) BEAD, SAME QUALITY AS S20-WT-121 - NYLON PACKABLE JACKET		3	Each		Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK			
	GROMMET WITH MATTE FINISH (HD113)	AT ALL SHOCK CORD EXITS	0	Each	ENAMEL COATED BLACK, 18L tbd - submit for size approval	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK			
	SMALL PLASTIC PIGNOSE STOPPER (HD176) SEE PHOTO	AT HOOD, BOTTOM HEM	3	Each	pls submit size for approval and style	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK			
	GROSSGRAIN TAPE- (TV131)	AT HOOD TO HOLD BUNGEECORD	2	Centimeter	BLACK COLOUR FOR BOTH COLOURWAYS- 3/8" WIDE -TBD- PLS SUBMIT FOR SIZE /QLTY APPROVAL. POLYESTER, HERRINGBONE TAPE.			None	None			
Graphics												
	TBD - SEE ARTWORK FILE (HT-102)		0	Each				None	None			

Bill of Materials Material Image Sheet

Version 1

Article Code M-0325-KT-6101 Article Name INTERNATIONAL TERRY HOODIE Created On 09-10-2024 3:17:43 PM Last Modified 06-11-2025 3:21:53 PM	Material Description FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL1311) CM30/1 + 20/1+ 10CD	Product Group TOP Product Sub-Category HOODIE-DO NOT USE Season 2025 Fall Life Cycle Stage Production			
					
					
					
 FB-K1311 FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM	 TR-LT247 OVO 2023 One Side Main Label	 TR-LT246 OVO 2023 Alpha Sizing Tab	 LT138 TEAR-AWAY COO TAB: OVOF21_217_T	 TR-TV140 5mm GROSGRAIN RIBBON LOOP	 TR-HG142 OVO 2023 Booklet Hangtag
 LT110 CC LABEL - APPAREL	 PK101 POLY BAG - GENERIC	 TR-ST114 UPC STICKER- 1" X 2.5"	 TR-TRIM-SC SHOCK CORD - 3MM	 HD126 BEAD	 HD113 GROMMET WITH MATTE FINISH
 HD176 SMALL PLASTIC PIGNOSE STOPPER					

RIB AOP EXAMPLE

Version 1

Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	

 EXAMPLE OF PRINTED
FRENCH TERRY, RIB AND
WASH


UPDATED UPC LAYOUT -SEPT 2024						Version 1
	Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP
	Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE
	Created On	09-10-2024 3:17:43 PM			Season	2025 Fall
	Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production



OCTOBER'S VERY OWN

UPC INFORMATION

STYLE # : M-0421-KT-1117
SIZE : MD (03)
COLOUR : BLACK (BK)
PRODUCT CODE : KNIT TOP
DIVISION : MENS
SKU : M-0421-KT-1117-BK-03

COLOUR AND SIZE CODE ARE INCLUDED IN THE UPC CODE AND BARCODE.

DIVISION PRODUCT CODE COLOUR CODE
M-0421-KT-1117-BK-03
QUARTER/YEAR STYLE SIZE

**STICKER PLACEMENT
(2 PER GARMENT)**

UPC STICKER#1
PLACE ON BOTTOM RIGHT
CORNER OF POLY BAG.



DIMENSIONS


UPC STICKER #2
PLACE INSIDE HANGTAG BOOKLET



DO NOT USE - Construction details

Version 1

Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100% COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	




Comments

- 1 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged separately. 2NDL C/S, straddle seam. CF of hood overlapping at the neck 3/4", left over right. SN T/S at front edge to make channel for drawcord. Grommet exits for drawcord.
Drawcord ends double fold and tacked with bartack.
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- 2 DORITO
- Rib dorito, cut and sew panel. Mock safety serged, 1/4" 2NDL C/S, straddle seams.
- 3 NECK SEAM
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with jersey taping. SN TS at taping edges. 1/4" in, visible at back neck.
2NDL C/S on front and back neck, straddle seams.
- 4 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 ARMHOLE SEAM
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 6 SLEEVE/ SIDE SEAM
Join in one operation. #512 mock safety stitch.
- 7 ONSEAM POCKET
- front pocket on panel seam, opening clean finished with pocket bag. 1/4" S/N T/S. artack apply to opening top and bottom edge. Pocket bag: palm side self, knuckle side jersey.
- 8 SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM
FRONT AND BACK PANEL SEAM: Join with #512 mock safety stitch. 1/4" SN TS on back body.
- 9 SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 10 BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

Construction details - Hoodie Rib panel - UNAVAILABLE

Version 1

Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	




Comments

- 1 **HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged separately. 2NDL C/S, straddle seam. CF of hood overlapping at the neck 3/4", left over right. SN T/S at front edge to make channel for drawcord. Bungee cord encased in band, grommet DC exits at exterior side seam on both sides. Stopper at center of bungee, bead at end to hold cord. Herringbone tape loop at neck seam to hold down cord with bead.
- 2 **NECK SEAM**
Hood join to body with #512 mock safety stitch. Inside back neck cleanfinished with jersey taping. SN TS at taping edges. 1/4" in, visible at back neck. 2NDL C/S on front and back neck, straddle seams. Herringbone tape loop at neck seam to hold down cord with bead.
- 3 **SHOULDER SEAM**
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 4 **ARMHOLE SEAM**
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 **SLEEVE/ SIDE SEAM**
Join in one operation. #512 mock safety stitch.
- 6 **KANGA POCKET**
Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing. Side, bottom and top edges serged and turned in. SN topstitched to body. Bartacks at top and bottom of pkt openings. 03.10.2025: Reinforce pocket opening corners with Jersey fabric.
- 7 **SLEEVE OPENING**
Self turn up to form hem, #512 mock safety stitch with SN TOPSTITCH. elastic encased in band,
- 8 **BOTTOM OPENING**
Self turn up to form hem, 2N coverstitch, 1/4" width. Bungee

Construction details - Hoodie Rib panel - UNAVAILABLE

Version 1

Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	



Measurement - Hoodie - Rib side panel								All measurements are in Inch						Version 1			
	Article Code	M-0325-KT-6101		Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD				Product Group		TOP						
	Article Name	INTERNATIONAL TERRY HOODIE							Product Sub-Category		HOODIE-DO NOT USE						
	Created On	09-10-2024 3:17:43 PM							Season		2025 Fall						
	Last Modified	06-11-2025 3:21:53 PM							Life Cycle Stage		Production						

POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
A201	Front body length from HPS : Top	1/2	1/2	Mixed	26 1/2	27	27 1/2	28	28 1/2	29 1/2	30 1/2	31 1/2
H101	Neck width :: SEAM TO SEAM	1/4	1/4	Mixed	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2
H201	Front neck drop from HPS : Crew	1/8	1/8	Mixed	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16
H301	Back neck drop from HPS Crew	1/8	1/8	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
D102	Shoulder slope :: from HPS	1/8	1/8	Mixed	2 3/8	2 7/16	2 1/2	2 1/2	2 1/2	2 9/16	2 5/8	2 11/16
D103	Shoulder displacement to front	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
D101	Shoulder width :measured on CB body	3/8	3/8	Mixed	20 1/4	21	21 3/4	22 1/2	23 1/4	24 1/4	25 1/4	26 1/4
B301	Across: Chest : at mid. armhole	1/4	1/4	Mixed	18 1/4	19	19 3/4	20 1/2	21 1/4	22 1/4	23 1/4	24 1/4
B201	Across Back : at mid. armhole	1/4	1/4	Mixed	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4
B101	Chest width :1" below armhole	1/2	1/2	Mixed	21 1/2	22 1/2	23 1/2	24 1/2	25 1/2	27	28 1/2	30
C101	Bottom width at hem:inside fold edges of hem	1/2	1/2	Mixed	20 1/2	21 1/2	22 1/2	23 1/2	24 1/2	26	27 1/2	29
E101	Armhole Straight :: measured straight	1/4	1/4	Mixed	10 3/8	10 3/4	11 1/8	11 1/2	11 7/8	12 3/8	12 7/8	13 3/8
G101	Bicep width:1" below armhole	1/4	1/4	Mixed	9 3/4	10	10 1/4	10 1/2	10 3/4	11 1/16	11 3/8	11 11/16
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	Mixed	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16
G103	L/Sleeve :: 1" above cuff seam	1/4	1/4	Mixed	5 15/16	6 1/8	6 5/16	6 1/2	6 11/16	6 15/16	7 3/16	7 7/16
F701	Sleeve hem Height	1/8	1/8	0	1	1	1	1	1	1	1	1
A703	Body hem Height	1/8	1/8	0	1	1	1	1	1	1	1	1
H708	Hood casing width :: at CF	1/8	1/8	0	1	1	1	1	1	1	1	1
H703	Hood width :: at 5" Below Top Edge	1/4	1/4	1/4	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2
H701	Hood height at CF	1/4	1/4	Mixed	14	14 1/2	14 1/2	15	15	15 1/2	15 1/2	15 1/2
H702	Hood height at HPS	1/4	1/4	Mixed	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2
N101	Kanga pocket height at center	1/4	1/4	Mixed	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/2
N102	Kanga pocket width at top edge	1/4	1/4	Mixed	9 1/4	9 1/2	9 1/2	9 3/4	9 3/4	10 1/4	10 1/4	10 1/2
N103	Kanga pocket width at widest point	1/4	1/4	Mixed	13 1/4	13 1/2	13 1/2	13 3/4	13 3/4	14 1/4	14 1/4	14 1/2
N104	Kanga pocket width at BOTTOM	1/4	1/4	Mixed	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 3/4
N206	Kanga position UP from BTM Hem edge	1/8	1/8	Mixed	2	2	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4
H710	Hood drawcord exit pos. fr neck	1/8	1/8	0	1	1	1	1	1	1	1	1
H606	Neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
H404	Minimum Neck Stretch	0	1/2	0	24	24	24	24	24	24	24	24
Q401	BUNGEE LOOP HOLDER LENGTH AT FRONT NECK SEAM	1/8	1/8	0	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8

Measurement - Hoodie - Rib side panel					All measurements are in Inch		Version 1
Article Code Article Name Created On Last Modified	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group Product Sub-Category	TOP		
	INTERNATIONAL TERRY HOODIE				HOODIE-DO NOT USE		
	09-10-2024 3:17:43 PM			Season	2025 Fall		
	06-11-2025 3:21:53 PM			Life Cycle Stage	Production		

NOTES

REFERENCE: Q1 2025 Collegiate hoodie M-0125-KT-5256

- add rib Dorito (ref. M-0225-KT-5728)
- on seam pockets

UN-AVAILABLE CO. LTD: PP Approval-1 - PP [Sample 1 (M)]								Version 1		
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP				
	Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE				
	Created On	09-10-2024 3:17:43 PM			Season	2025 Fall				
	Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production				
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised
	A201	Front body length from HPS : Top			1/2	1/2	28	28 1/4	1/4	
	H101	Neck width :: SEAM TO SEAM			1/4	1/4	9 1/2	9 1/4	-1/4	
	H201	Front neck drop from HPS : Crew			1/8	1/8	3 1/2	3 3/8	-1/8	
	H301	Back neck drop from HPS Crew			1/8	1/8	1	1	0	
	D102	Shoulder slope :: from HPS			1/8	1/8	2 1/2	2 1/2	0	
	D103	Shoulder displacement to front			1/8	1/8	3/4	3/4	0	
	D101	Shoulder width :measured on CB body			3/8	3/8	22 1/2	22 3/4	1/4	
	B301	Across: Chest : at mid. armhole			1/4	1/4	20 1/2	20 3/4	1/4	
	B201	Across Back : at mid. armhole			1/4	1/4	21	20 3/4	-1/4	
	B101	Chest width :1" below armhole			1/2	1/2	24 1/2	25	1/2	
	C101	Bottom width at hem:inside fold edges of hem			1/2	1/2	23 1/2	23 3/8	-1/8	
	E101	Armhole Straight :: measured straight			1/4	1/4	11 1/2	11 1/2	0	
	G101	Bicep width:1" below armhole			1/4	1/4	10 1/2	10 1/2	0	
	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	35 1/2	35 3/4	1/4	
	G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	4	3 3/4	-1/4	
	G103	L/Sleeve :: 1" above cuff seam			1/4	1/4	6	6 1/2	1/2	6 1/2
	F701	Sleeve hem Height			1/8	1/8	1	1	0	
	A703	Body hem Height			1/8	1/8	1	1	0	
	H708	Hood casing width :: at CF			1/8	1/8	1	1	0	
	H703	Hood width :: at 5" Below Top Edge			1/4	1/4	11 1/2	11 1/2	0	
	H701	Hood height at CF			1/4	1/4	15	15	0	
	H702	Hood height at HPS			1/4	1/4	14	13 3/4	-1/4	
	N101	Kanga pocket height at center			1/4	1/4	8 3/4	8 7/8	1/8	
	N102	Kanga pocket width at top edge			1/4	1/4	9 3/4	9 7/8	1/8	
	N103	Kanga pocket width at widest point			1/4	1/4	13 3/4	13 7/8	1/8	

UN-AVAILABLE CO. LTD: PP Approval-1 - PP [Sample 1 (M)]								Version 1			
Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group		TOP					
	INTERNATIONAL TERRY HOODIE			Product Sub-Category		HOODIE-DO NOT USE					
	Created On 09-10-2024 3:17:43 PM			Season		2025 Fall					
	Last Modified 06-11-2025 3:21:53 PM			Life Cycle Stage		Production					
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised	
	N104	Kanga pocket width at BOTTOM			1/4	1/4	11	11 1/8	1/8		
	N206	Kanga position UP from BTM Hem edge			1/8	1/8	2 1/4	2 1/2	1/4		
	H710	Hood drawcord exit pos. fr neck			1/8	1/8	1	7/8	-1/8		
	H606	Neck binding width			1/8	1/8	3/8	3/8	0		
	H404	Minimum Neck Stretch			1/2	0	24	24	0		
	Q401	BUNGEE LOOP HOLDER LENGTH AT FRONT NECK SEAM			1/8	1/8	5/8	5/8	0		

COMMENT

6.11.25

GÓP Ý THÔNG SỐ:

1. QUAY LẠI ĐÚNG THÔNG SỐ CỦA TAY BÊN TRONG MÉP GẬP
2. GIỮ THÔNG SỐ CỦA TAY TRÊN ĐƯỜNG MAY BO 1" NHƯ MẪU PP SAMPLE SIZE M= 6 1/2"
3. QUAY LẠI ĐÚNG THÔNG SỐ VỊ TRÍ TÚI CÁCH ĐƯỜNG MAY LAI ÁO
4. ĐẢM BẢO TẤT CẢ THÔNG SỐ CHÍNH XÁC VÀ NẰM TRONG DUNG SAI

FITTING COMMENTS:

1. Bring back to spec on sleeve opening measurement
2. Keep sleeve 1" above cuff seam measurement as per sample
3. Bring back to spec on Kanga position UP from BTM Hem edge
4. Ensure all measurements are brought back to spec.

5. PLEASE SHORTEN BUNGEE CORD EXPOSED. PLEASE REDUCE AT LEAST 2" ON EACH SIDE IT IS TOO LONG, THIS WAS NOT CORRECTED FROM LAST SAMPLE

5. VUI LÒNG RÚT NGẮN LẠI PHẦN DÂY BUNGEE LỘ RA, CẦN GIẢM LẠI ÍT NHẤT 2" MỖI BÊN VÌ HIỆN TẠI DÂY QUÁ DÀI, LỐI NÀY VẪN CHƯA ĐƯỢC ĐIỀU CHỈNH KHI MAY MẪU PP SAMPLE

WORKMANSHIP COMMENTS: GÓP Ý QUY CÁCH MAY

1. Please ensure there is no excessive puckering on seams.
2. Ensure the hem edges are level at the CF.

1. ĐẢM BẢO KHÔNG CÓ ĐƯỜNG GÃY GẬP Ở CÁC ĐƯỜNG MAY
2. ĐẢM BẢO CẠNH ÁO ĐƯỢC CĂN BẰNG NHAU Ở GIỮA TRƯỚC

PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS

Sample Size:

M

Status:

Approved

Approved By:

KoryLui (October's Very Own Merchandising)

Approved On:

06-11-2025 3:39:37 PM

UN-AVAILABLE CO. LTD: PP Approval-1 - PP - SAMPLE - FRONT, SIDE AND BACK


Version 1

Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	




Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-KL311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	INTERNATIONAL TERRY HOODIE			Product Sub-Category	HOODIE-DO NOT USE	
Created On	09-10-2024 3:17:43 PM			Season	2025 Fall	
Last Modified	06-11-2025 3:21:53 PM			Life Cycle Stage	Production	





REDUCE 2" FROM EXPOSED BUNGEE CORD. PLEASE ENSURE THERE BEAD SITS BELOW THE BUNGEE CORD HOLDER



COMMENT FOR PP SAMPLE

IMPROVE FOR BULK PRODUCTION