






















Article Summary						Version 1		
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP		
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE		
	Created On	09/10/24 3:17:43 PM			Season	2025 Fall		
	Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	DeveIopment		
Gender Classification		Mens	Sub Class D		PULLOVER	Fabrication		KNIT TOP
Supplier		UN-AVAILABLE CO. LTD	Release Date		17 Oct 2025	Ex-Factory		20 Jun 2025
<div><div>DATE: 10/10/24</div></div>								<div>COLORS</div> <div><div>BLACK (BK) BLACK</div><div>CAMO (CM) CAMO</div></div>
SIZES								
000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008								


Article Description							Version 1
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
	Created On	09/10/24 3:17:43 PM	Material Description		Season	2025 Fall	
	Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	Development	

Material Description	Material Code	Material Unit	Material Quantity	Material Price	Material Total
Concrete	101	m³	100	100	10000
Reinforcement	102	kg	2000	5	10000
Formwork	103	m²	500	20	10000
Labour	104	hr	1000	10	10000
Equipment	105	hr	100	100	10000
Transportation	106	km	1000	10	10000
Insurance	107	%	10000	10	10000
Profit	108	%	10000	10	10000
Total					60000

Bill of Materials											Version 1
	Article Code	M-0325-KT-6101					Product Group	TOP			
	Article Name	CAMO HOODIE					Product Sub-Category	HOODIE			
	Created On	09/10/24 3:17:43 PM	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD			Season	2025 Fall			
	Last Modified	01/21/25 4:33:31 PM					Life Cycle Stage	Development			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK June Ex-factory3	CM CAMO June Ex-factory3
Fabric											
	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM (FB-K1311) CM30/1 + 20/1+ 10CD P19-4321: FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM		BODY/ HOOD/ SLV		0	Meter	AOP		P19-4321	None	None
	JERSEY - 100C - 180 GSM (FB-K122) 100% COTTON, 180 GSM		POCKET BAG, KNUCKLE SIDE		0	Meter	DTM GROUND			BLACK BK BLACK	DYED TO MATCH BODY DTMB
Trims											
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172				1	Each		Reca Mainetti Asia Ltd.	LBOVO172	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175				1	Each		Reca Mainetti Asia Ltd.	LBOVO175	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T	None	None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				1	Each		Vendor Sourced		None	None
	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A				1	Each		Reca Mainetti Asia Ltd.	HTOVO141A	None	None
	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Vendor Sourced		None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced		None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each				None	None
	SHOCK CORD - 3MM (TR-TRIM-SC) CINCH CORD: 3MM SHOCK CORD * PLS SUBMIT FOR APPROVAL *		AT HOOD, BOTTOM HEM		2	Each	submit for qty and size approval	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK

Bill of Materials										Version 1	
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD			Product Group	TOP			
	Article Name	CAMO HOODIE					Product Sub-Category	HOODIE			
	Created On	09/10/24 3:17:43 PM	Material Description				Season	2025 Fall			
	Last Modified	01/21/25 4:33:31 PM					Life Cycle Stage	Development			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	BK BLACK June Ex-factory3	CM CAMO June Ex-factory3
	BEAD (HD126) BEAD, SAME QUALITY AS S20-WT-121 - NYLON PACKABLE JACKET				3	Each		Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK
	GROMMET WITH MATTE FINISH (HD113)		AT ALL SHOCK CORD EXITS		0	Each	ENAMEL COATED BLACK, 18L tbd - submit for size approval	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK
	SMALL PLASTIC PIGNOSE STOPPER (HD176) SEE PHOTO		AT HOOD, BOTTOM HEM		3	Each	pls submit size for approval and style	Vendor Sourced		BLACK BK BLACK	BLACK BK BLACK
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)				0	Each				None	None

Bill of Materials Material Image Sheet						Version 1
	Article Code	M-0325-KT-6101		Product Group	TOP	
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE
	Created On	09/10/24 3:17:43 PM			Season	2025 Fall
	Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	DeveIopment
			Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD		
						
FB-K1311 FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM	TR-LT247 OVO 2023 One Side Main Label		TR-LT246 OVO 2023 Alpha Sizing Tab	LT138 TEAR-AWAY COO TAB: OVOF21_217_T	TR-TV140 5mm GROSGRAIN RIBBON LOOP	TR-HG142 OVO 2023 Booklet Hangtag
						
LT110 CC LABEL - APPAREL	PK101 POLY BAG - GENERIC		TR-ST114 UPC STICKER- 1" X 2.5"	TR-TRIM-SC SHOCK CORD - 3MM	HD126 BEAD	HD113 GROMMET WITH MATTE FINISH
						
HD176 SMALL PLASTIC PIGNOSE STOPPER						


RIB AOP EXAMPLE						Version 1
Article Code	M-0325-KT-6101		FRENCH TERRY 100% COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 3:17:43 PM	Material		Season	2025 Fall	
Last Modified	01/21/25 4:33:31 PM	Description		Life Cycle Stage	Development	

EXAMPLE OF PRINTED
FRENCH TERRY, RIB AND
WASH



UPDATED UPC LAYOUT -SEPT 2024

Version 1

Article Code	M-0325-KT-6101			Product Group	TOP	
Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 3:17:43 PM	Material	FRENCH TERRY 100% COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)	Season	2025 Fall	
Last Modified	01/21/25 4:33:31 PM	Description	CM30/1 + 20/1+ 10CD	Life Cycle Stage	Development	



OCTOBER'S VERY OWN

UPC INFORMATION

STYLE # : M-0421-KT-1117
 SIZE : MD (03)
 COLOUR : BLACK (BK)
 PRODUCT CODE : KNIT TOP
 DIVISION : MENS
 SKU : M-0421-KT-1117-BK-03

COLOUR AND SIZE CODE ARE INCLUDED IN THE UPC CODE AND BARCODE.

DIVISON PRODUCT CODE COLOUR CODE
 M-0421-KT-1117-BK-03
 QUATER/YEAR STYLE SIZE

STICKER PLACEMENT (2 PER GARMENT)


DIMENSIONS


UPC STICKER #1
 PLACE ON BOTTOM RIGHT
 CORNER OF POLY BAG.

UPC STICKER #2
 PLACE INSIDE HANGTAG BOOKLET



ROUNDED CORNERS

Construction details - Hoodie Rib panel - UNAVAILABLE					Version 1	
Article Code	M-0325-KT-6101	Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
Created On	09/10/24 3:17:43 PM			Season	2025 Fall	
Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	DeveTolpment	





Comments

- HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged seperately. 2NDL C/S, straddle seam. CF of hood overlapping at the neck 3/4", left over right. SN T/S at front edge to make channel for drawcord. Bungee cord encased in band, grommet DC exits at exterior side seam on both sides. Stopper at center of bungee, bead at end to hold cord. Herringbone tape loop at neck seam to hold down cord with bead.


Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- NECK SEAM**
Hood join to body with #512 mock safety stitch. Inside back neck cleanfinished with jersey taping. SN TS at taping edges. 1/4" in, visible at back neck. 2NDL C/S on front and back neck, straddle seams. Herringbone tape loop at neck seam to hold down cord with bead.
- SHOULDER SEAM**
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- ARMHOLE SEAM**
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- SLEEVE/ SIDE SEAM**
Join in one operation. #512 mock safety stitch.
- KANGA POCKET**
Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing. Side, bottom and top edges serged and turned in. SN topstitched to body. Bartacks at top and bottom of pkt openings.
- SLEEVE OPENING**
Self turn up to form hem, #512 mock safety stitch with SN TOPSTITCH. elastic encased in band,
- BOTTOM OPENING**
Self turn up to form hem, 2N coverstitch, 1/4" width. Bungee cord encased in band, grommet DC exits at exterior side seam on both sides.


1. Nón may 1 mảnh bằng vải chính. Gập nón giữa trước. Sóng nón giữa sau. Đảm bảo vải chính + vải lót may rời. Điều rẽ 2K 1/4". Chân nón xếp từ trái qua phải 3/4". Điều 1K tạo đường luồn dây.
Vải chính + lót đóng bọ ở đỉnh sóng nón, cách đỉnh nón 3/8"
Dây thun tròn luồn phía trong, mắt cáo gắn 2 bên nón vị trí như hình.
Con chặn giữa dây bungee, hạt chặn ở cuối dây.
Dây tape tại đường tra cổ để giữ dây và hạt chặn cố định nằm xuôi về phía dưới.
2. Viền cổ sau vải single, điều rẽ 1K 1/4". Điều rẽ 2K trước/sau cổ

Construction details - Hoodie Rib panel - UNAVAILABLE							Version 1
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
	Created On	09/10/24 3:17:43 PM			Season	2025 Fall	
	Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	DeveTopment	



- 3. Vai may chòm về thân trước, điều rẽ 2K 1/4".
- 4. Nách điều 2K 1/4"
- 5. Tay/ cạnh sườn vắt xoắn 5k4c
- 6. Túi Kanga
- Túi vải chính. Miệng túi gấp vào cạnh viền, điều 2K 1/4"
- Đóng bọ trên/ dưới miệng túi
- 7. Bọ tay gấp, điều 1K, bên trong luồn thun
- 8. Bọ lai gấp, điều 2K 1/4". Luồn dây thun, mắt cáo luồn dây đính 2 bên.

Measurement - Hoodie - Rib side panel										All Measurements are in Inches					Version 1			
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD						Product Group		TOP						
	Article Name	CAMO HOODIE								Product Sub-Category		HOODIE						
	Created On	09/10/24 3:17:43 PM								Material Description	Season		2025 Fall					
	Last Modified	01/21/25 4:33:31 PM									Life Cycle Stage		DeveTopment					
POM	Description		+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL					
↓ A201	Front body length from HPS : Top		1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31					
↓ H101	Neck width :: SEAM TO SEAM		1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2					
↓ H201	Front neck drop from HPS : Crew		1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16					
H301	Back neck drop from HPS Crew		1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16					
↓ D102	Shoulder slope :: from HPS		1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16					
D103	Shoulder displacement to front		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4					
↓ D101	Shoulder width :measured on CB body		3/8	3/8	NA	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4					
↓ B301	Across: Chest : at mid. armhole		1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2					
↓ B201	Across Back : at mid. armhole		1/4	1/4	NA	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4					
↓ B101	Chest width :1" below armhole		1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2					
↓ C101	Bottom width at hem:inside fold edges of hem		1/2	1/2	NA	19	20	21	22	23	24 1/2	26	27 1/2					
↓ E101	Armhole Straight :: measured straight		1/4	1/4	NA	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8					
↓ G101	Bicep width:1" below armhole		1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16					
↓ F101	L:Sleeve overarm fr. CB neck :: 3 x point measure		1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4					
↓ G104	L/Sleeve opening: inside fold edges of cuff/hem		1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16					
↓ G103	L/Sleeve :: 1" above cuff seam		1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16					
F701	Sleeve hem Height		1/8	1/8	NA	1	1	1	1	1	1	1	1					
A703	Body hem Height		1/8	1/8	NA	1	1	1	1	1	1	1	1					
H708	Hood casing width :: at CF		1/8	1/8	NA	1	1	1	1	1	1	1	1					
↓ H703	Hood width :: at 5" Below Top Edge		1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12					
↓ H701	Hood height at CF		1/4	1/4	NA	14 1/2	15	15	15 1/2	15 1/2	16	16	16					
H702	Hood height at HPS		1/4	1/4	NA	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2					
↓ N101	Kanga pocket height at center		1/4	1/4	NA	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/4					
↓ N102	Kanga pocket width at top edge		0	0	0	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2					
↓ N103	Kanga pocket width at widest point		1/4	1/4	NA	13	13 1/4	13 1/4	13 1/2	13 1/2	14	14	14					
↓ N104	Kanga pocket width at BOTTOM		1/4	1/4	NA	10	10 1/4	10 1/4	10 1/2	10 1/2	11	11	11					
N206	Kanga position UP from BTM Hem edge		1/8	1/8	1/8	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2					
↓ H709	drawcord length : Hood		1/2	1/2	NA	40	41	41	42	42	43	43	43					
H710	Hood drawcord exit pos. fr neck		1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4					
H606	Neck binding width		1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8					
↓ H404	Minimum Neck Stretch		1/2	0	NA	24	24	24	24	24	24	24	24					
Q401	TOTAL LENGTH OF NECK SEAM LOOP HOLDER FOR BUNGEE		1/8	1/8	0	5/8	5/8	5/8	5/8	5/8	5/8	5/8	5/8					
Comments																		
REFERENCE: Q1 2025 Collegiate hoodie M-0125-KT-5256 - add rib Dorito (ref. M-0225-KT-5728) - on seam pockets																		

UN-AVAILABLE CO. LTD: Fit Approval-1 PROTO [Sample 1 (M)]								Version 1		
	Article Code	M-0325-KT-6101		Material Description	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP			
	Article Name	CAMO HOODIE				Product Sub-Category	HOODIE			
	Created On	09/10/24 3:17:43 PM				Season	2025 Fall			
	Last Modified	01/21/25 4:33:31 PM				Life Cycle Stage	DeveIopment			
POM	Description				+ Tol	- Tol	M	Sample	Diff	Revised
A201	Front body length from HPS : Top				1/2	1/2	27 1/2	26 1/4	-1 1/4	
H101	Neck width :: SEAM TO SEAM				1/4	1/4	9 1/2	9 1/2	0	
H201	Front neck drop from HPS : Crew				1/8	1/8	3 1/2	3 1/2	0	
H301	Back neck drop from HPS Crew				1/8	1/8	1	3/4	-1/4	
D102	Shoulder slope :: from HPS				1/8	1/8	2	2	0	
D103	Shoulder displacement to front				1/8	1/8	3/4	3/4	0	
D101	Shoulder width :measured on CB body				3/8	3/8	21	20 3/4	-1/4	
B301	Across: Chest : at mid. armhole				1/4	1/4	18 3/4	19	1/4	
B201	Across Back : at mid. armhole				1/4	1/4	19	19	0	
B101	Chest width :1" below armhole				1/2	1/2	23	23 1/4	1/4	
C102	Bottom width : 1" above band seam				1/2	1/2	21	22	1	
C101	Bottom width at hem:inside fold edges of hem*				1/2	1/2	18 1/2	18 1/2	0	22
E101	Armhole Straight :: measured straight				1/4	1/4	11	11	0	
G101	Bicep width:1" below armhole				1/4	1/4	10	9 7/8	-1/8	
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure				1/2	1/2	35 1/2	35	-1/2	
G104	L/Sleeve opening: inside fold edges of cuff/hem				1/8	1/8	3 3/4	3 1/2	-1/4	
G103	L/Sleeve :: 1" above cuff seam				1/8	1/8	6	5 7/8	-1/8	
F701	Sleeve hem Height*				1/8	1/8	2 3/4	2 1/2	-1/4	1
A703	Body hem Height*				1/8	1/8	2 3/4	2 3/4	0	1
H708	Hood casing width :: at CF				1/8	1/8	1	7/8	-1/8	
H703	Hood width :: at 5" Below Top Edge				1/4	1/4	11	11 1/8	1/8	
H701	Hood height at CF				1/4	1/4	15 1/2	15 1/4	-1/4	
H702	Hood height at HPS				1/4	1/4	14	13 1/2	-1/2	
N101	Kanga pocket height at center*				1/4	1/4	6 1/2	0	-6 1/2	8 3/4
N102	Kanga pocket width at top edge*				0	0	1/4	0	-1/4	9 1/2
N103	Kanga pocket width at widest point				1/4	1/4	13 1/2	0	-13 1/2	
N104	Kanga pocket width at BOTTOM*				1/4	1/4	10 1/2	0	-10 1/2	
N206	Kanga position UP from BTM Hem edge*				1/8	1/8	2	2	0	
N212	Welt pocket bag width				1/4	1/4	8 1/4	7 3/4	-1/2	
H709	drawcord length : Hood				1/2	1/2	42	42	0	
H710	Hood drawcord exit pos. fr neck				1/8	1/8	1 1/4	1 1/4	0	
B401	Side Panel total width (front & back) below UAP				1/8	1/8	5 1/2	5 1/2	0	
C201	Side Panel total width (front & back) at hem edge				1/8	1/8	5 1/2	6	1/2	
H606	Neck binding width				1/8	1/8	3/8	3/8	0	
B501	CF Dorito insert width: seam to seam				1/8	1/8	3 1/4	3 3/4	1/2	


UN-AVAILABLE CO. LTD: Fit Approval-1 PROTO [Sample 1 (M)]										Version 1	
	Article Code	M-0325-KT-6101			Product Group	TOP					
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE					
	Created On	09/10/24 3:17:43 PM			Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)					
	Last Modified	01/21/25 4:33:31 PM			Description	CM30/1 + 20/1+ 10CD					
Life Cycle Stage		DeveIopment									
POM		Description				+ Tol	- Tol	M	Sample	Diff	Revised
B502		CF Dorito insert height				1/8	1/8	2 1/4	2	-1/4	
H404		Minimum Neck Stretch				1/2	0	24	24	0	
Q401		TOTAL LENGTH OF NECK SEAM LOOP HOLDER FOR BUNGEE*				1/8	1/8	5/8	0	-5/8	
Renamed Points of Measurement											
*C101 - Bottom width at band:inside fold edges of band/hem Revised to C101 - Bottom width at hem:inside fold edges of hem											
*F701 - Sleeve Cuff Band Height Revised to F701 - Sleeve hem Height											
*A703 - Body Band Height Revised to A703 - Body hem Height											
*N101 - Front onseam pocket opening length Revised to N101 - Kanga pocket height at center											
*N102 - Front onseam pocket opening stitch width Revised to N102 - Kanga pocket width at top edge											
*N104 - Kanga pocket width at band seam Revised to N104 - Kanga pocket width at BOTTOM											
*N206 - Welt pocket position UP from BTM Hem edge Revised to N206 - Kanga position UP from BTM Hem edge											
*Q401 - Locker loop length (edge to edge:mitered) Revised to Q401 - TOTAL LENGTH OF NECK SEAM LOOP HOLDER FOR BUNGEE											
Newly Added Points of Measurement											
N103 - Kanga pocket width at widest point											
N104 - Kanga pocket width at band seam											
Q401 - Locker loop length (edge to edge:mitered)											
COMMENT											
1.21.25											
STYLING COMMENTS:											
1. We want to remove rib band and proceed with bungee cord with elastic at bottom opening, elastic at sleeve opening, and bungee at see updated construction page.											
2. Remove rib panels and dorito											
3. Remove onseam pocket, proceed with Kanga pocket											
4. Add bungee cord holder at neck seam											
5. Added neck herringbone loop to hold bungee cord											
1. Khác yêu cầu bỏ rib, đồ trước và sử dụng dây luồn bungee, luồn thun ở bo lai, bo tay											
2. Bỏ rib + đồ trước											
3. Bỏ túi ở sườn trước, may túi Kanga											
4. Thêm phần giữ dây bungee ở cổ											
5. Thêm dây tape giữ dây luồn bungee ở cổ											
FITTING COMMENTS:											
1. Bring back to spec on front body length measurement											
2. Bring back to spec on back neck drop measurement											
3. Revised name and measurement due to bungee change											
4. Bring back to spec on sleeve opening measurement											
5. Revised sleeve and bottom opening hem height measurements											
6. Bring back to spec on hood height measurement											
7. Removed onseam pocket measurements											
8. Removed side panel measurements due to styling change											
9. Added Kanga pocket, revised spec and names, see measurements below											
1. Đảm bảo thông số dài thân trước											
2. Đảm bảo thông số hạ cổ sau											
3. Thay đổi tên và thông số dây luồn											
4. Đảm bảo thông số bo tay											
5. Thay đổi thông số to bản bo lai và bo tay											
6. Đảm bảo thông số cao nón											
7. Bỏ thông số túi sườn											
8. Bỏ thông số miếng phối sườn											
9. Thêm thông tin túi Kanga như tài liệu											

UN-AVAILABLE CO. LTD: Fit Approval-1 PROTO - SAMPLE - FRONT, SIDE AND BACK

Version 1

Article Code	M-0325-KT-6101			Product Group	TOP
Article Name	CAMO HOODIE			Product Sub-Category	HOODIE
Created On	09/10/24 3:17:43 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)	Season	2025 Fall
Last Modified	01/21/25 4:33:31 PM	Description	CM30/1 + 20/1+ 10CD	Life Cycle Stage	DeveIopment



UN-AVAILABLE CO. LTD: Fit Approval-1 PROTO - sleeve cap height							Version 1
	Article Code	M-0325-KT-6101		FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311) CM30/1 + 20/1+ 10CD	Product Group	TOP	
	Article Name	CAMO HOODIE			Product Sub-Category	HOODIE	
	Created On	09/10/24 3:17:43 PM	Material Description		Season	2025 Fall	
	Last Modified	01/21/25 4:33:31 PM			Life Cycle Stage	Development	



Xem hình tham khảo bên dưới để điều chỉnh rập
Tăng độ cao ở phần cầu vai như hình dưới 1/4"

** PLEASE USE PHOTO FOR REFERENCE ONLY,
PLEASE ADJUST PATTERN ACCORDINGLY

INCREASE SLEEVE
CAP HEIGHT BY 1/4"

