


000, 001, 002, 003, 004, 005, 006, 007, XXS, XS, SM, MD, LG, XL, 2X, 3X, 4XL, 008



#### Material Description

FRENCH TERRY 100%COTTON	WITH DRY	HANDFEEL	AND	WASH	(FB-K131	1)
CM30/1 + 20/1 + 10CD						

P19-4321: FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASHING (CM30/1+20/1+10CD) 400GSM

				Bill of Materia	ıle						Version 1
	Article Code	M-0325-KB-6102		bill of Materia	113		Product Group		BOTTOM		Version 1
	Article Name	CAMO SWEATPANT					Product Sub-Ca		PANT - SWEATPA	TNZ	
	Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH	DRY HANDI	FEEL AND		• •	2025 Fall	441	
	Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD			Life Cycle Stag	е	Sample Evaluat	tion	4 4 7 -
Part		Material		Placement	Qty.	UOM.	Comments	Supplie	r Supplier Ref.	BK BLACK July Exfactory-4	CM CAMO July Exfactory-4
Fabric	•		1		1	II.		II.	•		, ,
	AND WASHING (FB-K1311) CM30/1 + 20/1+ P19-4321: FREN	Y 100%COTTON WITH DRY HANDFEEL (CM30/1+20/1+10CD) 400GSM 10CD ICH TERRY 100%COTTON WITH DRY D WASHING (CM30/1+20/1+10CD)	REVERSE S	FABRIC REINFORCEMENT ON IDE OF FABRIC ABOVE CARGO AP- WIDTH TO BE 1-1/2"	0	Meter	GROUND COLOUR OF CAMO IS Winter pear 15- 0523TCX. Refer to Black OVO standard		P19-4321	BLACK BK BLACK	CAMO OM CAMO
	JERSEY - 100C (FB-K122) 100% COTTON,		POCKET BA	G, KNUCKLE SIDE	0	Meter	DTM GROUND			BLACK BK BLACK	DYED TO MATCH BODY DTMB
Trims		-	<u> </u>		ı	1		ı	<u> </u>	'	1
	OVO 2023 Main (TR-LT252)	Loop Label			1	Each		Reca Mainetti Asia Ltd	LBOVO14	None	None
	OVO 2023 Alpha (TR-LT246) ARTICLE: OVO	a Sizing Tab W23_181_T/ LBOVO175			1	Each		Reca Mainetti Asia Ltd	LBOVO17 5	None	None
		OO TAB: OVOF21_217_T			0	Each		Reca Mainetti Asia Ltd	OVOF21_ 217_T	None	None
		NIN RIBBON LOOP			1	Each		Vendor Sourced		None	None
	OVO 2023 Book (TR-HG142) Article code: HT	klet Hangtag			1	Each		Reca Mainetti Asia Ltd		None	None
	CC LABEL - APF (LT110) White Satin grou COO, Content,		э.		1	Each		Vendor Sourced	i	None	None
	POLY BAG - GEI (PK101) Clear Plastic, w				1	Each		Vendor Sourced	i	None	None
	UPC STICKER- (TR-ST114)				2	Each		Vendor Sourced	i	None	None
	ELASTIC PRESH (EC116)	RUNK MEASUREMENT CHARTS FOR WIDTH		Dawarad hu WEY		Each		Vendor Sourced		None	None Page 3 of 22

				Bill of Ma	aterials						Version 1
	Article Code	м-0325-кв-6102					Product Group		воттом		450
	Article Name	CAMO SWEATPANT					Product Sub-C	ategory	PANT - SWEATP	ANT	
	Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON	WITH DRY HAND	EEL AN	D WASH Season		2025 Fall		1 1 2 3 3
	Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD			Life Cycle Stag	e	Sample Evalua	tion	
Part		Material		Placement	Oty.	UOM.	Comments	Suppl	Supplier Ref.	BK BLACK July Exfactory-4	CM CAMO July Exfactory-4
		3MM MM SHOCK CORD OR APPROVAL *			1	Each	SUBMIT FOR QLTY AND COLOUR APPROVAL	Vendo Source		BLACK BK BLACK	BLACK BK BLACK
	BEAD (HD126) BEAD, SAME Q PACKABLE JAC	UALITY AS S20-WT-121 - NYLON KET			1	Each		Vendo Source		BLACK BK BLACK	BLACK BK BLACK
	GROMMET WITH (HD113)	HMATTE FINISH			2	Each	ENAMEL COATED, 18 L - SEND FOR QLTY, SIZE, COLOUR APPROVAL	Vendo Source		BLACK BK BLACK	BLACK BK BLACK
	SMALL PLASTIC (HD176) SEE PHOTO	PIGNOSE STOPPER			1	Each	SUBMIT QLTY, DESIGN AND SIZE APPROVAL	Vendo Source		BLACK BK BLACK	BLACK BK BLACK
Graphics											
	TBD - SEE ART\ (HT-102)	WORK FILE			0	Each				None	None

			Bill of Materials	Material Image Sheet				Version
Article Code	M-0325-KB-6102			-	Product Group	воттом		1000
Article Name	CAMO SWEATPANT				Product Sub-Category	PANT - SWEAT	PANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COT (FB-K1311)	TON WITH DRY HANDFEEL AND WASH	Season	2025 Fall		1 1 1 1 1 1 1 1 1
Last Modified	01/20/25 5:09:53 PM	Description	(B-K1311) CM30/1 + 20/1 + 10CD		Life Cycle Stage	Sample Evalu	ation	
Marketings: (name to impact, part)	Storm SEAM ALLOWANCE  1.25*  OCTOBER'S VERY OWN  FOLD  1.25*  Storm SEAM ALLOWANCE	Germ Gases Allowered Agency Gard Gard Gard Gard Gard Gard Gard Gard	ADDITIONAL SIZES  XS  S  M — FOLD  M  L  G.375°  XL  ZXL  ZXL  ZXL  SXL	State and the second se	Cade GAT 50	and a	and the second of the second o	and the second s
FB-K1311	TR-LT252	_	TR-LT246	LT138	TR-TV14	<b>1</b>	TR-HG	2142
FRENCH TERRY 100%COTTON WITH HANDFEEL AND WASI (CM30/1+20/1+100 400GSM	OVO 2023 Main Loop Lab DRY HING	el OVO 202	23 Alpha Sizing Tab	TEAR-AWAY COO TAB: OVOF21_217_T	5mm GROSGRAIN LOOP		OVO 2023 Boo	
CEOSE SERVICE COMPANY CONTROL	The state of the s	STYLE	PRODUCT THE					
1.5*	DK 101		TD CT114	TD TDIM CC	115127		110.1	1.2
LT110 CC LABEL - APPAR	PK101 POLY BAG - GENERIC		TR-ST114 TICKER- 1" X 2.5"	TR-TRIM-SC SHOCK CORD - 3MM	HD126 BEAD		HD1 GROMMET W FINI	ITH MATTE
HD176 SMALL PLASTIC PIGN	NOSE							


STOPPER

			RIB AOP EXAMPLE			Version 1
Article Code	м-0325-кв-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT				PANT - SWEATPANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation	





			Construction details-Knit Pant-open hem			Version
Article Code	м-0325-кв-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT			0 ,	PANT - SWEATPANT	VALUE S
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1 2 2 3
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation	



- 1. Tham khảo cách may quần mẫu, không may dính thun vào quần
- 2. Dây luồn bungee kèm con chặn, mắt cáo kim loại cách nhau 2"

Chi tiết còn lại tham khảo quần mẫu C0008-JOG028

#### Comments

WAISTBAND

Separate rib waistband with elastic encased. Join all layers with #512 mock safety stitch. (Do not catch elastic). 1/4" S/N T/S on body seam. Two rows of SN chain topstitch forming drawcord casing at centre of WB.

Grommet drawcord exits at exterior CF of WB, 2" spacing.

2 DRAWCORD

Elastic bungee cord with stopper, exit through grommets at CF.

FRONT POCKETS

On-seam pockets. Opening edge cleanfinished with pocket bag. SN topstitch, 1/4" in at pocket opening. Bartacks at top and bottom of opening.

Top pocket bag(knuckle side) in jersey, bottom pocket bag (palm side) in self. Bag seams join with #512 mock safety stitch. Bag finished into the WB and side seams.

FRONT/ BACK RISES

Join with #512 mock safety stitch. S/N edge T/S on wearer's left side.

5 Cargo pockets: See next page for REVISED SKETCH

OUTSEAM

Join with #512 mock safety stitch. 1/4" 2NDL C/S on back body.

7 INSEAM
Join with #512 mock safety stitch

8 LEG OPENINGS Self turn up, 2N coverstitch, 1/4" spacing.

9 SELF WELT POCKET:


Self welt pocket with opening along bottom.SN edge T/S. around welt. Bartacks on welt 2 ends.

Pocket bag: mock safety serged, 512, Top bag: jersey, bottom bag: self. Pocket bags finished into waistband seam.

Article Code	M-0325-KB-6102			Proc
Article Name	CAMO SWEATPANT			Proc
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)	Seas
Last Modified	01/20/25 5:09:53 PM	Description	(B-R1311) $CM30/1 + 20/1 + 10CD$	Life







BELLOW



**Construction details - REVISED CARGO PKT** 

#### Comments

1

Cargo pockets:

Flap: 2ply self flap, clean finished with 1/4" 2NDL T/S. Set to body with 1/4" 2NDL T/S.

Bartacks applied to bottom 2 corners.

Patch pocket:

Pocket: opening; Double turn in, 3/4" S/N T/S. Set pocket to body with 1/4" 2NDL T/S.

Add bellow at pocket bottom seam, 1 1/4" wide.



POCKET REINFORCEMENT:

- Use self or grosgrain tape
- \*\* Grosgrain tape must be pre-shrunk\*\*


Self or grosgrain backing apply on interior pf the pant, flap and patch pocket top edge area. All edges to be clean finished with S/N edge T/S.

- 1. Túi hộp
- Nắp túi 2 lớp keo, may sạch 2K 1/4". Nối

vào thân 2K 1/4"

- Đóng bọ 2 góc bên dưới
- Thân túi diễu 1K 3/4", nối vào thân 1K 3/4"
- Thêm viền bên dưới túi, to bản 1 1/4"
- 2. Sử dụng vải chính để viền trong mặt túi nhằm gia cố túi, diễu sạch 1K. To bản 1 1/2"

			Construction details - CARGO PKT - OLD			Version 1
Article Code	м-0325-кв-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT			,	PANT - SWEATPANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1 2 3 3
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation	





#### Comments

1

Cargo pockets:

Flap: 2ply self flap, clean finished with 1/4" 2NDL T/S. Set to body with 1/4" 2NDL T/S.

Bartacks applied to bottom 2 corners.

Patch pocket:

Pocket: opening; Double turn in, 3/4" S/N T/S. 2 pleats apply to mid patch pocket, 1/4" S/N T/S. Set pocket to body body with 1/4" 2NDL T/S.



#### POCKET REINFORCEMENT:

- Use self or grosgrain tape
- \*\* Grosgrain tape must be pre-shrunk\*\*

Self or grosgrain backing apply on interior pf the pant, flap and patch pocket top edge area. All edges to be clean finished with S/N edge T/S.

# KHÔNG SỬ DỤNG SKETCH NÀY

			Meas	urement	Sheet - C	pen He	m					All Measu	rements	are in Inch	es	Versio	)n 1
	Article Code	M-0325-KB-6102									Product G	roup	воттом				1
	Article Name	CAMO SWEATPANT									Product S	ub-Category					A
	Created On	09/10/24 4:25:52 PM	Mate		FRENCH (FB-K131		O%COTTON	WITH DRY	HANDFEEL	AND WASH	Season		2025 Fall				A
	Last Modified	01/20/25 5:09:53 PM	Desc	ription		20/1+ 10	CD				Life Cycle	Stage	Sample E	Evaluation			
POM		Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! J101	Waist measurement	relaxed :: 1/2 body	1/2	1/2	NA	12 1/2	13 1/2	14 1/2	15 1/2	16 1/2	18	19 1/2	21				
! J104	WB height		1/8	1/8	NA	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4				
J502	Dawcord buttonhole	distance	1/8	1/8	NA	2	2	2	2	2	2	2	2				
L301	Front fly width :: edge	to T/S outline	1/8	1/8	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2				
! L302	Front fly length :: WB	seam to bottom T/S outline	1/4	1/4	NA	5 1/4	5 1/2	5 1/2	5 1/2	5 1/2	5 3/4	5 3/4	5 3/4				
! K101	Hip at 1" below WB se	eam: waist pattern mmt.	1/2	1/2	NA	16 1/2	17 1/2	18 1/2	19 1/2	20 1/2	22	23 1/2	25				
! K102	Full Hip: 4" above cro	otch point, 3 xpt. Measure	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2				
M101	Thigh :: 1" below crot	ch seam	1/4	1/4	NA	11 3/8	12	12 5/8	13 1/4	13 7/8	14 3/4	15 3/4	16 5/8				
M102	Knee position from cr	otch seam :: NO GRADE	1/4	1/4	NA	11 3/4	12	12	12	12	12 1/4	12 1/4	12 1/4				
M103	Knee Width: 12" belo	w crotch pt.	1/4	1/4	NA	9 1/8	9 1/2	9 7/8	10 1/4	10 5/8	11 1/8	11 5/8	12 1/8				
! I101	Inseam length :: long	pant	1/2	1/2	NA	30	30	30 1/2	30 1/2	30 1/2	31	31	31				
! M201	Leg opening: Long,	nside fold edges of opening	1/4	1/4	1/4	8	8 1/4	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4				
1702	Leg hem height		1/8	1/8	0	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8				
! L103	Front rise :: INCLUDII	NG WB	1/4	1/4	NA	12 5/8	13	13 3/8	13 3/4	14 1/8	14 1/2	15	15 3/8				
! L203	Back rise :: INCLUDIN	IG WB	1/4	1/4	NA	15 5/8	16	16 3/8	16 3/4	17 1/8	17 1/2	18	18 3/8				
C202	Side seam forward p	osition, fr fold	1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
! N201	ON SEAM pocket len	gth	1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2				
! N202	ON SEAM pocket wid	th	1/8	1/8	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N205	ON SEAM pocket pos	ition from Rib/Band seam	1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
N211	ON SEAM pocket bag	height :: at center	1/4	1/4	NA	11	11 1/4	11 1/4	11 1/2	11 1/2	11 3/4	12	12				
N212	ON SEAM pocket bag	y width:: at widest pt.	1/4	1/4	NA	6 1/2	6 1/2	6 1/2	6 3/4	6 3/4	7	7 1/4	7 1/4				
N601C	Back pocket welt hei	ght	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
! N701	Back pocket welt ope	ening width	1/4	1/4	NA	5	5	5 1/4	5 1/2	5 1/2	5 3/4	6	6				
N703	Back pocket from WB	seam	1/8	1/8	NA	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2				
N508	Back pocket position	from CB seam	1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3				
! N801	Cargo pocket height	at center :: including flap	1/4	1/4	NA	7 3/4	8	8	8 1/4	8 1/4	8 1/2	8 3/4	8 3/4				
N803	Cargo pocket flap he	ight at center	1/8	1/8	NA	2 1/8	2 1/4	2 1/4	2 3/8	2 3/8	2 1/2	2 5/8	2 5/8				
N806	Cargo pocket flap wi	dth at top edge	1/4	1/4	NA	6 3/4	7	7	7 1/4	7 1/4	7 1/2	7 3/4	7 3/4				
N805	Cargo pocket width a	at top edge	1/4	1/4	NA	6 1/2	6 3/4	6 3/4	7	7	7 1/4	7 1/2	7 1/2				
N612	Cargo patch pocket	opening hem height	1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4				
N807	Cargo pocket from W	B seam	1/4	1/4	NA	9 1/4	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 3/4	9 3/4				
! J501	Drawcord length : wa	ist	1	1	GA	GA	GA	GA	50	GA	GA	GA	GA				

Comments

REFERENCE: 2025 RELAXED FIT OPEN HEM PANT ( improved fit as per M-0125-KB-5637)

- M-0223-KB-3268 for cargo pkts for measurements only
- rib waistband
- faux front fly

Printed by Kim Duong on 01/20/25 5:10:42 PM Powered by WFX. All rights reserved. Page 10 of 22

,	M	leasurement S	Sheet - Open Hem	All Measu	rements are in Inches	Version 1
Article Code	M-0325-KB-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH (FB-K1311)	Season	2025 Fall	1 4 4 4
Last Modified	01/20/25 5:09:53 PM	Description	(B-K1311) CM30/1 + 20/1 + 10CD	Life Cycle Stage	Sample Evaluation	

- back welt pockets

-----

#### 01.20.2025

- Grade crotch width -1/4" for size each size XXS/XS/S.
- Grade crotch width +1/4" for size each size L/XL.
- Grade crotch width +3/8" for each size XXL/3XL.
- Grade rules at thigh, front and back rise have been revised accordingly.
- \* Ensure the front and back rise shaping of all sizes will be "U" shape.

- Điều chỉnh -1/4" rộng đáy quần cho các size XXS/XS/S
- Điều chỉnh -1/4" rộng đáy quần cho các size
- Điều chỉnh +3/8" rộng đáy quần cho các size XXL/3XL
- Nhảy size tại phần đùi, đáy trước/sau vừa được điều chỉnh
- \*Đảm bảo dáng đáy trước/ sau hình chữ "U"

	<del>-</del>	CM Me	asurem	surement Sheet - Open Hem - 01-20-25								All Measurements are in CMs			Version 1	
	Article Code M-0325-KB-6102											Product Group	BOTTOM		<b>A</b>	1
	Article Name CAMO SWEATPANT	•										Product Sub-Cate		SWEATPANT		層層
	Created On 09/10/24 4:25:	52 PM		Materi		FRENCH (FB-K131	TERRY 100 1)	%COTTON I	WITH DRY	HANDFEEL	AND WASH	Season	2025 Fa	II .	- X	國自
	<b>Last Modified</b> 01/20/25 5:09:	53 PM		Descri	ption		- 20/1+ 100	CD				Life Cycle Stage	Sample	Evaluation		
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! J101	Waist measurement relaxed :: 1/2 body	1.27	1.27	0	31.75	34.29	36.83	39.37	41.91	45.72	49.53	53.34				
<b>!</b> J104	WB height	0.3175	0.3175	0	4.445	4.445	4.445	4.445	4.445	4.445	4.445	4.445				
J502	Dawcord buttonhole distance	0.3175	0.3175	0	5.08	5.08	5.08	5.08	5.08	5.08	5.08	5.08				
L301	Front fly width :: edge to T/S outline	0.3175	0.3175	0	3.81	3.81	3.81	3.81	3.81	3.81	3.81	3.81				
! L302	Front fly length :: WB seam to bottom T/S outline	0.635	0.635	0	13.335	13.97	13.97	13.97	13.97	14.605	14.605	14.605				
! K101	Hip at 1" below WB seam: waist pattern mmt.	1.27	1.27	0	41.91	44.45	46.99	49.53	52.07	55.88	59.69	63.50				
! K102	Full Hip: 4" above crotch point, 3 xpt. Measure	1.27	1.27	0	50.80	53.34	55.88	58.42	60.96	64.77	68.58	72.39				
M101	Thigh :: 1" below crotch seam	0.635	0.635	0	28.8925	30.480	32.0675	33.655	35.2425	37.465	40.005	42.2275				
M102	Knee position from crotch seam :: NO GRADE	0.635	0.635	0	29.845	30.48	30.48	30.48	30.48	31.115	31.115	31.115				
M103	Knee Width: 12" below crotch pt.	0.635	0.635	0	23.1775	24.130	25.0825	26.035	26.9875	28.2575	29.5275	30.7975				
! I101	Inseam length :: long pant	1.27	1.27	0	76.20	76.20	77.47	77.47	77.47	78.74	78.74	78.74				
! M201	Leg opening: Long, inside fold edges of opening	0.635	0.635	0.635	20.320	20.955	21.590	22.225	22.860	23.495	24.130	24.765				
1702	Leg hem height	0.3175	0.3175	0	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225	2.2225				
!L103	Front rise :: INCLUDING WB	0.635	0.635	0	32.0675	33.020	33.9725	34.925	35.8775	36.830	38.100	39.0525				
! L203	Back rise :: INCLUDING WB	0.635	0.635	0	39.6875	40.640	41.5925	42.545	43.4975	44.450	45.720	46.6725				
C202	Side seam forward position, fr fold	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27				
! N201	ON SEAM pocket length	0.635	0.635	0	13.97	14.605	14.605	15.24	15.24	15.875	16.51	16.51				
! N202	ON SEAM pocket width	0.3175	0.3175	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635				
N205	ON SEAM pocket position from Rib/Band seam	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175				
N211	ON SEAM pocket bag height :: at center	0.635	0.635	0	27.94	28.575	28.575	29.21	29.21	29.845	30.48	30.48				
N212	ON SEAM pocket bag width:: at widest pt.	0.635	0.635	0	16.510	16.510	16.510	17.145	17.145	17.780	18.415	18.415				
N601C	Back pocket welt height	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905				
! N701	Back pocket welt opening width	0.635	0.635	0	12.70	12.70	13.335	13.97	13.97	14.605	15.24	15.24				
N703	Back pocket from WB seam	0.3175	0.3175	0	4.1275	4.445	4.7625	5.08	5.3975	5.715	6.0325	6.35				
N508	Back pocket position from CB seam	0.3175	0.3175	0	5.3975	5.715	6.0325	6.35	6.6675	6.985	7.3025	7.62				
! N801	Cargo pocket height at center :: including flap	0.635	0.635	0	19.685	20.320	20.320	20.955	20.955	21.590	22.225	22.225				
N803	Cargo pocket flap height at center	0.3175	0.3175	0	5.3975	5.7150	5.7150	6.0325	6.0325	6.3500	6.6675	6.6675				
N806	Cargo pocket flap width at top edge	0.635	0.635	0	17.145	17.780	17.780	18.415	18.415	19.050	19.685	19.685				
N805	Cargo pocket width at top edge	0.635	0.635	0	16.51	17.145	17.145	17.78	17.78	18.415	19.05	19.05				
N612	Cargo patch pocket opening hem height	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905				
N807	Cargo pocket from WB seam	0.635	0.635	0	23.495	23.495	23.8125	24.13	24.4475	24.765	24.765	24.765				
! J501	Drawcord length : waist	2.54	2.54	GA	GA	GA	GA	127	GA	GA	GA	GA				
							Co	mments	s			·		•	•	

•	CM Meas	surement Shee	et - Open Hem - 01-20-25	All Meas	urements are in CMs	Version 1
Article Code	м-0325-кв-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1 4 3
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation	

REFERENCE: 2025 RELAXED FIT OPEN HEM PANT (improved fit as per M-0125-KB-5637)

- M-0223-KB-3268 for cargo pkts for measurements only

- rib waistband

- faux front fly

- back welt pockets

-----

#### 01.20.2025

- Grade crotch width -1/4" for size each size XXS/XS/S.
- Grade crotch width +1/4" for size each size L/XL.
- Grade crotch width +3/8" for each size XXL/3XL.
- Grade rules at thigh, front and back rise have been revised accordingly.
- \* Ensure the front and back rise shaping of all sizes will be "U" shape.

UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO [Sample 1 (M)]								
Article Code	M-0325-KB-6102			Product Group	воттом			
Article Name	CAMO SWEATPANT	]		Product Sub-Category	PANT - SWEATPANT			
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH S (FB-K1311) CM30/1 + 20/1+ 10CD	Season	2025 Fall	1 1 1 1 1 1 1 1 1		
Last Modified	01/20/25 5:09:53 PM	Description		Life Cycle Stage	Sample Evaluation			

POM	Description	+ Tol	- Tol	М	Sample	Diff	Revised
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15	14 3/4	-1/4	15 1/2
J104	WB height	1/8	1/8	1 3/4	1 7/8	1/8	
J502	Dawcord buttonhole distance	1/8	1/8	2	2 1/2	1/2	
L301	Front fly width :: edge to T/S outline	1/8	1/8	1 1/2	1 1/2	0	
L302	Front fly length :: WB seam to bottom T/S outline	1/4	1/4	5 1/2	5 1/2	0	
K101	Hip at 1" below WB seam: waist pattern mmt.	1/2	1/2	19 1/2	20 1/4	3/4	
K102	Full Hip: 4" above crotch point, 3 xpt. Measure	1/2	1/2	23	23 1/2	1/2	
M101	Thigh:: 1" below crotch seam	1/4	1/4	13 5/8	13 3/8	-1/4	13 1/4
M102	Knee position from crotch seam :: NO GRADE	1/4	1/4	12	12	0	
M103	Knee Width: 12" below crotch pt.	1/4	1/4	10 1/4	10 1/4	0	
I101	Inseam length :: long pant	1/2	1/2	31 1/2	30 3/4	-3/4	30 1/2
M201	Leg opening: Long, inside fold edges of opening	1/8	1/8	8 1/4	8 1/4	0	8 3/4
1702	Leg hem height	1/8	1/8	7/8	1	1/8	
L103	Front rise :: INCLUDING WB	1/4	1/4	13 3/4	13 1/4	-1/2	
L203	Back rise :: INCLUDING WB	1/4	1/4	16 3/4	16 1/2	-1/4	
C202	Side seam forward position, fr fold	1/8	1/8	1/2	1/2	0	
N201	ON SEAM pocket length*	1/4	1/4	6	5 7/8	-1/8	
N202	ON SEAM pocket width*	1/8	1/8	1/4	1/4	0	
N205	ON SEAM pocket position from Rib/Band seam*	1/8	1/8	1 1/4	1 1/4	0	
N211	ON SEAM pocket bag height :: at center*	1/4	1/4	11 1/2	11 1/4	-1/4	
N212	ON SEAM pocket bag width:: at widest pt.*	1/4	1/4	6 3/4	6 3/4	0	
N601C	Back pocket welt height	1/8	1/8	3/4	3/4	0	
N701	Back pocket welt opening width	1/4	1/4	5 1/2	5 1/2	0	
N703	Back pocket from WB seam	1/8	1/8	2	2	0	
N508	Back pocket position from CB seam	1/8	1/8	2 1/2	2 1/2	0	
N801	Cargo pocket height at center :: including flap	1/4	1/4	8 1/4	8 1/4	0	
N803	Cargo pocket flap height at center	1/8	1/8	2 3/8	2 1/4	-1/8	
N806	Cargo pocket flap width at top edge	1/8	1/8	7 1/4	7 3/8	1/8	
N805	Cargo pocket width at top edge	1/8	1/8	7	7 1/8	1/8	
N612	Cargo patch pocket opening hem height	1/8	1/8	3/4	3/4	0	
N807	Cargo pocket from WB seam	1/4	1/4	9 1/2	9 1/4	-1/4	
J501	Drawcord length: waist	1	1	50	50 1/2	1/2	

#### **Renamed Points of Measurement**

- \*N201 Welt pocket length Revised to N201 ON SEAM pocket length
- \*N202 Welt pocket width Revised to N202 ON SEAM pocket width
- \*N205 Welt pocket position from Rib/Band seam Revised to N205 ON SEAM pocket position from Rib/Band seam
- \*N211 Welt pocket bag height :: at center Revised to N211 ON SEAM pocket bag height :: at center
- \*N212 Welt pocket bag width:: at widest pt. Revised to N212 ON SEAM pocket bag width:: at widest pt.

#### COMMENT

# For development stage.

REFERENCE: 2025 RELAXED FIT OPEN HEM PANT (improved fit as per M-0125-KB-5637)

- M-0223-KB-3268 for cargo pkts for measurements only
- rib waistband
- faux front fly
- back welt pockets

	UN-AVAII	ABLE CO. LTD	: Fit Approval-1( Rev.2 ) PROTO [Sample 1 (M)]			
Article Code	м-0325-кв-6102			Product Group	воттом	
Article Name	CAMO SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1
Last Modified	01/20/25 5:09:53 PM		(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation	

-----

# 01.20.2025

# The proto fit sample is not acceptable. Please do all corrections and submit 2nd fit sample.

# **Styling details:**

As per designer:

- Change drawcord to be bungee cord with stopper. Drawcord exits through grommets at cf waistband.
- Eliminate non-funtional front fly.
- Eliminate the pleats on the cargo pocket. Add bellow to the pocket bottom seam, 1 1/4" wide.
- The front sketch has been updated accordingly.

# Chi tiết phần thiết kế

- Dây luồn dẹp thành dây thun bungee + con chặn.
   Lỗ luồn dây gắn mắt cáo giữa trước.
- Bỏ baget
- Bỏ xếp li ở túi hộp. Thêm nếp gấp 1 1/4" ở đáy túi

#### Fit and measurements:

- The waist band fits small.
- The hip, thigh are big.
- The leg opening is small.
- The front rise length is short, under spec. Bring back to spec.
- The front rise is bulging at the base.
- The back rise exhibits excess fabric along the seam.
- The crotch width is narrow.
- Several measurements have been revised to improve fit.

# Fit và thông số

- Thông số bản lưng bị nhỏ
- Phần hông, đùi bị to
- ống quần bị nhỏ
- Dài đáy trước bị ngắn và out thông số
- Đáy trước bị phồng
- Đáy sau bị dư nhiều vài dọc đường may
- Rộng đáy bị hẹp
- Một số thông số đã được điều chỉnh để cải thiện fit

# Sewing construction and workmanship:

- The waist seam is wavy and bulky. Please use 1 3/4" wide elastic. Do not stitch elastic to the waist seam to avoid bulkiness.
- Apply a small bar tack at the inner crotch seam intersection for reinforcement.
- The on-seam pocket bag shaping (at the waist seam area) is wide. Reduce and reshape pocket bag for less bulkiness.

# \* Please refer to the below Fit Comments pages for details.

- J502 Dawcord buttonhole distance : Back to spec= 2"
- K101 Hip at 1" below WB seam: waist pattern mmt. : Back to spec =19 1/2"
- K102 Full Hip: 4" above crotch point, 3 xpt. Measure : Back to spec = 23"
- L103 Front rise :: INCLUDING WB : Back to spec = 13 3/4"
- L203 Back rise :: INCLUDING WB : Back to spec = 16 3/4"
- J501 Drawcord length: waist: Drawcord length to be confirmed at 2nd fit sample with bungee cord.
- Đường may lưng quần bị gãy gập và dày. Sử dụng thun 1 3/4". Vui lòng không may dính thun vào đường may lưng quần để tránh bị dày.
- Đóng bọ phía trong tại đường may ở đáy quần để gia cố
- Dáng túi trước (tại vị trí đường may lưng) bị rộng. Giảm và chỉnh dáng túi để ít bị dày

Sample Size:

UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO [Sample 1 (M)]							
Article Code	м-0325-кв-6102			Product Group	воттом		
Article Name	CAMO SWEATPANT				PANT - SWEATPANT		
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall	1 2 3 3	
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation		

Status: Rejected

Rejected By: Rejected On: KimDuong (October's Very Own Merchandising)

01/20/25 5:09:38 PM

UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO - Fit Comments - 1st Proto							
Article Code	M-0325-KB-6102			Product Group	воттом	- CONTRACTOR OF THE PARTY OF TH	
Article Name	CAMO SWEATPANT				PANT - SWEATPANT		
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall		
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation		

# Proto fit sample



UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO - Fit Comments - 1st Proto							
Article Code	м-0325-кв-6102			Product Group	воттом		
Article Name	CAMO SWEATPANT				PANT - SWEATPANT		
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall		
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation		




1) The thigh width measures 13 3/4", is big.

The leg shaping is curvy at the thigh level.

- Reduce ¼" at the side seam.
- 1) Rộng đùi quần mẫu đang đo là 13 3/4", bị to
- Dáng ống quần bị cong gãy tại đùi
- Giảm 1/4" tại sườn ngoài
- 2) The leg opening is small, measures 8 1/4".
- Increase at back panel to bring leg opening width to 8 ¾"

Refer to page 3 for suggested fit corrections.

2) Ống quần bị nhỏ, đang đo 8 1/4"
- Tăng panel thân sau tăng rộng ống thành 8 3/4"




4) Tăng 1/2" tại gấu quần, thân sau, sườn ngoài



UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO - Fit Comments - 1st Proto							
Article Code	м-0325-кв-6102			Product Group	воттом		
Article Name	CAMO SWEATPANT				PANT - SWEATPANT		
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall		
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation		

- 5) The waist seam is wavy and bulky.
- Do not stitch elastic to waist seam.
- Elastic height should be 1 ¾", same as the waistband finished height to minimize the bulkiness along the waist seam.
- 5) Lưng quần bị gãy gập và dày
- Không may dính thun vào đường may lưng
- To bản thun 1 3/4", bằng với to bản lưng quần thành phẩm để hạn chế độ dày



6) Đáy trước bị ngắn Phần đáy phái trước bị cao



- 7) The front rise seam is bulging at the base.
- 7) Đáy trước bị phồng



8) The back rise seam exhibits excess fabric at the back seat area.

8) Đường may đáy sau bị dư nhiều vải tại phần đáy và mông


Refer to page 5 for suggested fit corrections.

UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO - Fit Comments - 1st Proto								
Article Code	M-0325-KB-6102			Product Group	воттом	400		
Article Name	CAMO SWEATPANT			,	PANT - SWEATPANT			
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall			
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation			

Adjust back rise length

Adjust front rise length to spec = 13 %"

Điều chỉnh dài đáy trước về 13 3/4"



Điều chỉnh dài đáy sau về 16 3/4"

- 9) The crotch width measures about 6 % at 2" above the crotch point.
- It should be about 7 1/2" after corrections.
- Ensure the front and back rise seam are forming "U" shape.
- 9) Rộng đáy quần mẫu đo được 6 3/4" cách 2" từ điểm đáy
- Vui lòng điều chỉnh thành 7 1/2" sau khi điều chỉnh
- Đảm bảo đáy trước/ sau tạo thành hình chữ "U"

UN-AVAILABLE CO. LTD: Fit Approval-1( Rev.2 ) PROTO - Fit Comments - 1st Proto							
Article Code	м-0325-кв-6102			Product Group	воттом		
Article Name	CAMO SWEATPANT				PANT - SWEATPANT		
Created On	09/10/24 4:25:52 PM	Material	FRENCH TERRY 100%COTTON WITH DRY HANDFEEL AND WASH	Season	2025 Fall		
Last Modified	01/20/25 5:09:53 PM	Description	(FB-K1311) CM30/1 + 20/1+ 10CD	Life Cycle Stage	Sample Evaluation		



Điều chỉnh dáng theo hình chữ "S"

Reference sample for pocket bag shaping.

Mẫu tham khảo cho dáng bao túi