

					Bil	l of Ma	aterials						Version 1
	Article Code	м-0325-кт-6181							Product	Group	TOP		
	Article Name	MENS 1/4 ZIP MOCK NECK							Product	Sub-Category	MOCKNECK		
	Created On	10-15-2024 3:09:56 PM	Mate	rial	100% cotton heavy		460gsm (F	в-к507)	Season		2025 Fall		
	Last Modified	04-02-2025 2:26:33 PM	Desc	ription	REF# PLAW21P2465002 REF# PLAW21P2465002				Life Cycl	e Stage	Pre-Production		-
Part	Material PI		Plac	ement	nent Qty. UOM		Comments	Supplier	Supplier Ref.	DIP BIG DIPPER June Ex-factory4	FYR FIERY RED June Ex-factory4	AHG ASH HEATHER GREY June Ex-factory4	
Fabric													
	100% cotton he (FB-K507) REF# PLAW21P REF# PLAW21P		BODY/SL\	V/ 1/2 MOC	N/NECK	0	Yards				BK	BLACK BK BLACK	BLACK BK BLACK
	1X1 RIB COTTO (FB-K1066) WEIGHT TBD	N /LYCRA	BODY BAI	3	0	Meter				None	None	None	
	JERSEY - 100C (FB-K122) 100% COTTON,		BACK NEC	ACK NECK TAPE/ MOCK NECK (INNER)			Meter				None	None	None
Trims													
	OVO 2023 One (TR-LT247) RECA REF: LBC	Side Main Label				1	Each		Reca Mainetti Asia Ltd	LBOVO17 2	None	None	None
	OVO 2023 Alpha (TR-LT246) ARTICLE: OVO	a Sizing Tab W23_181_T/ LBOVO175				1	Each		Reca Mainetti Asia Ltd	LBOVO17 5	None	None	None
	TEAR-AWAY CO (LT138) COUNTRY OF C	DO TAB: OVOF21_217_T DRIGIN TAB				1	Each		Reca Mainetti Asia Ltd	OVOF21_ 217_T	None	None	None
	5mm GROSGRA (TR-TV140) FOR HANGTAG	NIN RIBBON LOOP				1	Each		Vendor Sourced		None	None	None
	OVO 2023 Book (TR-HG142) Article code: HT					1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None	None	None
	CC LABEL - APF (LT110) White Satin grou COO, Content, a by style.					1	Each		Vendor Sourced		None	None	None
	UPC STICKER- (TR-ST114)	1" X 2.5" WITH THERMAL PRINTER				2	Each				None	None	None
		NERIC vith suffocation warning on er placement on bottom right				1	Each		Vendor Sourced		None	None	None

				Bi	ll of Ma	aterials						Version 1
	Article Code	М-0325-КТ-6181						Product C	Group	ТОР		
	Article Name	MENS 1/4 ZIP MOCK NECK						Product S	Sub-Category	MOCKNECK		
	Created On 10-15-2024 3:09:56 PM Material 100% cotton heavy fl					460gsm (-в-к507)	Season		2025 Fall		1
	Last Modified	04-02-2025 2:26:33 PM	Description	REF# PLAW21P2465002 REF# PLAW21P2465002				Life Cycle	e Stage	Pre-Production		
Part	Material Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	DIP BIG DIPPER June Ex-factory4	FYR FIERY RED June Ex-factory4	AHG ASH HEATHER GREY June Ex-factory4		
-	METAL ZIPPER- (ZP199)	5GG			1	Each	NICKEL FINISH DA8LH PULLER	YKK Canada Inc.		None	None	None
Graphics												
	TBD - SEE ARTV (HT-102)	VORK FILE			C) Each				None	None	None

				Bill of Materials	Material Image Sheet				Version 1
	Article Code M-0	325-кт-6181				Product Group	ТОР		
	Article Name MEN	IS 1/4 ZIP MOCK NECK				Product Sub-Category	MOCKNECK		
	Created On 10-	15-2024 3:09:56 PM	Material	100% cotton heavy flee		Season	2025 Fall		
	Last Modified 04-	02-2025 2:26:33 PM	Description	REF# PLAW21P2465001N00 REF# PLAW21P2465002N00		Life Cycle Stage	Pre-Production		
	CARD	PCLO PCLO PCLO PCLO OCTOBER'S VERY OWN OPPOCOS 225° END FOLDS WHTE COLOUMARY WHTE COLOUMARY WHTE COLOUMARY BLACK	Constantian Consta	E GROUND	An end of the second seco	Cad. QAT 5	2017)		
	FB-K507	TR-LT247		TR-LT246	LT138	TR-TV14	0	TR-HG	142
100% co	otton heavy fleece 460gsm	e OVO 2023 One Side Ma Label	in OVO 202	23 Alpha Sizing Tab	TEAR-AWAY COO TAB: OVOF21_217_T	5mm GROSGRAI LOOP	N RIBBON	OVO 2023 Booklet Hangtag	
2.625	Correction and the second seco	STYLE # PRODUCTIVE							
	LT110	TR-ST114		PK101					
CC LA	BEL - APPAREL	UPC STICKER- 1" X 2.5	" POLY	BAG - GENERIC					

			Construction details - 1/4 Zip Mock - 2023			Version 1
Article Code	м-0325-кт-6181			Product Group	ТОР	
Article Name	MENS 1/4 ZIP MOCK NECK			Product Sub-Category		
Created On	10-15-2024 3:09:56 PM	Material	100% cotton heavy fleece 460gsm (FB-K507) REF# PLAW21P2465001N00D	Season	2025 Fall	
Last Modified	04-02-2025 2:26:33 PM	Description	REF# PLAW21P2465002N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Pre-Production	
				Self Co JERSE fused. 0 2 CF ZIP Expose in. Top of 2 collar. I cleanfir Ends for Coverst 4 ARMHO Join wil seam, 7 5 SLEEV Join wil 6 SLEEV Folded stitch. 5 8 BACK	R/NECK: htrast collar, cleanfinished at in Y facing contrast inner collar. S Collar is fused with light weight PER: d zipper closure at CF. SN top ripper tape and seam allowanc nside lower zipper tape edges ished with jersey binding. SN el Ided in and tacked. DER SEAM: vard on body. Join with #512 r tch straddling seam, 1/4" space DLE: h #512 mock safety stitch. 2N /4" spacing E INSEAM/ SIDE SEAM h #512 mock safety stitch. E OPENING CUFF rib cuff at sleeve opening. Join iN topstitch, 1/4" in. EDGE rib band at body opening. Join iN topstitch, 1/4" in. YOKE elf back yoke for main label. 2	N topstitch, 1/4" in. Ligh tricot fusing stitch around zipper, 1/4 es cleanfinished into and seam allowance edge topstitch at binding nock safety stitch. 2N ting coverstitch straddling n with #512 mock safety

		Mea	surement S	heet - 1	/4 Zip Mo	ock - Rev	/ RF - 20	23				All Measu	irements a	are in Inches	Vers	sion 1
	Article Code	м-0325-кт-6181									Product G	roup	TOP			-
	Article Name	MENS 1/4 ZIP MOCK NECK									Product S	Sub-Category MOCKNECK				
	Created On	10-15-2024 3:09:56 PM	Materi	al		ton heavy w21p24650		60gsm (FB-	к507)		Season		2025 Fall			
	Last Modified	04-02-2025 2:26:33 РМ	Descri	ption		W21P24650					Life Cycle Stage		Pre-Produc	ction		
POM		Description	+ Tol	- Tol	Grade	XXS	XS	S	М	L	XL	XXL	3XL			
A 201	Front body length from	m HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31			
H101	Neck width :: SEAM TO	D SEAM	1/4	1/4	NA	7	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2			
! H201	Front neck drop from HPS : Crew		1/8	1/8	NA	3 7/8	3 7/8	3 15/16	4	4 1/16	4 3/16	4 5/16	4 7/16			
H301	Back neck drop from	ack neck drop from HPS Crew		1/8	NA	5/8	5/8	11/16	3/4	13/16	15/16	1 1/16	1 3/16			
! H601	Collar height at CF		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4			
! H604	Collar height at CB		1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4			
! H403	Collar measurement	at outer edge	1/4	1/4	NA	16	16 1/2	17	17 1/2	18	18 5/8	19 1/4	19 7/8			
! O102	Zipper length : 1/2" G	ROUP GRADE	1/4	1/4	NA	6 3/4	6 3/4	0	7 1/4	0	7 3/4	7 3/4	7 3/4			
! D102	Shoulder slope :: from	n HPS	1/8	1/8	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16			
D103	Shoulder displacement to front		1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4			
D101	Shoulder width :measured on CB body		3/8	3/8	NA	18 1/4	19	19 3/4	20 1/2	21 1/4	22 1/4	23 1/4	24 1/4			
! B301	Acrss: Chest : at mid.	armhole	1/4	1/4	NA	16 1/4	17	17 3/4	18 1/2	19 1/4	20 1/4	21 1/4	22 1/4			
! B201	Across Back : at mid.	armhole	1/4	1/4	NA	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2			
B101	Chest width :1" below	v armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2			
C102	Bottom width : 1" abo	ve band seam	1/2	1/2	NA	18 1/2	19 1/2	20 1/2	21 1/2	22 1/2	24	25 1/2	27			
C101	Bottom width at band	l:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24			
! E101	Armhole Straight :: m	easured straight	1/4	1/4	NA	8 7/8	9 1/4	9 5/8	10	10 3/8	10 7/8	11 3/8	11 7/8			
G 101	Bicep width:1" below	armhole	1/8	1/8	NA	8 3/4	9	9 1/4	9 1/2	9 3/4	10 1/16	10 3/8	10 11/16			
F101	L:Sleeve overarm fr.	CB neck :: 3 x point measure	1/2	1/2	NA	33 3/4	34 1/2	35 1/4	36	36 3/4	37 3/4	38 3/4	39 3/4			
G 104	L/Sleeve opening: in	side fold edges of cuff/hem	1/8	1/8	NA	2 15/16	3 1/8	3 5/16	3 1/2	3 11/16	3 15/16	4 3/16	4 7/16			
G 103	L/Sleeve :: 1" above	cuff seam	1/4	1/4	NA	4 11/16	4 7/8	5 1/16	5 1/4	5 7/16	5 11/16	5 15/16	6 3/16			
F701	Sleeve Opening Cuff	height	1/8	1/8	NA	3	3	3	3	3	3	3	3			
A703	Body Band height		1/8	1/8	NA	3	3	3	3	3	3	3	3			
D201	Inner back yoke dep	th	1/8	1/8	NA	3 5/16	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16			
D202	Inner back yoke widt	h along top	1/8	1/8	NA	6	6	6 1/8	6 1/4	6 3/8	6 1/2	6 5/8	6 3/4			
! H404	Minimum Neck Stretc	n	1/2	0	NA	24	24	24	24	24	24	24	24			
						Co	omments	5					·			
REFEREN	CE: UPDATED F/W	2025 Collegiate fit														

			UN-AVAILABLE	CO. LTD: Fit Approval-3 3rd [Sample 1 (M)]						Version 1
	Article Code	м-0325-кт-6181			Product Group	г	OP		-	
	Article Name	MENS 1/4 ZIP MOCK NECK			Product Sub-C	ategory N	IOCKNECK			
	Created On	10-15-2024 3:09:56 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2	2025 Fall			
	Last Modified	04-02-2025 2:26:33 РМ	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stag	e P	re-Production			
POM			Des	cription	+ Tol	- Tol	М	Sample	Diff	Revised
A201	Front bo	ody length from HPS : Top			1/2	1/2	2 27 1/2	27 1/4	-1/4	
H101	Neck wi	idth :: SEAM TO SEAM			1/4	1/4	1 7 1/2	7 1/2	0	
H201	Front ne	eck drop from HPS : Crew			1/8	1/8	3 4	4	0	
+301	Back ne	ck drop from HPS Crew			1/8	1/8	3 3/4	5/8	-1/8	
4601	Collar h	eight at CF			1/8	1/8	3 2 3/4	2 3/4	0	
4604	Collar he	eight at CB			1/8	1/8	3 2 3/4	2 3/4	0	
403	Collar m	easurement at outer edge			1/4	1/4	1 17 1/2	17 1/2	0	
D102	Zipper le	ength: 1/2" GROUP GRADE			1/4	1/4	1 7 1/4	7 3/8	1/8	
0102	Shoulde	r slope :: from HPS			1/8	1/8	3 2	2 1/8	1/8	
D103	Shoulder	r displacement to front			1/8	1/8	3 3/4	5/8	-1/8	
D101	Shoulde	r width :measured on CB body			3/8	3/8	3 20 1/2	20 1/4	-1/4	
3301	Acrss: C	hest : at mid. armhole			1/4	1/4	1 18 1/2	18 1/2	0	
3201	Across B	Back : at mid. armhole			1/4	1/4	4 18 3/4	18 1/2	-1/4	
3101	Chest w	idth :1" below armhole			1/2	1/:	2 23	23	0	
2102	Bottom	width : 1" above band seam			1/2	1/:	2 21 1/2	21 1/4	-1/4	
2101	Bottom v	width at band:inside fold edges of ba	nd/hem		1/2	1/:	2 18 1/2	17 1/2	-1	
E101	Armhole	Straight :: measured straight			1/4	1/4	4 10	10	0	
G101	Bicep wi	idth:1" below armhole			1/8	1/8	3 9 1/2	9 1/2	0	
101	L:Sleeve	e overarm fr. CB neck :: 3 x point me	asure		1/2	1/:	2 36	36	0	
G104	L/Sleeve	e opening: inside fold edges of cuff/he	em		1/8	1/8	3 3 1/2	3 3/8	-1/8	
G103	L/Sleeve	e :: 1" above cuff seam			1/4	1/4	4 5 1/4	5 1/2	1/4	
701	Sleeve C	Opening Cuff height			1/8	1/8	3 3	3 1/4	1/4	
4703	Body Ba	nd height			1/8	1/8	3 3	3	0	
D201	Inner ba	ack yoke depth			1/8	1/8	3 1/2	3 3/8	-1/8	
0202	Inner ba	ack yoke width along top			1/8	1/8	3 6 1/4	6	-1/4	
404	Minimun	n Neck Stretch			1/2	(24	24	0	

4.2.25

FITTING COMMENTS:

- 1. Bring back to spec on bottom width at band measurement
- 2. Bring back to spec on sleeve cuff opening height
- 3. Bring back to spec on Inner back yoke width along top
- 4. Ensure all measurements are brought back to spec.

WORKMANSHIP COMMENTS:

- 1. Please ensure there is no excessive puckering on seams.
- 2. Ensure the hem edges are level at the CF.

- 1. Điều chỉnh chiều rộng gấu áo tại vị trí đai áo về đúng thông số kỹ thuật
- 2. Điều chỉnh chiều cao vòng mở cổ tay áo về đúng thông số kỹ thuật
- 3. Điều chỉnh chiều rộng phần đáp vai sau bên trong dọc theo mép trên về đúng thông số kỹ thuật
- 4. Đảm bảo tất cả các số đo được điều chỉnh về đúng thông số kỹ thuật

1. Vui lòng đảm bảo không có nếp nhăn quá mức trên đường may

2. Đảm bảo các mép viên gấu áo thẳng hàng ở điểm giữa phía trước

Mẫu thử lần 3 đã được phê duyệt về dáng và cấu trúc, vui lòng tiến hành sản xuất mẫu tiền sản xuất (PP) với các chỉnh sửa

3RD FIT IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PP WITH CORRECTIONS.

			UN-AVAILABLE	CO. LTD: Fit Approval-3 3rd [Sample 1 (M)]			Version
	Article Code	М-0325-КТ-6181			Product Group	ТОР	
	Created On	MENS 1/4 ZIP MOCK NECK			Product Sub-Category	MOCKNECK	
		10-15-2024 3:09:56 PM	Material	100% cotton heavy fleece 460gsm (FB-K507)	Season	2025 Fall	
		04-02-2025 2:26:33 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Pre-Production	
Sample Size:	ł	M	•				I.
Status:		Approved					
Approved By:							
Approved On:		04-02-2025 2:26:18 PM					

UN-AVAILABLE CO. LTD: Fit Approval-3 3rd - SAMPLE - FRONT, SIDE AND BACK													
Article Code	м-0325-кт-6181			Product Group	ТОР								
Article Name	MENS 1/4 ZIP MOCK NECK			Product Sub-Category	MOCKNECK								
Created On	10-15-2024 3:09:56 PM	material		Season	2025 Fall								
Last Modified	04-02-2025 2:26:33 PM	Description	REF# PLAW21P2465001N00D REF# PLAW21P2465002N00D	Life Cycle Stage	Pre-Production								

