



Article Summary							Version 1
Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	2025 Winter	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE		
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter		
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production		
Gender Classification	Mens	Sub Class D	Solid	Fabrication	ONE PIECE		
Supplier	UN-AVAILABLE CO. LTD	Release Date	24 Sep 2025	Ex-Factory	27 Jun 2025		COLORS
							<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> <span></span> <p>FEATHER GREY (FE) 15-1305 TCX</p> </div> <div style="text-align: center;"> <span></span> <p>SANDSTONE</p> </div> <div style="text-align: center;"> <span></span> <p>GARMENT DYED BLACK (YB) GARMENT DYED BLACK</p> </div> <div style="text-align: center;"> <span></span> <p>KAMBABA (KAM) 19-0404 TCX</p> </div> <div style="text-align: center;"> <p>DEEP OLIVE (.)</p> </div> <div style="text-align: center;"> <p>BARBERRY (BAR) 18-1760 TCX</p> </div> <div style="text-align: center;"> <p>BERRY</p> </div> </div>
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Materials											Version 1		
	Article Code	M-0425-KT-6065		Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash				Product Group	TOP			
	Article Name	MUSKOKA RALGAN SLV FZ HOODIE							Product Sub-Category	FULL ZIP HOODIE			
	Created On	09-08-2024 5:30:55 PM			Season				2025 Winter				
	Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage				Production				
Part	Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY	
Fabric													
	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		BODY, SLV, HOOD	0	Meter				None	None	None	None	
	2X1 RIB (FB-K511) 95/5 COTTON/ LYCRA		BODY BAND, PANELS, POCKET OPENING	0	Meter				None	None	None	None	
Trims													
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		2" ABOVE HEM LEFT SIDE SEAM	1	Each	NATURAL COLOUR ON ALL COLOURWAYS**tbd	Vendor Sourced		None	None	None	None	
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER			2	Each				None	None	None	None	
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.			1	Each		Vendor Sourced		None	None	None	None	
	BUTTON HOLE HIGH STITCH COUNT (BB105)		D/C EXITS	2	Each	DTM	Vendor Sourced		None	None	None	None	
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		SAFETY PINNED TO UNDERSIDE OF MAIN LABEL	1	Each		Reca Mainetti Asia Ltd	HTOVO141A	None	None	None	None	
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		see placement guide	1	Each		Reca Mainetti Asia Ltd	LBOVO172	None	None	None	None	
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T / LBOVO175		see placement guide	1	Each		Reca Mainetti Asia Ltd	OVOW23_181_T	None	None	None	None	
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB			1	Each		Reca Mainetti Asia Ltd		None	None	None	None	

Bill of Materials											Version 1							
	Article Code	M-0425-KT-6065		Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash				Product Group	TOP								
	Article Name	MUSKOKA RALGAN SLV FZ HOODIE							Product Sub-Category	FULL ZIP HOODIE								
	Created On	09-08-2024 5:30:55 PM							Season	2025 Winter								
	Last Modified	06-11-2025 2:02:32 PM							Life Cycle Stage	Production								
Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY							
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		0	Each		Vendor Sourced		None	None	None	None							
	GD DISCLAIMER HANG TAG (TR-HG143) REF# OVOF22_060_T	THROUGH THE 1/8" RIBBON LOOP ALONG WITH OVO HANGTAG	0	Each		Vendor Sourced		None	None	None	None							
	HERRINGBONE TAPE (TV126) 100% COTTON	BACK NECK TAPE	1	Meter		Vendor Sourced		None	None	None	None							
	METAL ZIPPER- 5GG (ZP199)	CF	0	Each	2 WAY ZIPPER - GS SILVER, DA8HL PULLR	YKK Canada Inc.		None	None	None	None							
	ROUND DRAWCORD WITH KNOTTED ENDS (TR-DR174)		0	Each				None	None	None	None							
Graphics																		
	TBD - SEE ARTWORK FILE (HT-102)		0	Each				None	None	None	None							

# Bill of Materials Material Image Sheet

Version 1

<b>Article Code</b> M-0425-KT-6065  <b>Article Name</b> MUSKOKA RALGAN SLV FZ HOODIE  <b>Created On</b> 09-08-2024 5:30:55 PM  <b>Last Modified</b> 06-11-2025 2:02:32 PM	<b>Material Description</b> 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	<b>Product Group</b> TOP  <b>Product Sub-Category</b> FULL ZIP HOODIE	<b>Season</b> 2025 Winter  <b>Life Cycle Stage</b> Production		
 <b>LT110</b> CC LABEL - APPAREL	 <b>TR-ST114</b> UPC STICKER- 1" X 2.5"	 <b>PK101</b> POLY BAG - GENERIC	 <b>TR-HG142</b> OVO 2023 Booklet Hangtag	 <b>TR-LT247</b> OVO 2023 One Side Main Label	 <b>TR-LT246</b> OVO 2023 Alpha Sizing Tab
 <b>LT138</b> TEAR-AWAY COO TAB: OVOF21_217_T	 <b>TR-TV140</b> 5mm GROSGRAIN RIBBON LOOP	 <b>TR-HG143</b> GD DISCLAIMER HANG TAG	 <b>TR-DR174</b> ROUND DRAWCORD WITH KNOTTED ENDS		

## PHOTO EXAMPLES

Version 1

Article Code	M-0425-KT-6065			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	



## PHOTO EXAMPLES

Version 1

Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	



## PHOTO EXAMPLES

Version 1


Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	



# MUSKOKA Raglan SLV - fz Hoodie

Version 1

Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	




## Comments

- 1 **HOOD**  
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged separately. CF of hood overlapping at the neck 3/4", left over right.  
3NDL coverstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.  
Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference  
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- 2 **NECK SEAM**  
Hood join to body with #512 mock safety stitch.  
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck
- 3 **ARMHOLE SEAM**  
Join with #512 mock safety stitch. 3N coverstitch straddling seam, 1/4" spacing.
- 4 **SLEEVE INSEAM**  
#512 mock safety stitch.
- 5 **SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM**  
FRONT AND BACK PANEL SEAM: MOCK SAFETY SERGE, 512 / 3NDL C/S, 605, STRADDLE SEAM
- 6 **SLEEVE OPENING**  
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam
- 7 **KANGA POCKET**  
Self pocket bag. Opening edges finished with rib binding, 3N C/S.  
Set to body with 3NDL C/S top and side edges with C/S extension. Bottom of bag finished into the band seam.  
Bartacks at top and bottom of pkt openings.
- 8 **BOTTOM OPENING**  
Folded rib band. Join to bottom opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam. ENSURE THE TWO RIB SEAMS ALIGN WITH RIB PANEL SEAM Set back on body
- 9 **CF CLOSURE**  
2-way zipper, conceal zipper with self extension at CF. 1/4" SN

# MUSKOKA Raglan SLV - fz Hoodie

Version 1

Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	





T/S on each side. Inside seam allowances and zipper tape cleanfinished with CF SELF FACING, edge of facing turned in and SN edge T/S edge of facing . Facing finished into neck.

## ZIPPER FACING CONSTRUCTION

Version 1

Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	




### Comments

1 CF CLOSURE

2-way zipper, conceal zipper with self extension at CF. 1/4" SN T/S on each side. Inside seam allowances and zipper tape cleanfinished with CF SELF FACING, edge of facing turned in and SN edge T/S edge of facing . Facing finished into neck.

MEASURING RAGLAN SLEEVE AH DEPTH					
Article Code	M-0425-KT-6065			Product Group	TOP
Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE
Created On	09-08-2024 5:30:55 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Season	2025 Winter
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production

## HOW TO MEASURE POM "E201 :Armhole Depth :: from HPS Squared Down (Raglan)"



## MEASURING ACROSS CHEST RAGLAN SLEEVE

Version 1

Article Code	M-0425-KT-6065			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM		100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Production	

HOW TO MEASURE POM "B301 : Across: Chest :  
at mid. armhole"




## MEASURING ACROSS BACK RAGLAN SLEEVE

Version 1

Article Code	M-0425-KT-6065			Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM		100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Production	

**HOW TO MEASURE POM "B201 : Across Back :  
at mid. armhole**



## MEASURING RAGLAN SLEEVE OVERARM

Version 1

Article Code	M-0425-KT-6065	Material Description	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV FZ HOODIE		Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM		Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM		Life Cycle Stage	Production	

HOW TO MEASURE POM " L:Sleeve overarm fr.  
CB neck :: 3 x point measure



**Raglan SLV - Measurement - Hoodie F/W 2025**

All measurements are in Inch

Version 1

	Article Code	M-0425-KT-6065		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP		
	Article Name	MUSKOKA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE		
	Created On	09-08-2024 5:30:55 PM			Season	2025 Winter		
	Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production		

	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top			1/2	1/2	Mixed	25 1/2	26	26 1/2	27	27 1/2	28 1/2	29 1/2	30 1/2
	B505	Facing width			1/8	1/8	TBA	TBA	TBA	TBA	2 1/2	TBA	TBA	TBA	TBA
!	H101	Neck width :: SEAM TO SEAM			1/4	1/4	Mixed	8 1/2	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4	10
!	H201	Front neck drop from HPS : Crew			1/8	1/8	Mixed	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16
	H301	Back neck drop from HPS Crew			1/8	1/8	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
!	B301	Across: Chest : at mid. armhole			1/4	1/4	Mixed	11 1/4	12	12 3/4	13 1/2	14 1/4	15 1/4	16 1/4	17 1/4
!	B201	Across Back : at mid. armhole			1/4	1/4	Mixed	12 1/8	12 7/8	13 5/8	14 3/8	15 1/8	16 1/8	17 1/8	18 1/8
!	B101	Chest width :1" below armhole			1/2	1/2	Mixed	19	20	21	22	23	24 1/2	26	27 1/2
!	C102	Bottom width : 1" above band seam			1/2	1/2	Mixed	17	18	19	20	21	22 1/2	24	25 1/2
!	C101	Bottom width at band:inside fold edges of band/he			1/2	1/2	Mixed	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
!	E201	Armhole Depth :: from HPS Squared Down (Raglan)			1/4	1/4	1/4	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2
!	G101	Bicep width:1" below armhole			1/4	1/4	Mixed	8 3/4	9	9 1/4	9 1/2	9 3/4	10 1/16	10 3/8	10 11/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	Mixed	32 3/4	33 1/2	34 1/4	35	35 3/4	36 3/4	37 3/4	38 3/4
!	G104	L:Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	Mixed	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16
!	G103	L:Sleeve :: 1" above cuff seam			1/8	1/8	Mixed	4 15/16	5 1/8	5 5/16	5 1/2	5 11/16	5 15/16	6 3/16	6 7/16
	F701	Sleeve Cuff Band Height			1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
	A703	Body Band Height			1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
!	H703	Hood width :: at 5" Below Top Edge			1/4	1/4	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
!	H701	Hood height at CF			1/4	1/4	Mixed	15	15 1/2	15 1/2	16	16	16 1/2	16 1/2	16 1/2
	H702	Hood height at HPS			1/4	1/4	Mixed	13 1/2	14	14	14 1/2	14 1/2	15	15	15
!	N101	Kanga pocket height at center			1/4	1/4	Mixed	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/4
!	N102	Kanga pocket width at top edge			1/4	1/4	Mixed	9	9 1/4	9 1/4	9 1/2	9 1/2	10	10	10
!	N103	Kanga pocket width at widest point			1/4	1/4	Mixed	13	13 1/4	13 1/4	13 1/2	13 1/2	14	14	14
!	N104	Kanga pocket width at band seam			1/4	1/4	Mixed	10	10 1/4	10 1/4	10 1/2	10 1/2	11	11	11
	N201	Pocket opening trim height			1/8	1/8	0	1	1	1	1	1	1	1	1
!	H709	drawcord length : Hood			1/2	1/2	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck			1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	B401	Side Panel total width (front & back) below UAP			1/8	1/8	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
	C201	Side Panel total width (front & back) at hem edge			1/8	1/8	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
	H606	Neck binding width			1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
!	H404	Minimum Neck Stretch			0	1/2	0	24	24	24	24	24	24	24	24

Raglan SLV - Measurement - Hoodie F/W 2025					All measurements are in Inch		Version 1
Article Code	M-0425-KT-6065				Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE				Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM				Life Cycle Stage	Production	

NOTES

**\*\* RAGLAN SLEEVE \*\***

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

- add self half moon facing for the new main label
- add rib side panel
- add rib dorito overlay



**Cm of Raglan SLV - Measurement - Hoodie F/W 2025**

All measurements are in CM

Version 1

	Article Code	M-0425-KT-6065		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP		
	Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE		
	Created On	09-08-2024 5:30:55 PM			Season	2025 Winter		
	Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production		

POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
A201	Front body length from HPS : Top	1.27	1.27	0	64.77	66.04	67.31	68.58	69.85	72.39	74.93	77.47
H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	21.59	21.59	22.225	22.86	23.495	24.13	24.765	25.4
H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	9.2075	9.2075	9.3662	9.525	9.6838	10.0013	10.3187	10.6363
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513
B301	Across: Chest : at mid. armhole	0.635	0.635	0	28.575	30.48	32.385	34.29	36.195	38.735	41.275	43.815
B201	Across Back : at mid. armhole	0.635	0.635	0	30.7975	32.7025	34.6075	36.5125	38.4175	40.9575	43.4975	46.0375
B101	Chest width :1" below armhole	1.27	1.27	0	48.26	50.8	53.34	55.88	58.42	62.23	66.04	69.85
C102	Bottom width : 1" above band seam	1.27	1.27	0	43.18	45.72	48.26	50.8	53.34	57.15	60.96	64.77
C101	Bottom width at band:inside fold edges of band/he	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96
E201	Armhole Depth :: from HPS Squared Down (Raglan)	0.635	0.635	0.635	27.305	27.94	28.575	29.21	29.845	30.48	31.115	31.75
G101	Bicep width:1" below armhole	0.635	0.635	0	22.225	22.86	23.495	24.13	24.765	25.5587	26.3525	27.1463
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	83.185	85.09	86.995	88.9	90.805	93.345	95.885	98.425
G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063
G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	12.5413	13.0175	13.4937	13.97	14.4463	15.0813	15.7163	16.3513
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985
H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0.635	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48
H701	Hood height at CF	0.635	0.635	0	38.1	39.37	39.37	40.64	40.64	41.91	41.91	41.91
H702	Hood height at HPS	0.635	0.635	0	34.29	35.56	35.56	36.83	36.83	38.1	38.1	38.1
N101	Kanga pocket height at center	0.635	0.635	0	20.955	21.59	21.59	22.225	22.225	23.495	23.495	23.495
N102	Kanga pocket width at top edge	0.635	0.635	0	22.86	23.495	23.495	24.13	24.13	25.4	25.4	25.4
N103	Kanga pocket width at widest point	0.635	0.635	0	33.02	33.655	33.655	34.29	34.29	35.56	35.56	35.56
N104	Kanga pocket width at band seam	0.635	0.635	0	25.4	26.035	26.035	26.67	26.67	27.94	27.94	27.94
N201	Pocket opening trim height	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
H709	drawcord length : Hood	1.27	1.27	0	101.6	104.14	104.14	106.68	106.68	109.22	109.22	109.22
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175
B401	Side Panel total width (front & back) below UAP	0.3175	0.3175	0	10.16	11.43	12.7	13.97	15.24	17.145	19.05	20.955
C201	Side Panel total width (front & back) at hem edge	0.3175	0.3175	0	10.16	11.43	12.7	13.97	15.24	17.145	19.05	20.955
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525
B505	Facing width	0.3175	0.3175	TBA	TBA	TBA	6.35	TBA	TBA	TBA	TBA	
H404	Minimum Neck Stretch	0	1.27	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96

Cm of Raglan SLV - Measurement - Hoodie F/W 2025					All measurements are in CM		Version 1
Article Code	M-0425-KT-6065				Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE				Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM				Life Cycle Stage	Production	

NOTES

**\*\* RAGLAN SLEEVE \*\***

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

- add self half moon facing for the new main label
- add rib side panel
- add rib dorito overlay



UN-AVAILABLE CO. LTD: PP Approval-1 pp [Sample 1 (M)]								Version 1		
	Article Code	M-0425-KT-6065		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP				
	Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE				
	Created On	09-08-2024 5:30:55 PM			Season	2025 Winter				
	Last Modified	06-11-2025 2:02:32 PM <th data-kind="ghost"></th> <th data-kind="ghost"></th> <th>Life Cycle Stage</th> <td data-cs="2" data-kind="parent">Production</td> <td data-kind="ghost"></td> <th data-kind="ghost"></th>			Life Cycle Stage	Production				
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised
	A201	Front body length from HPS : Top			1/2	1/2	27	26 1/4	-3/4	
	B505	Facing width			1/8	1/8	2 1/2	2 1/2	0	
	H101	Neck width :: SEAM TO SEAM			1/4	1/4	9	9	0	
	H201	Front neck drop from HPS : Crew			1/8	1/8	3 3/4	3 1/4	-1/2	
	H301	Back neck drop from HPS Crew			1/8	1/8	1	1	0	
	B301	Across: Chest : at mid. armhole			1/4	1/4	13 1/2	13 3/4	1/4	
	B201	Across Back : at mid. armhole			1/4	1/4	14 3/8	14 1/4	-1/8	
	B101	Chest width :1" below armhole			1/2	1/2	22	21 3/4	-1/4	
	C102	Bottom width : 1" above band seam			1/2	1/2	20	20 1/2	1/2	
	C101	Bottom width at band:inside fold edges of band/he			1/2	1/2	18 1/2	19	1/2	
	E201	Armhole Depth :: from HPS Squared Down (Raglan)			1/4	1/4	11 1/2	11 1/2	0	
	G101	Bicep width:1" below armhole			1/4	1/4	9 1/2	9 3/8	-1/8	
	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	35	35	0	
	G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	3 3/4	3 1/2	-1/4	
	G103	L/Sleeve :: 1" above cuff seam			1/8	1/8	5 1/2	5 1/2	0	
	F701	Sleeve Cuff Band Height			1/8	1/8	2 3/4	2 5/8	-1/8	
	A703	Body Band Height			1/8	1/8	2 3/4	2 3/4	0	
	H703	Hood width :: at 5" Below Top Edge			1/4	1/4	11	10 3/4	-1/4	
	H701	Hood height at CF			1/4	1/4	16	16	0	
	H702	Hood height at HPS			1/4	1/4	14 1/2	14 1/4	-1/4	
	N101	Kanga pocket height at center			1/4	1/4	8 3/4	8 1/2	-1/4	
	N102	Kanga pocket width at top edge			1/4	1/4	9 1/2	9 1/4	-1/4	
	N103	Kanga pocket width at widest point			1/4	1/4	13 1/2	13 1/2	0	
	N104	Kanga pocket width at band seam			1/4	1/4	10 1/2	10 3/4	1/4	
	N201	Pocket opening trim height			1/8	1/8	1	7/8	-1/8	

UN-AVAILABLE CO. LTD: PP Approval-1 pp [Sample 1 (M)]								Version 1
<b>Article Code</b> M-0425-KT-6065  <b>Article Name</b> MUSKOKA RALGAN SLV FZ HOODIE  <b>Created On</b> 09-08-2024 5:30:55 PM  <b>Last Modified</b> 06-11-2025 2:02:32 PM	<b>Material Description</b>  100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash					<b>Product Group</b> TOP		
						<b>Product Sub-Category</b> FULL ZIP HOODIE		
						<b>Season</b> 2025 Winter		
						<b>Life Cycle Stage</b> Production		

Group	POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
	H709	drawcord length : Hood	1/2	1/2	42	46	4	
	H710	Hood drawcord exit pos. fr neck	1/8	1/8	1 1/4	1 1/4	0	
	B401	Side Panel total width (front & back) below UAP	1/8	1/8	5 1/2	5 1/4	-1/4	
	C201	Side Panel total width (front & back) at hem edge	1/8	1/8	5 1/2	5 3/4	1/4	
	H606	Neck binding width	1/8	1/8	3/8	3/8	0	
	H404	Minimum Neck Stretch	1/2	0	24	24	0	

#### COMMENT

#### 6.6.2025

#### FITTING COMMENTS:

1. Bring back to spec on front body length measurement
2. Bring back to spec on front neck drop measurement
3. Bring back to spec on sleeve opening measurement
4. Bring back to spec on drawcord length measurement
5. Bring back to spec on side panel width measurement

1. Điều chỉnh lại số đo chiều dài thân trước về đúng thông số kỹ thuật.
2. Điều chỉnh lại số đo độ hạ cổ trước về đúng thông số kỹ thuật.
3. Điều chỉnh lại số đo rộng miệng tay áo về đúng thông số kỹ thuật.
4. Điều chỉnh lại số đo chiều dài dây rút về đúng thông số kỹ thuật.
5. Điều chỉnh lại số đo chiều rộng miếng đáp sườn về đúng thông số kỹ thuật.
  1. Vui lòng đảm bảo không có hiện tượng nhăn nhúm quá mức trên các đường may.
  2. Đảm bảo các mép gấu áo/quần ngang bằng nhau ở giữa thân trước (CF).
  3. Vui lòng đảm bảo tất cả các số đo được điều chỉnh lại theo đúng thông số kỹ thuật, đặc biệt là chiều dài thân áo.

4. VIỆC SẢN PHẨM ĐẠT ĐÚNG THÔNG SỐ KỸ THUẬT LÀ RẤT QUAN TRỌNG, VUI LÒNG ĐẢM BẢO TẤT CẢ SẢN PHẨM ĐỀU ĐƯỢC ĐIỀU CHỈNH LẠI ĐÚNG THÔNG SỐ.

#### WORKMANSHIP MEASUREMENTS:

1. Please ensure there is no excessive puckering on seams.
2. Ensure the hem edges are level at the CF.
3. Please ensure all measurements are brought back to spec, especially the body length.
4. IT IS CRUCIAL THAT THE GARMENT MEETS SPEC, PLEASE ENSURE ALL GARMENTS ARE BROUGHT BACK TO SPEC.
5. Zipper slider is not pulling smoothly, please ensure to check zipper before proceeding.

5. Đầu kéo dây khóa không kéo mượt, vui lòng đảm bảo kiểm tra dây khóa trước khi tiến hành.

**PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS**

<b>Sample Size:</b>	M
<b>Status:</b>	Approved
<b>Approved By:</b>	KoryLui (October's Very Own Merchandising)
<b>Approved On:</b>	06-11-2025 2:00:10 PM

**UN-AVAILABLE CO. LTD: PP Approval-1 pp - SAMPLE - FRONT, SIDE AND BACK**

Version 1

Article Code	M-0425-KT-6065	Material Description	Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV FZ HOODIE		Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM		Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM		Life Cycle Stage	Production	



Article Code	M-0425-KT-6065	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	TOP	
Article Name	MUSKOCA RALGAN SLV FZ HOODIE			Product Sub-Category	FULL ZIP HOODIE	
Created On	09-08-2024 5:30:55 PM			Season	2025 Winter	
Last Modified	06-11-2025 2:02:32 PM			Life Cycle Stage	Production	



\*\* PLEASE ENSURE THAT KANGA POCKET IS SET TO BODY EVENLY AND STRAIGHT, THE KANGA POCKET IS CROOKED AND UNEVEN ON BODY.

VUI LÒNG ĐẢM BẢO TÚI KANGAROO ĐƯỢC ĐẶT LÊN THÂN ÁO ĐỀU VÀ THẲNG, HIỆN TẠI TÚI KANGAROO ĐANG BỊ LỆCH VÀ KHÔNG ĐỀU TRÊN THÂN ÁO.