

Article Summary						Version 1			
	Article Code	M-0425-KT-6066			Product Group	TOP			
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE			
	Created On	09-08-2024 5:42:10 PM			Season	2025 Winter			
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production			
Gender Classification		Mens	Sub Class D	Solid	Fabrication	ONE PIECE			
Supplier		UN-AVAILABLE CO. LTD	Release Date	24 Sep 2025	Ex-Factory	27 Jun 2025			
								COLORS	
								FEATHER GREY (FE) 15-1305 TCX SANDSTONE GARMENT DYED BLACK (YB) GARMENT DYED BLACK KAMBABA (KAM) 19-0404 TCX DEEP OLIVE (.) BARBERRY (BAR) 18-1760 TCX BERRY	
SIZES									
000, 001, 002, 003, 004, 005, 006, 007									

Bill of Materials												Version 1	
	Article Code	M-0425-KT-6066						Product Group	TOP				
	Article Name	MUSKOKA RALGAN SLV HOODIE						Product Sub-Category	PULLOVER HOODIE				
	Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)				Season	2025 Winter				
	Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash				Life Cycle Stage	Pre-Production				
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY
Fabric													
	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		BODY, SLV, HOOD		0	Meter				None	None	None	None
	2X1 RIB (FB-K511) 95/5 COTTON/ LYCRA		BODY BAND, PANELS, POCKET OPENING		0	Meter				None	None	None	None
Trims													
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		2" ABOVE HEM LEFT SIDE SEAM		1	Each	NATURAL COLOUR ON ALL COLOURWAYS**tbd	Vendor Sourced		None	None	None	None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each				None	None	None	None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced		None	None	None	None
	BUTTON HOLE HIGH STITCH COUNT (BB105)		D/C EXITS		2	Each	DTM	Vendor Sourced		None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		SAFETY PINNED TO UNDERSIDE OF MAIN LABEL		1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None	None	None	None
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		see placement guide		1	Each		Reca Mainetti Asia Ltd	LBOVO17 2	None	None	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		see placement guide		1	Each		Reca Mainetti Asia Ltd	OVOW23_181_T	None	None	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				1	Each		Reca Mainetti Asia Ltd		None	None	None	None

Bill of Materials											Version 1
	Article Code	M-0425-KT-6066						Product Group	TOP		
	Article Name	MUSKOKA RALGAN SLV HOODIE						Product Sub-Category	PULLOVER HOODIE		
	Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)				Season	2025 Winter		
	Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash				Life Cycle Stage	Pre-Production		
Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		0	Each		Vendor Sourced		None	None	None	None
	GD DISCLAIMER HANG TAG (TR-HG143) REF# OVOF22_060_T	THROUGH THE 1/8" RIBBON LOOP ALONG WITH OVO HANGTAG	0	Each		Vendor Sourced		None	None	None	None
	HERRINGBONE TAPE (TV126) 100% COTTON	BACK NECK TAPE	1	Meter		Vendor Sourced		None	None	None	None
DRAWCORD	ROUND DRAWCORD WITH KNOTTED ENDS (TR-DR174)		1	Each	DTM BODY			None	None	None	None
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)		0	Each				None	None	None	None






Bill of Materials Material Image Sheet						Version 1	
	Article Code	M-0425-KT-6066			Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM			Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production	
				Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash		
							
LT110 CC LABEL - APPAREL		TR-ST114 UPC STICKER- 1" X 2.5"		PK101 POLY BAG - GENERIC			
		TR-HG142 OVO 2023 Booklet Hangtag					
TR-LT247 OVO 2023 One Side Main Label		TR-LT246 OVO 2023 Alpha Sizing Tab					
							
LT138 TEAR-AWAY COO TAB: OVOV21_217_T		TR-TV140 5mm GROSGRAIN RIBBON LOOP		TR-HG143 GD DISCLAIMER HANG TAG		TR-DR174 ROUND DRAWCORD WITH KNOTTED ENDS	

PHOTO EXAMPLES							Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material Description		Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production	




PHOTO EXAMPLES							Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material		Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM	Description		Life Cycle Stage	Pre-Production	



PHOTO EXAMPLES							Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material Description		Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production	



Opt 1. Raglan SLV - Construction details - Hoodie							Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material Description		Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production	




Comments

- 1
- HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged seperately. CF of hood overlapping at the neck 3/4", left over right.
3NDL coverstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.
Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- 2
- NECK SEAM
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck.
- 3
- ARMHOLE SEAM
Join with #512 mock safety stitch. 3N coverstitch straddling seam, 1/4" spacing.
- 4
- SLEEVE INSEAM
#512 mock safety stitch.
- 5
- SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM
FRONT AND BACK PANEL SEAM: MOCK SAFETY SERGE, 512 / 3NDL C/S, 605, STRADDLE SEAM
- 6
- SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam
- 7
- KANGA POCKET
Self pocket bag. Opening edges finished with rib binding, 3N C/S.
Set to body with 3NDL C/S top and side edges with C/S extension. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.
- 8
- BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam. ENSURE THE TWO RIB SEAMS ALIGN WITH RIB PANEL SEAM Set back on body


MEASURING RAGLAN SLEEVE AH DEPTH						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	

HOW TO MEASURE POM "E201 :Armhole Depth
:: from HPS Squared Down (Raglan)"




MEASURING ACROSS CHEST RAGLAN SLEEVE						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	

HOW TO MEASURE POM "B301 : Across: Chest :
at mid. armhole"



MEASURING ACROSS BACK RAGLAN SLEEVE						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	

HOW TO MEASURE POM "B201 : Across Back :
at mid. armhole



MEASURING RAGLAN SLEEVE OVERARM						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	

HOW TO MEASURE POM " L:Sleeve overarm fr.
CB neck :: 3 x point measure



Raglan SLV - Measurement - Hoodie F/W 2025					All Measurements are in Inches		Version 1	
	Article Code	M-0425-KT-6066			Product Group	TOP		
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE		
	Created On	09-08-2024 5:42:10 PM	Material		100% COTTON 350 GSM FLEECE (FB-K949)	Season		2025 Winter
	Last Modified	04-29-2025 2:08:21 PM	Description		100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Life Cycle Stage		Pre-Production

POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
↓ A201	Front body length from HPS : Top	1/2	1/2	NA	25 1/2	26	26 1/2	27	27 1/2	28 1/2	29 1/2	30 1/2				
↓ H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	8 1/2	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4	10				
↓ H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16				
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16				
↓ B301	Across: Chest : at mid. armhole	1/4	1/4	NA	11 1/4	12	12 3/4	13 1/2	14 1/4	15 1/4	16 1/4	17 1/4				
↓ B201	Across Back : at mid. armhole	1/4	1/4	NA	12 1/8	12 7/8	13 5/8	14 3/8	15 1/8	16 1/8	17 1/8	18 1/8				
↓ B101	Chest width :1" below armhole	1/2	1/2	NA	19	20	21	22	23	24 1/2	26	27 1/2				
↓ C102	Bottom width : 1" above band seam	1/2	1/2	NA	17	18	19	20	21	22 1/2	24	25 1/2				
↓ C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24				
↓ E201	Armhole Depth :: from HPS Squared Down (Raglan)	1/4	1/4	1/4	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2				
↓ G101	Bicep width:1" below armhole	1/4	1/4	NA	8 3/4	9	9 1/4	9 1/2	9 3/4	10 1/16	10 3/8	10 11/16				
↓ F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4				
↓ G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16				
↓ G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	4 15/16	5 1/8	5 5/16	5 1/2	5 11/16	5 15/16	6 3/16	6 7/16				
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4				
↓ H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12				
↓ H701	Hood height at CF	1/4	1/4	NA	15	15 1/2	15 1/2	16	16	16 1/2	16 1/2	16 1/2				
H702	Hood height at HPS	1/4	1/4	NA	13 1/2	14	14	14 1/2	14 1/2	15	15	15				
↓ N101	Kanga pocket height at center	1/4	1/4	NA	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/4				
↓ N102	Kanga pocket width at top edge	1/4	1/4	NA	9	9 1/4	9 1/4	9 1/2	9 1/2	10	10	10				
↓ N103	Kanga pocket width at widest point	1/4	1/4	NA	13	13 1/4	13 1/4	13 1/2	13 1/2	14	14	14				
↓ N104	Kanga pocket width at band seam	1/4	1/4	NA	10	10 1/4	10 1/4	10 1/2	10 1/2	11	11	11				
N201	Pocket opening trim height	1/8	1/8	NA	1	1	1	1	1	1	1	1				
↓ H709	drawcord length : Hood	1/2	1/2	NA	40	41	41	42	42	43	43	43				
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
B401	Side Panel total width (front & back) below UAP	1/8	1/8	NA	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4				
C201	Side Panel total width (front & back) at hem edge	1/8	1/8	NA	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4				
H606	Neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8				
N221	Dorito width: edge to edge	1/4	1/4	1/8	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3	3 1/8	3 1/4				
N222	Dorito height: CF NK seam to edge	1/8	1/8	1/8	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2				
↓ H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24				

Comments

**** RAGLAN SLEEVE ****

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

- add self half moon facing for the new main label

Raglan SLV - Measurement - Hoodie F/W 2025					All Measurements are in Inches		Version 1
	Article Code	M-0425-KT-6066			Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM			Life Cycle Stage	Pre-Production	
- add rib side panel - add rib dorito overlay							
2.12.2025 update: Remove rib trim from hoodie							

CM of Raglan SLV - Measurement - Hoodie F/W 2025												All Measurements are in CMs						Version 1	
	Article Code	M-0425-KT-6066				100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash						Product Group	TOP						
	Article Name	MUSKOKA RALGAN SLV HOODIE										Product Sub-Category	PULLOVER HOODIE						
	Created On	09-08-2024 5:42:10 PM			Material Description	Season	2025 Winter												
	Last Modified	04-29-2025 2:08:21 PM				Life Cycle Stage	Pre-Production												
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A201	Front body length from HPS : Top	1.27	1.27	0	64.77	66.04	67.31	68.58	69.85	72.39	74.93	77.47							
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	21.59	21.59	22.225	22.86	23.495	24.13	24.765	25.40							
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	9.2075	9.2075	9.3662	9.525	9.6838	10.0013	10.3187	10.6363							
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513							
! B301	Across: Chest : at mid. armhole	0.635	0.635	0	28.575	30.48	32.385	34.29	36.195	38.735	41.275	43.815							
! B201	Across Back : at mid. armhole	0.635	0.635	0	30.7975	32.7025	34.6075	36.5125	38.4175	40.9575	43.4975	46.0375							
! B101	Chest width :1" below armhole	1.27	1.27	0	48.26	50.80	53.34	55.88	58.42	62.23	66.04	69.85							
! C102	Bottom width : 1" above band seam	1.27	1.27	0	43.18	45.72	48.26	50.8	53.34	57.15	60.96	64.77							
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96							
! E201	Armhole Depth :: from HPS Squared Down (Raglan)	0.635	0.635	0.635	27.305	27.94	28.575	29.21	29.845	30.48	31.115	31.75							
! G101	Bicep width:1" below armhole	0.635	0.635	0	22.225	22.86	23.495	24.13	24.765	25.5587	26.3525	27.1463							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063							
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	12.5413	13.0175	13.4937	13.97	14.4463	15.0813	15.7163	16.3513							
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
A703	Body Band Height	0.3175	0.3175	0	6.985	6.985	6.985	6.985	6.985	6.985	6.985	6.985							
! H703	Hood width :: at 5" Below Top Edge	0.635	0.635	0	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48							
! H701	Hood height at CF	0.635	0.635	0	38.10	39.37	39.37	40.64	40.64	41.91	41.91	41.91							
H702	Hood height at HPS	0.635	0.635	0	34.29	35.56	35.56	36.83	36.83	38.10	38.10	38.10							
! N101	Kanga pocket height at center	0.635	0.635	0	20.955	21.590	21.590	22.225	22.225	23.495	23.495	23.495							
! N102	Kanga pocket width at top edge	0.635	0.635	0	22.86	23.495	23.495	24.13	24.13	25.40	25.40	25.40							
! N103	Kanga pocket width at widest point	0.635	0.635	0	33.02	33.655	33.655	34.29	34.29	35.56	35.56	35.56							
! N104	Kanga pocket width at band seam	0.635	0.635	0	25.40	26.035	26.035	26.67	26.67	27.94	27.94	27.94							
N201	Pocket opening trim height	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54							
! H709	drawcord length : Hood	1.27	1.27	0	101.60	104.14	104.14	106.68	106.68	109.22	109.22	109.22							
H710	Hood drawcord exit pos. fr neck	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175							
B401	Side Panel total width (front & back) below UAP	0.3175	0.3175	0	10.16	11.43	12.70	13.97	15.24	17.145	19.05	20.955							
C201	Side Panel total width (front & back) at hem edge	0.3175	0.3175	0	10.16	11.43	12.70	13.97	15.24	17.145	19.05	20.955							
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525							
N221	Dorito width: edge to edge	0.635	0.635	0.3175	6.0325	6.350	6.6675	6.985	7.3025	7.620	7.9375	8.255							
N222	Dorito height: CF NK seam to edge	0.3175	0.3175	0.3175	4.1275	4.445	4.7625	5.08	5.3975	5.715	6.0325	6.35							
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96							
Comments																			
** RAGLAN SLEEVE **																			

CM of Raglan SLV - Measurement - Hoodie F/W 2025					All Measurements are in CMs		Version 1
	Article Code	M-0425-KT-6066			Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Life Cycle Stage	Pre-Production	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) 8/17/23 revisions for Q1 and onwards: - add self half moon facing for the new main label - add rib side panel - add rib dorito overlay 2.12.2025 update: Remove rib trim from hoodie							

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd [Sample 1 (M)]								Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP		
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE		
	Created On	09-08-2024 5:42:10 PM	Material		Season	2025 Winter		
	Last Modified	04-29-2025 2:08:21 PM	Description		Life Cycle Stage	Pre-Production		

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
A201	Front body length from HPS : Top	1/2	1/2	27	26 1/4	-3/4	
H101	Neck width :: SEAM TO SEAM	1/4	1/4	9	9	0	
H201	Front neck drop from HPS : Crew	1/8	1/8	3 3/4	3 1/4	-1/2	
H301	Back neck drop from HPS Crew	1/8	1/8	1	7/8	-1/8	
B301	Across: Chest : at mid. armhole	1/4	1/4	13 1/2	13 1/2	0	
B201	Across Back : at mid. armhole	1/4	1/4	14 3/8	14 1/4	-1/8	
B101	Chest width :1" below armhole	1/2	1/2	22	21 3/4	-1/4	
C102	Bottom width : 1" above band seam	1/2	1/2	20	20	0	
C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	18 1/2	18 1/2	0	
E201	Armhole Depth :: from HPS Squared Down (Raglan)	1/4	1/4	11 1/2	11 1/4	-1/4	
G101	Bicep width:1" below armhole	1/4	1/4	9 1/2	9 1/4	-1/4	
F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	35	34 1/2	-1/2	35 1/2
G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	3 3/4	3 1/2	-1/4	
G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	5 1/2	5 1/2	0	
F701	Sleeve Cuff Band Height	1/8	1/8	2 3/4	2 3/4	0	
A703	Body Band Height	1/8	1/8	2 3/4	2 3/4	0	
H703	Hood width :: at 5" Below Top Edge	1/4	1/4	11	11	0	
H701	Hood height at CF	1/4	1/4	16	15 5/8	-3/8	
H702	Hood height at HPS	1/4	1/4	14 1/2	13 1/2	-1	
N101	Kanga pocket height at center	1/4	1/4	8 3/4	8 1/2	-1/4	
N102	Kanga pocket width at top edge	1/4	1/4	9 1/2	9 1/4	-1/4	
N103	Kanga pocket width at widest point	1/4	1/4	13 1/2	13 1/2	0	
N104	Kanga pocket width at band seam	1/4	1/4	10 1/2	10 1/2	0	
N201	Pocket opening trim height	1/8	1/8	1	1	0	
H709	drawcord length : Hood	1/2	1/2	42	44	2	
H710	Hood drawcord exit pos. fr neck	1/8	1/8	1 1/4	1 1/4	0	
B401	Side Panel total width (front & back) below UAP	1/8	1/8	5 1/2	5 5/8	1/8	
C201	Side Panel total width (front & back) at hem edge	1/8	1/8	5 1/2	5 3/4	1/4	
H606	Neck binding width	1/8	1/8	3/8	3/8	0	
N221	Dorito width: edge to edge	1/4	1/4	2 3/4	2 3/4	0	
N222	Dorito height: CF NK seam to edge	1/8	1/8	2	2 1/4	1/4	
H404	Minimum Neck Stretch	1/2	0	24	24	0	

COMMENT							
4.28.25							
FITTING COMMENTS:							
1. Bring back to spec on front body length measurement				1. Điều chỉnh lại số đo chiều dài thân trước theo đúng thông số kỹ thuật.			
2. Bring back to spec on front neck drop measurement				2. Điều chỉnh lại số đo độ hạ cổ trước theo đúng thông số kỹ thuật.			
3. Bring back to spec on sleeve opening inside fold edges measurement				3. Điều chỉnh lại số đo rộng miệng tay áo (mép gấp bên trong) theo đúng thông số kỹ thuật.			
4. Bring back to spec on hood height at CF and HPS measurement				4. Điều chỉnh lại số đo chiều cao mũ ở giữa trước (CF) và điểm cao nhất vai (HPS) theo đúng thông số kỹ thuật.			
5. Bring back to spec on drawcord length measurement				5. Điều chỉnh lại số đo chiều dài dây rút theo đúng thông số kỹ thuật.			
6. Bring back to spec on side panel width measurement				6. Điều chỉnh lại số đo chiều rộng miếng đắp bên theo đúng thông số kỹ thuật.			

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd [Sample 1 (M)]							Version 1
	Article Code	M-0425-KT-6066		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	TOP	
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	09-08-2024 5:42:10 PM	Material		Season	2025 Winter	
	Last Modified	04-29-2025 2:08:21 PM	Description		Life Cycle Stage	Pre-Production	

7. Bring back to spec on dorito height measurement

8. Ensure all measurements are brought back to spec.

9. revised sleeve overarm measurement
7. Điều chỉnh lại số đo chiều cao hình tam giác ở cổ áo về đúng thông số kỹ thuật.

8. Đảm bảo tất cả các số đo được điều chỉnh về đúng thông số kỹ thuật.

9. Số đo dài tay (từ vai đến hết tay áo) đã được điều chỉnh

WORKMANSHIP COMMENTS:

1. Please ensure there is no excessive puckering on seams.

2. Ensure the hem edges are level at the CF.

3. Kanga pocket shaping looks uneven, please improve handling and workmanhsip

2ND FIT IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PP WITH CORRECTIONS

Sample Size:	M
Status:	Approved
Approved By:	KoryLui (October's Very Own Merchandising)
Approved On:	04-29-2025 2:07:44 PM

1. Vui lòng đảm bảo không có hiện tượng nhăn nhúm quá mức trên các đường may.

2. Đảm bảo các mép gấu áo/quần ngang bằng nhau ở giữa trước (CF).


3. Hình dáng túi kangaroo trông không đều, vui lòng cải thiện thao tác và chất lượng gia công.

MẪU THỬ NGHIỆM LẦN 2 ĐƯỢC DUYỆT VỀ DÁNG VÀ CẤU TRÚC, VUI LÒNG TIẾN HÀNH SẢN XUẤT MẪU PP VỚI CÁC CHỈNH SỬA.

UN-AVAILABLE CO. LTD: Fit Approval-2 2nd - SAMPLE - FRONT, SIDE AND BACK						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	



UN-AVAILABLE CO. LTD: Fit Approval-2 2nd - kanga pocket shaping						Version 1
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	09-08-2024 5:42:10 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-29-2025 2:08:21 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Pre-Production	



Hình dáng túi kangaroo trông không đều, vui lòng cải thiện thao tác và chất lượng gia công.

POCKET SHAPING IS UNEVEN, PLEASE ENSURE THAT THE POCKET IS SEWN ON EVENLY AND IS NOT STRETCHED OUT