

Article Summary					Version 1			
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	BOTTOM		
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT		
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter		
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation		
Gender Classification		Mens	Sub Class D	Sweatpant	Fabrication		KNIT BOTTOM	
Supplier		UN-AVAILABLE CO. LTD	Release Date	24 Sep 2025	Ex-Factory		27 Jun 2025	
							COLORS	
								FEATHER GREY (FE) 15-1305 TCX SANDSTONE
								GARMENT DYED BLACK (YB) GARMENT DYED BLACK
								KAMBABA (KAM) 19-0404 TCX DEEP OLIVE (.)
								BARBERRY (BAR) 18-1760 TCX BERRY
SIZES								
000, 001, 002, 003, 004, 005, 006, 007								

Bill of Materials												Version 1	
	Article Code	M-0425-KB-6068							Product Group	BOTTOM			
	Article Name	MUSKOKA SWEATPANT							Product Sub-Category	PANT - SWEATPANT			
	Created On	09-08-2024 5:49:41 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash					Season	2025 Winter			
	Last Modified	04-03-2025 10:21:09 PM							Life Cycle Stage	Sample Evaluation			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY
Fabric													
	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		BODY, POCKET BAG PALM SIDE, PATCH POCKET		0	Meter				None	None	None	None
	100% COMBED COTTON JERSEY, 190GSM (FB-K614) REF# OVOTRIP-TS01 SINGLE JERSEY		POCKET BAG KNUCKLE SIDE		0	Meter			REF# OVOTRIP-TS01	None	None	None	None
Trims													
	ELASTIC PRESHRUNK (EC116) PLS REFER TO MEASUREMENT CHARTS FOR WIDTH SIZE		WB, LEG OPENING		1	Each	ENCASED ELASTIC	Vendor Sourced		None	None	None	None
WAISTBAND	BUTTON HOLE HIGH STITCH COUNT (BB105)		CF WB- INTERNAL		2	Each	DTM BODY	Vendor Sourced		None	None	None	None
DRAWCORD	ROUND DRAWCORD WITH KNOTTED ENDS (TR-DR174)		WB- INTERNAL		1	Each	DTM BODY			None	None	None	None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced		None	None	None	None
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.				1	Each		Vendor Sourced		None	None	None	None
SEE PLACEMENT FOR DETAILS	UPC BARCODE STICKER (ST101) PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS				2	Each		Vendor Sourced		None	None	None	None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				1	Each		Reca Mainetti Asia Ltd		None	None	None	None

Bill of Materials											Version 1
	Article Code	M-0425-KB-6068						Product Group	BOTTOM		
	Article Name	MUSKOKA SWEATPANT						Product Sub-Category	PANT - SWEATPANT		
	Created On	09-08-2024 5:49:41 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)				Season	2025 Winter		
	Last Modified	04-03-2025 10:21:09 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash				Life Cycle Stage	Sample Evaluation		
Part	Material	Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	BAR BARBERRY
SEE PLACEMENT FOR DETAILS	OVO 2023 Main Loop Label (TR-LT252)		1	Each		Reca Mainetti Asia Ltd	LBOVO14 7	None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		1	Each		Reca Mainetti Asia Ltd	OVOW23 _181_T	None	None	None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		1	Each	DTM	Vendor Sourced		None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None	None	None	None
SEE PLACEMENT FOR DETAILS	GD DISCLAIMER HANG TAG (TR-HG143) REF# OVOF22_060_T		1	Each		Vendor Sourced		None	None	None	None
Graphics											
	TBD - SEE ARTWORK FILE (HT-102)		0	Each				None	None	None	None




Bill of Materials Material Image Sheet							Version 1				
	Article Code	M-0425-KB-6068			Product Group	BOTTOM					
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT – SWEATPANT					
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter					
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation					
			Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash							
	TR-DR174 ROUND DRAWCORD WITH KNOTTED ENDS		PK101 POLY BAG - GENERIC		LT110 CC LABEL - APPAREL		ST101 UPC BARCODE STICKER		LT138 TEAR-AWAY COO TAB: OVOF21_217_T		TR-LT252 OVO 2023 Main Loop Label
	TR-LT246 OVO 2023 Alpha Sizing Tab		TR-TV140 5mm GROSGRAIN RIBBON LOOP		TR-HG142 OVO 2023 Booklet Hangtag		TR-HG143 GD DISCLAIMER HANG TAG				

PHOTO EXAMPLES							Version 1
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material Description		Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	





PHOTO EXAMPLES							Version 1
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material Description		Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	



PHOTO EXAMPLES						Version 1
Article Code	M-0425-KB-6068			Product Group	BOTTOM	
Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	09-08-2024 5:49:41 PM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	04-03-2025 10:21:09 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	Sample Evaluation	



Construction details - Knit bottoms gusset sweat							Version 1
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material Description		Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	



Comments

- 1 WAISTBAND**
Self folded waistband with elastic encased. Join all layers (catching elastic) with #512 mock safety stitch. 2N edge coverstitch, straddling WB seam, 1/4" spacing. Two rows of SN chain topstitch forming drawcord casing at centre of WB. Buttonhole drawcord exits at external CF of WB, 2" spacing.
- 2 DRAWCORD**
Drawcord ends: knotted
- 3 FRONT POCKETS**
On-seam pockets. Front edge folded in to form facing. SN topstitch, 1/4" in at pocket opening. Bartacks at top and bottom of opening.
Top pocket bag (knuckle side) in jersey, bottom pocket bag (palm side) in self. Bag seams join with #512 mock safety stitch. Bag finished into the WB and side seams.
- 4 FRONT/ BACK RISES**
Join with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam.
- 5 OUTSEAM**
Join with #512 mock safety stitch. 3NDL C/S on back.
- 6 INSEAM**
Join with #512 mock safety stitch
- 7 LEG OPENINGS**
Self turn up with elastic encased. Elastic join to leg opening edge with #512 mock safety stitch. 2N coverstitch, 1/4" spacing, forming hem.
- 8 BACK POCKET**
Self patch pocket. Opening edges finished with rib binding, 3N C/S. 2NDL TOP STITCH ON RIB
Set pocket bag to body with 3NDL C/S with extension as per sketch.
- 9 GUSSET**
Rib cut & sew gusset panel, join with #512 mock safety stitch. 1/4" 3N coverstitch, straddle all gusset seams.

Measurement - Sweatpant gusset - 2023 Relaxed fit										All Measurements are in Inches					Version 1		
	Article Code	M-0425-KB-6068		Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash					Product Group		BOTTOM					
	Article Name	MUSKOKA SWEATPANT								Product Sub-Category		PANT - SWEATPANT					
	Created On	09-08-2024 5:49:41 PM	Season							2025 Winter							
	Last Modified	04-03-2025 10:21:09 PM	Life Cycle Stage							Sample Evaluation							
POM	Description		+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL				
! J101	Waist measurement relaxed :: 1/2 body		1/2	1/2	NA	12	13	14	15	16	17 1/2	19	20 1/2				
! J104	WB height		1/8	1/8	NA	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4				
J502	Dawcord buttonhole distance: RELAXED		1/8	1/8	NA	2	2	2	2	2	2	2	2				
! K101	Hip at 1" below WB seam: waist pattern mmt.		1/2	1/2	NA	16 1/2	17 1/2	18 1/2	19 1/2	20 1/2	22	23 1/2	25				
! K102	Full Hip:3 1/2" above crotch point, 3 xpt.Measure		1/2	1/2	NA	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	25	26 1/2	28				
M101	Thigh :: 1" below crotch seam		1/4	1/4	NA	11 7/8	12 1/2	13 1/8	13 3/4	14 3/8	15 1/4	16 1/4	17 1/8				
M106	Knee position from crotch pt @ inseam		1/4	1/4	NA	11 3/4	11 3/4	12	12	12	12 1/4	12 1/4	12 1/4				
M103	Knee Width		1/4	1/4	NA	9 3/8	9 3/4	10 1/8	10 1/2	10 7/8	11 3/8	11 7/8	12 3/8				
! I101	Inseam length :: long pant		1/2	1/2	NA	28 1/2	28 1/2	29	29	29	29 1/2	29 1/2	29 1/2				
! M202	Leg opening:Long, 1" above casing / rib seam		1/4	1/4	NA	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9				
! M201	Leg opening: Long, inside fold edges of opening		1/4	1/4	NA	5 3/4	6	6 1/4	6 1/2	6 3/4	7	7 1/4	7 1/2				
I702	Leg cuff height		1/8	1/8	NA	1	1	1	1	1	1	1	1				
! L103	Front rise : Incl WB: EXCL. GUSSET		1/4	1/4	NA	11 5/8	12	12 3/8	12 3/4	13 1/8	13 1/2	14	14 3/8				
! L203	Back rise: Incl WB: EXCL. GUSSET		1/4	1/4	NA	13 3/8	13 3/4	14 1/8	14 1/2	14 7/8	15 1/4	15 3/4	16 1/8				
L402	Gusset width		1/4	1/4	NA	1 5/8	1 3/4	1 3/4	2	2	2 1/4	1 3/4	2 3/8				
L404	Gusset length		1/4	1/4	NA	9 1/8	9 1/4	9 1/4	9 1/2	9 1/2	9 3/4	9 1/4	9 7/8				
C202	Side seam,INSEAM forward position, fr fold		1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2				
! N201	Front pocket length		1/4	1/4	NA	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2				
N202	Front pocket stitch width		0	0	NA	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4				
N205	Front pocket position from Rib/Band seam		1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4				
N211	Front pocket bag height :: at center		1/4	1/4	NA	11	11	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2				
N212	Front pocket bag width:: at widest pt.		1/4	1/4	NA	6 1/2	6 3/4	6 3/4	7	7	7 1/4	7 1/2	7 1/2				
N601C	Back pocket height at center		1/4	1/4	NA	5 1/4	5 1/2	5 1/2	5 3/4	0	6	6 1/4	6 1/4				
! N701	Back pocket width at top edge		1/4	1/4	NA	4 1/2	4 3/4	4 3/4	5	0	5 1/4	5 1/2	5 1/2				
N703	Back pocket from WB seam		1/8	1/8	NA	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2				
N508	Back pocket position from CB seam		1/8	1/8	NA	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3				
! J501	Drawcord length : waist		1	1	NA	46	48	49	52	54	55	60	63				
Comments																	
REFERENCE: M-0323-KB-3656 (updated 2023 STUSSY sweat pant) - d/cord button hole external ----- 01.24.2025 - Grade crotch width -1/4" for size each size - XXS/XS/S. - Grade crotch width +1/4" for size each size - L/XL. - Grade crotch width +3/8" for each size - XXL/3XL. - Grade rules at thigh, front and back rise have been revised accordingly.																	

CM Measurement - Sweatpant gusset-04.03.25 - 2023 Relaxed fit												All Measurements are in CMs					Version 1	
	Article Code	M-0425-KB-6068				100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash						Product Group		BOTTOM				
	Article Name	MUSKOKA SWEATPANT										Product Sub-Category		PANT - SWEATPANT				
	Created On	09-08-2024 5:49:41 PM										Season		2025 Winter				
	Last Modified	04-03-2025 10:21:09 PM										Life Cycle Stage		Sample Evaluation				
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
J101	Waist measurement relaxed :: 1/2 body	1.27	1.27	0	30.48	33.02	35.56	38.1	40.64	44.45	48.26	52.07						
J104	WB height	0.3175	0.3175	0	4.445	4.445	4.445	4.445	4.445	4.445	4.445	4.445						
J502	Dawcord buttonhole distance: RELAXED	0.3175	0.3175	0	5.08	5.08	5.08	5.08	5.08	5.08	5.08	5.08						
K101	Hip at 1" below WB seam: waist pattern mmt.	1.27	1.27	0	41.91	44.45	46.99	49.53	52.07	55.88	59.69	63.50						
K102	Full Hip:3 1/2" above crotch point, 3 xpt.Measure	1.27	1.27	0	49.53	52.07	54.61	57.15	59.69	63.50	67.31	71.12						
M101	Thigh :: 1" below crotch seam	0.635	0.635	0	30.1625	31.750	33.3375	34.925	36.5125	38.735	41.275	43.4975						
M106	Knee position from crotch pt @ inseam	0.635	0.635	0	29.845	29.845	30.48	30.48	30.48	31.115	31.115	31.115						
M103	Knee Width	0.635	0.635	0	23.8125	24.765	25.7175	26.67	27.6225	28.8925	30.1625	31.4325						
I101	Inseam length :: long pant	1.27	1.27	0	72.39	72.39	73.66	73.66	73.66	74.93	74.93	74.93						
M202	Leg opening:Long, 1" above casing / rib seam	0.635	0.635	0	18.415	19.05	19.685	20.32	20.955	21.59	22.225	22.86						
M201	Leg opening: Long, inside fold edges of opening	0.635	0.635	0	14.605	15.24	15.875	16.51	17.145	17.78	18.415	19.05						
I702	Leg cuff height	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
L103	Front rise : Incl WB: EXCL. GUSSET	0.635	0.635	0	29.5275	30.480	31.4325	32.385	33.3375	34.290	35.560	36.5125						
L203	Back rise: Incl WB: EXCL. GUSSET	0.635	0.635	0	33.9725	34.925	35.8775	36.83	37.7825	38.735	40.005	40.9575						
L402	Gusset width	0.635	0.635	0	4.1275	4.445	4.445	5.08	5.08	5.715	4.445	6.0325						
L404	Gusset length	0.635	0.635	0	23.1775	23.495	23.495	24.13	24.13	24.765	23.495	25.0825						
C202	Side seam,INSEAM forward position, fr fold	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27						
N201	Front pocket length	0.635	0.635	0	13.97	14.605	14.605	15.24	15.24	15.875	16.51	16.51						
N202	Front pocket stitch width	0	0	0	0.635	0.635	0.635	0.635	0.635	0.635	0.635	0.635						
N205	Front pocket position from Rib/Band seam	0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175						
N211	Front pocket bag height :: at center	0.635	0.635	0	27.94	27.94	29.21	29.21	29.21	29.21	29.21	29.21						
N212	Front pocket bag width:: at widest pt.	0.635	0.635	0	16.51	17.145	17.145	17.78	17.78	18.415	19.05	19.05						
N601C	Back pocket height at center	0.635	0.635	0	13.335	13.970	13.970	14.605	0	15.240	15.875	15.875						
N701	Back pocket width at top edge	0.635	0.635	0	11.43	12.065	12.065	12.7	0	13.335	13.97	13.97						
N703	Back pocket from WB seam	0.3175	0.3175	0	4.1275	4.445	4.7625	5.08	5.3975	5.715	6.0325	6.35						
N508	Back pocket position from CB seam	0.3175	0.3175	0	5.3975	5.715	6.0325	6.35	6.6675	6.985	7.3025	7.62						
J501	Drawcord length : waist	2.54	2.54	0	116.84	121.92	124.46	132.08	137.16	139.70	152.40	160.02						
Comments																		
REFERENCE: M-0323-KB-3656 (updated 2023 STUSSY sweat pant) - d/cord button hole external ----- 01.24.2025 - Grade crotch width -1/4" for size each size - XXS/XS/S. - Grade crotch width +1/4" for size each size - L/XL. - Grade crotch width +3/8" for each size - XXL/3XL. - Grade rules at thigh, front and back rise have been revised accordingly.																		

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit [Sample 1 (M)]							Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	

POM	Description	+ Tol	- Tol	M	Sample	Diff	Revised
J101	Waist measurement relaxed :: 1/2 body	1/2	1/2	15	15 1/4	1/4	
J104	WB height	1/8	1/8	1 3/4	1 7/8	1/8	
J502	Dawcord buttonhole distance: RELAXED	1/8	1/8	2	2 1/4	1/4	
K101	Hip at 1" below WB seam: waist pattern mmt.	1/2	1/2	19	18 1/2	-1/2	19 1/2
K102	Full Hip:3 1/2" above crotch point, 3 xpt.Measure*	1/2	1/2	22	21 1/4	-3/4	22 1/2
M101	Thigh :: 1" below crotch seam	1/4	1/4	13	13	0	13 3/4
M106	Knee position from crotch pt @ inseam	1/4	1/4	12	12	0	
M103	Knee Width	1/4	1/4	10 1/2	10	-1/2	
I101	Inseam length :: long pant	1/2	1/2	29	29 1/8	1/8	
M202	Leg opening:Long, 1" above casing / rib seam	1/4	1/4	8	7 1/4	-3/4	
M201	Leg opening: Long, inside fold edges of opening	1/4	1/4	6 1/2	6 1/4	-1/4	
I702	Leg cuff height	1/8	1/8	1	1	0	
L103	Front rise : Incl WB: EXCL. GUSSET*	1/4	1/4	12 1/2	12 1/4	-1/4	12 3/4
L203	Back rise: Incl WB: EXCL. GUSSET*	1/4	1/4	14 1/2	13 3/4	-3/4	
L402	Gusset width	1/4	1/4	2 1/2	2 1/2	0	2
L404	Gusset length	1/4	1/4	11	10 1/2	-1/2	9 1/2
C202	Side seam,INSEAM forward position, fr fold*	1/8	1/8	1/2	3/8	-1/8	
N201	Front pocket length	1/4	1/4	6	5 3/4	-1/4	
N202	Front pocket stitch width	0	0	1/4	1/4	0	
N205	Front pocket position from Rib/Band seam	1/8	1/8	1 1/4	1	-1/4	
N211	Front pocket bag height :: at center	1/4	1/4	11 1/2	11	-1/2	
N212	Front pocket bag width:: at widest pt.	1/4	1/4	7	6 1/2	-1/2	
N601C	Back pocket height at center	1/4	1/4	5 3/4	5 1/2	-1/4	
N701	Back pocket width at top edge	1/4	1/4	5	4 5/8	-3/8	
N703	Back pocket from WB seam	1/8	1/8	2	1 3/4	-1/4	
N508	Back pocket position from CB seam	1/8	1/8	2 1/2	2 3/8	-1/8	
J501	Drawcord length : waist	1	1	52	50	-2	

Renamed Points of Measurement
*K102 - Full Hip: 3" above crotch point, 3 xpt. Measure Revised to K102 - Full Hip:3 1/2" above crotch point, 3 xpt.Measure
*L103 - Front rise :: Incl WB Revised to L103 - Front rise : Incl WB: EXCL. GUSSET
*L203 - Back rise :: Incl WB Revised to L203 - Back rise: Incl WB: EXCL. GUSSET
*C202 - Side seam forward position, fr fold Revised to C202 - Side seam,INSEAM forward position, fr fold

COMMENT

REFERENCE: M-0323-KB-3656 (updated 2023 STUSSY sweat pant)
- d/cord button hole external

01.24.2025
- Grade crotch width -1/4" for size each size - XXS/XS/S.
- Grade crotch width +1/4" for size each size - L/XL.
- Grade crotch width +3/8" for each size - XXL/3XL.
- Grade rules at thigh, front and back rise have been revised accordingly.

04.02.2025

Giảm dần độ rộng đáy quần 1/4" cho mỗi cỡ - XXS/XS/S.

Tăng dần độ rộng đáy quần 1/4" cho mỗi cỡ - L/XL.

Tăng dần độ rộng đáy quần 3/8" cho mỗi cỡ - XXL/3XL.

Quy tắc nhảy cỡ ở đùi, đũng trước và đũng sau đã được điều chỉnh tương ứng.

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit [Sample 1 (M)]							Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	

The 2nd fit sample is not acceptable due to small fit. Please do all corrections and submit 3rd fit sample.

Styling details:

- Maintain as per the sample.

XEM PHẦN DỊCH TRANG SAU

Graphic details:

- Please follow graphic designer's instructions.

Fit and measurements:

- The submitted sample fits small like a size small. Please increase hip, thigh as per the REVISED spec.
- The front and back rise seam shaping is very angled. The cf waist area exhibits stress lines. Increase waist width at seam 1" flat. Please increase at the side seam, front and back rise seam.
- The crotch width measures 7" at 2" above the crotch point. Please increase to 7 1/2". Increase 1/2" at each front and back crotch extension.
- The crotch depth measures 10", is short. Increase to 10 1/2".
- The full hip level has been revised to 3 1/2".
- As per designer, reduce gusset width to 2" and length to 9 1/2".
- The knee and leg opening measurements are under spec, fit small. Ensure to bring back to spec.
- The on-seam pocket opening is small, measures 5 1/2". Ensure to bring back to spec of 6".
- The on-seam pocket opening is gaping when worn and doesn't align with the side seam on flat garment. Reshape pocket opening with more curve.
- Many measurements are off spec. Please bring back to spec.
- * Please refer to the Fit Comments page below for details.

Sewing construction and workmanship:

- The waistband exhibits 3 rows of multi needle top stitching. As per designer, waistband should have 4 rows of top stitching as per the sketch. Please correct going forward.
- The drawcord has not been tacked down at cb waistband. Ensure to correct this issue going forward.
- The Jersey pocket bag (knuckle side) has shrunk more than the fleece pocket bag (palm side) after garment dye process. Please ensure to do shrinkage test for Jersey fabric and adjust the pattern accordingly.
- Ensure to apply a small bar tack to the inner crotch seam intersection for reinforcement.
- * Please refer to M-0425-KB-6431 MUSKOKA SWEATSHORTS - 1st fit comments for corrections.

CM Measurement - Sweatpant gusset-04.03.25 - 2023 Relaxed fit					All Measurements are in CMs		Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	
				Material Description	100% Cotton Fleece, 350gsm Garment Dye + Acid wash		

Mẫu thử nghiệm lần 2 không đạt yêu cầu vì nhỏ. Vui lòng thực hiện tất cả các chỉnh sửa và gửi mẫu thử nghiệm lần 3.

Chi tiết kiểu dáng:

Duy trì theo mẫu.

Chi tiết hình in:

Vui lòng làm theo hướng dẫn của nhà thiết kế đồ họa.

Dáng và số đo:

- Mẫu đã gửi ôm nhỏ như cỡ nhỏ. Vui lòng tăng số đo hông, đùi theo thông số kỹ thuật ĐÃ SỬA ĐỔI.
- Đường may đứng trước và sau bị vát quá nhiều. Vùng eo giữa trước xuất hiện các đường căng. Tăng chiều rộng eo ở đường may thêm 1 inch đo phẳng. Vui lòng tăng ở đường may sườn, đường may đứng trước và sau.
- Độ rộng đáy đo được 7 inch tại vị trí cách điểm đáy quần 2 inch. Vui lòng tăng lên 7 1/2 inch. Tăng mỗi bên phần kéo dài đáy trước và sau thêm 1/2 inch.
- Độ sâu đáy đo được 10 inch, bị ngắn. Vui lòng tăng lên 10 1/2 inch.
- Vị trí vòng hông dây dẹt đã được điều chỉnh thành 3 1/2 inch.
- Theo yêu cầu của nhà thiết kế, giảm chiều rộng miếng đắp đáy xuống 2 inch và chiều dài xuống 9 1/2 inch.
- Số đo đầu gối và ống quần nhỏ hơn thông số, ôm nhỏ. Đảm bảo điều chỉnh lại đúng thông số.
- Miệng túi dọc sườn nhỏ, đo được 5 1/2 inch. Đảm bảo điều chỉnh lại đúng thông số 6 inch.
- Miệng túi dọc sườn bị hở khi mặc và không thẳng hàng với đường may sườn khi đặt phẳng. Điều chỉnh lại hình dáng miệng túi cong hơn.
- Nhiều số đo không đúng thông số. Vui lòng điều chỉnh lại đúng thông số.
- * Vui lòng tham khảo trang Ghi chú về Dáng bên dưới để biết chi tiết.

Công đoạn may và chất lượng gia công:

- Đường cạp quần có 3 hàng chỉ chần nhiều kim. Theo yêu cầu của nhà thiết kế, cạp quần phải có 4 hàng chỉ chần theo bản vẽ. Vui lòng điều chỉnh cho các lô hàng sau.
- Dây rút chưa được cố định ở giữa sau cạp quần. Đảm bảo khắc phục lỗi này cho các lô hàng sau.
- Túi lót bằng vải jersey (mặt đốt ngón tay) bị co rút nhiều hơn túi lót bằng vải nỉ (mặt lòng bàn tay) sau quá trình nhuộm thành phẩm. Vui lòng đảm bảo thực hiện kiểm tra độ co rút của vải jersey và điều chỉnh rập tương ứng.
- Đảm bảo may một mũi bọ nhỏ tại giao điểm đường may đáy trong để tăng cường độ bền.
- * Vui lòng tham khảo M-0425-KB-6431 QUẦN SHORT NỈ MUSKOKA - Ghi chú về mẫu thử nghiệm lần 1 để biết các chỉnh sửa*

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit [Sample 1 (M)]						Version 1	
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material Description		Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	
M103 - Knee Width : Bring back to spec = 10 1/2" M202 - Leg opening:Long, 1" above casing / rib seam : Bring back to spec of 8". M201 - Leg opening: Long, inside fold edges of opening : Bring back to spec L203 - Back rise :: Incl WB : Bring back to spec = 14 1/2". C202 - Side seam forward position, fr fold : Side seam, inseam position forward measures at knee and leg opening level. N205 - Front pocket position from Rib/Band seam : Bring back to spec N211 - Front pocket bag height :: at center : Bring back to spec N212 - Front pocket bag width:: at widest pt. : Bring back to spec N601C - Back pocket height at center : Bring back to spec N701 - Back pocket width at top edge : Bring back to spec N703 - Back pocket from WB seam : Bring back to spec J501 - Drawcord length : waist : Bring back to spec = 52" Sample Size: M Status: Rejected Rejected By: KimDuong (October's Very Own Merchandising) Rejected On: 04-03-2025 10:22:48 PM							

M103 - Rộng gối: Điều chỉnh về đúng thông số = 10 1/2".

M202 - Rộng ống quần: Dài, cách đường viền/bo gấu 1 inch: Điều chỉnh về đúng thông số 8".

M201 - Rộng ống quần: Dài, mép gấp bên trong của miệng ống: Điều chỉnh về đúng thông số.

L203 - Dài đáy sau :: Bao gồm cạp: Điều chỉnh về đúng thông số = 14 1/2".

C202 - Vị trí đường may sườn phía trước, từ nếp gấp: Vị trí đường may sườn, đường may đùi trong đo tại vị trí ngang gối và miệng ống.

N205 - Vị trí miệng túi trước từ đường bo/cạp: Điều chỉnh về đúng thông số.

N211 - Chiều cao túi trước :: tại giữa: Điều chỉnh về đúng thông số.

N212 - Rộng túi trước:: tại điểm rộng nhất: Điều chỉnh về đúng thông số.

N601C - Chiều cao túi sau tại giữa: Điều chỉnh về đúng thông số.

N701 - Rộng miệng túi sau: Điều chỉnh về đúng thông số.

N703 - Vị trí túi sau từ đường may cạp: Điều chỉnh về đúng thông số.

J501 - Dài dây rút: eo: Điều chỉnh về đúng thông số = 52".

UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit - Fit Comments - 2nd fit							Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	

2nd fit sample



UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit - Fit Comments - 2nd fit							Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	
			Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash			



Độ rộng đáy quần hẹp và độ sâu đáy quần ngắn.
- Vui lòng tham khảo trang 3 để biết các đề xuất chỉnh sửa.


The crotch width is narrow, and the crotch depth is short.
- Please refer to page 3 for suggested corrections.

The back inseam is bubble at the end of the gusset.
- Please refer to page 4 for suggested corrections.

Đường may đùi trong phía sau bị phồng ở cuối miếng dán đáy. - Vui lòng tham khảo trang 4 để biết các đề xuất chỉnh sửa.



UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit - Fit Comments - 2nd fit						Version 1
Article Code	M-0425-KB-6068	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Product Group	BOTTOM	
Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	



UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit - Fit Comments - 2nd fit							Version 1
	Article Code	M-0425-KB-6068			Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM			Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM			Life Cycle Stage	Sample Evaluation	
			Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash			




The back inseam is bubble at the end of the gusset.


Đường may đùi trong phía sau bị phồng ở cuối miếng đắp đáy.

Vui lòng định hình lại miếng đắp đáy thành hình thoi.
Đường may đùi trong phía trước và phía sau sẽ thẳng hơn.

Please reshape gusset with diamond shape.
The front and back inseam shaping will be straighter.



UN-AVAILABLE CO. LTD: Fit Approval-1(Rev.1) - 2nd fit - Fit Comments - 2nd fit							Version 1
	Article Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Article Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	09-08-2024 5:49:41 PM	Material		Season	2025 Winter	
	Last Modified	04-03-2025 10:21:09 PM	Description		Life Cycle Stage	Sample Evaluation	



Tăng hông tại vị trí cách đường may trên cùng của cạp 1 inch lên 19 ½ inch

Increase hip at 1” below WB top stitch to 19 ½”

The pocket is gaping because the hip width are small.

Túi bị hở vì rộng hông nhỏ.