







Article Summary						Version 1	
	Article Code	M-0325-KT-5732		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH	Product Group	TOP	
	Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	07/10/24 12:40:10 PM	Material		Season	2025 Fall	
	Last Modified	07/12/24 5:12:06 PM	Description		Life Cycle Stage	Development	
Gender Classification		Mens	Sub Class D	PULL OVER HOODIE	Fabrication	KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD	Release Date		Ex-Factory		
						COLORS	
							GARMENT DYED BLACK (GDB)
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Material										Version 1	
	Article Code	M-0325-KT-5732		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH			Product Group	TOP			
	Article Name	MUSKOKA RALGAN HOODIE					Product Sub-Category	SWEAT TOPS			
	Created On	07/10/24 12:40:10 PM	Material				Season	2025 Fall			
	Last Modified	07/12/24 5:12:06 PM	Description				Life Cycle Stage	Development			
Part	Material		Placement		Qty.	UOM.	Comments	Supplier	Supplier Ref.		GDB GARMENT DYED BLACK
Fabric											
	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH		BODY, SLV, HOOD		0	Meter	Pigment Dye Acid Wash	Vendor Sourced	DEVPGA W001		None
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD		BODY BAND, PANELS, POCKET OPENING		0	Yards					None
Trims											
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		2" ABOVE HEM LEFT SIDE SEAM		1	Each	NATURAL COLOUR ON ALL COLOURWAYS**tbd	Vendor Sourced			None
	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER				2	Each					None
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.				1	Each		Vendor Sourced			None
	BUTTON HOLE HIGH STITCH COUNT (BB105)		D/C EXITS		2	Each	DTM	Vendor Sourced			None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) Article code: HTOVO141A		SAFETY PINNED TO UNDERSIDE OF MAIN LABEL		1	Each		Reca Mainetti Asia Ltd.	HTOVO14 1A		None
	OVO 2023 One Side Main Label (TR-LT247) RECA REF: LBOVO172		see placement guide		1	Each		Reca Mainetti Asia Ltd.	LBOVO17 2		None
	OVO 2023 Alpha Sizing Tab (TR-LT246) ARTICLE: OVOW23_181_T/ LBOVO175		see placement guide		1	Each		Reca Mainetti Asia Ltd.	OVOW23_181_T		None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB				1	Each		Reca Mainetti Asia Ltd.			None
	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT				0	Each		Vendor Sourced			None

Bill of Material										Version 1
	Article Code	M-0325-KT-5732		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH			Product Group	TOP		
	Article Name	MUSKOKA RALGAN HOODIE					Product Sub-Category	SWEAT TOPS		
	Created On	07/10/24 12:40:10 PM	Material				Season	2025 Fall		
	Last Modified	07/12/24 5:12:06 PM	Description				Life Cycle Stage	Development		
Part	Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.		GDB GARMENT DYED BLACK
	GD DISCLAIMER HANG TAG (TR-HG143) REF# OVOF22_060_T		THROUGH THE 1/8" RIBBON LOOP ALONG WITH OVO HANGTAG	0	Each		Vendor Sourced			None
	HERRINGBONE TAPE (TV126) 100% COTTON		BACK NECK TAPE	1	Meter		Vendor Sourced			None
	DRAWCORD CTN 3/8" FLAT, FOLDBACK BARTACKED ENDS (DR128)			0	Each	DTM				None
Graphics										
	TBD - SEE ARTWORK FILE (HT-102)			0	Each					None

Material Image Sheet						Version 1
	Article Code	M-0325-KT-5732		Product Group	TOP	
	Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS
	Created On	07/10/24 12:40:10 PM			Season	2025 Fall
	Last Modified	07/12/24 5:12:06 PM			Life Cycle Stage	DeveTopment
			Material Description	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH		
						
FB-K1191 UA BRUSHED FLEECE 100% COTTON 350GSM	LT110 CC LABEL - APPAREL		TR-ST114 UPC STICKER- 1" X 2.5"	PK101 POLY BAG - GENERIC	TR-HG142 OVO 2023 Booklet Hangtag	TR-LT247 OVO 2023 One Side Main Label
						
TR-LT246 OVO 2023 Alpha Sizing Tab	LT138 TEAR-AWAY COO TAB: OVOF21_217_T		TR-TV140 5mm GROSGRAIN RIBBON LOOP	TR-HG143 GD DISCLAIMER HANG TAG		

Opt 1. Raglan SLV - Construction details - Hoodie							Version 1
	Article Code	M-0325-KT-5732		UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH	Product Group	TOP	
	Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	07/10/24 12:40:10 PM	Material Description		Season	2025 Fall	
	Last Modified	07/12/24 5:12:06 PM			Life Cycle Stage	DeveTopment	



Comments


- HOOD**
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF of hood overlapping at the neck 3/4", left over right.
3NDL C/S at front edge to make channel for drawcord.
Buttonhole exits for drawcord.
Drawcord ends: knotted.
Self and lining chain tacked at the top of the head at CB dart seams.
- NECK SEAM**
Hood join to body with #512 mock safety stitch.
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- ARMHOLE SEAM**
Join with #512 mock safety stitch. 3N coverstitch straddling seam, 1/4" spacing.
- SLEEVE INSEAM**
#512 mock safety stitch.
- SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM**
FRONT AND BACK PANEL SEAM: MOCK SAFETY SERGE, 512 / 3NDL C/S, 605, STRADDLE SEAM
- SLEEVE OPENING**
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam
- KANGA POCKET**
Self pocket bag. Opening edges finished with rib binding, 3N C/S.
Set to body with 3NDL C/S top and side edges with C/S extension. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.
- BOTTOM OPENING**
Folded rib band. Join to bottom opening with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam
- HALF MOON BACK NECK FACING**
Self half moon facing, edge is folded in, clean finished with S/N edge T/S.

- Nón 1 mảnh bằng vải chính có đường xẻ nón như hình. Chân nón xếp trái qua phải 3/4 inch. Chạy đường 3 kim 5 chỉ đánh bông miệng nón, mắt cáo thêu dây luồn thắt nút ở 2 đầu. Lót + vải chính nón dính với nhau tại đầu đường xẻ nón
- Viền cổ may sạch bằng vải Jersey, điều 1/4 inch
- Nách may đánh bông 3 kim 1/4inch
- Phối sườn 2 lớp, không xẻ sườn. Đánh bông 3 kim 1/4inch
- Bo tay. Chạy đường 3 kim 5 chỉ đánh bông
- Túi kagaroo bằng vải chính, miệng túi phối rib, đánh bông tại cạnh trên + sườn túi như hình. Đánh bọt 4 cạnh miệng túi.
- Bo lai, chạy đường 3 kim 5 chỉ đánh bông 1/4 inch
- Đô sau như hình, may sạch 1 kim.

MEASURING RAGLAN SLEEVE AH DEPTH						Version 1
Article Code	M-0325-KT-5732			Product Group	TOP	
Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
Created On	07/10/24 12:40:10 PM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	07/12/24 5:12:06 PM	Description	PIGMENT DYE ACID WASH	Life Cycle Stage	DeveIopment	

HOW TO MEASURE POM "E201 :Armhole Depth
 :: from HPS Squared Down (Raglan)"


CÁCH ĐO RỘNG NÁCH, TỪ ĐỈNH VAI ÁO RAGLAN



MEASURING ACROSS CHEST RAGLAN SLEEVE						Version 1
Article Code	M-0325-KT-5732			Product Group	TOP	
Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
Created On	07/10/24 12:40:10 PM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	07/12/24 5:12:06 PM	Description	PIGMENT DYE ACID WASH	Life Cycle Stage	DeveIopment	


HOW TO MEASURE POM "B301 : Across: Chest :
at mid. armhole"

CÁCH ĐO NGANG NGŨC TẠI GIỮA NÁCH



MEASURING ACROSS BACK RAGLAN SLEEVE						Version 1
Article Code	M-0325-KT-5732			Product Group	TOP	
Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
Created On	07/10/24 12:40:10 PM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	07/12/24 5:12:06 PM	Description	PIGMENT DYE ACID WASH	Life Cycle Stage	DeveIopment	

HOW TO MEASURE POM "B201 : Across Back : CÁCH ĐO NGANG SAU TẠI GIỮA NÁCH
at mid. armhole



MEASURING RAGLAN SLEEVE OVERARM						Version 1
Article Code	M-0325-KT-5732			Product Group	TOP	
Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
Created On	07/10/24 12:40:10 PM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
Last Modified	07/12/24 5:12:06 PM	Description	PIGMENT DYE ACID WASH	Life Cycle Stage	DeveTopment	

HOW TO MEASURE POM " L:Sleeve overarm fr.
CB neck :: 3 x point measure

CÁCH ĐO DÀI TAY TẠI GIỮA THÂN SAU TẠI 3 ĐIỂM



OPT 1.Raglan SLV - Measurement - Hoodie												All Measurements are in Inches						Version 1	
	Article Code	M-0325-KT-5732				UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191) PIGMENT DYE ACID WASH						Product Group	TOP						
	Article Name	MUSKOKA RALGAN HOODIE										Product Sub-Category	SWEAT TOPS						
	Created On	07/10/24 12:40:10 PM			Material Description	Season	2025 Fall												
	Last Modified	07/12/24 5:12:06 PM				Life Cycle Stage	DeveIopment												
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A201	Front body length from HPS : Top	1/2	1/2	NA	26	26 1/2	27	27 1/2	28	29	30	31							
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2							
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16							
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16							
! B301	Across: Chest : at mid. armhole	1/4	1/4	NA	11 1/4	12	12 3/4	13 1/2	14 1/4	15 1/4	16 1/4	17 1/4							
! B201	Across Back : at mid. armhole	1/4	1/4	NA	12 1/8	12 7/8	13 5/8	14 3/8	15 1/8	16 1/8	17 1/8	18 1/8							
! B101	Chest width :1" below armhole	1/2	1/2	NA	20	21	22	23	24	25 1/2	27	28 1/2							
! C102	Bottom width : 1" above band seam	1/2	1/2	NA	18	19	20	21	22	23 1/2	25	26 1/2							
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24							
! E201	Armhole Depth :: from HPS Squared Down (Raglan)	1/4	1/4	1/4	10 3/4	11	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2							
! G101	Bicep width:1" below armhole	1/4	1/4	NA	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16							
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16							
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
A703	Body Band Height	1/8	1/8	NA	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4							
H708	Hood casing width :: at CF	1/8	1/8	NA	1	1	1	1	1	1	1	1							
! H703	Hood width :: at 5" Below Top Edge	1/4	1/4	NA	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12							
! H701	Hood height at CF	1/4	1/4	NA	14 1/2	15	15	15 1/2	15 1/2	16	16	16							
H702	Hood height at HPS	1/4	1/4	NA	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2							
! N101	Kanga pocket height at center	1/4	1/4	NA	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4							
! N102	Kanga pocket width at top edge	1/4	1/4	NA	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2							
! N103	Kanga pocket width at widest point	1/4	1/4	NA	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2							
! N104	Kanga pocket width at band seam	1/4	1/4	NA	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2							
N201	Pocket opening hem height	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4							
! H709	drawcord length : Hood	1/2	1/2	NA	40	41	41	42	42	43	43	43							
H710	Hood drawcord exit pos. fr neck	1/8	1/8	NA	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4							
B401	Side Panel total width (front & back) below UAP	1/8	1/8	NA	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4							
C201	Side Panel total width (front & back) at hem edge	1/8	1/8	NA	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4							
H606	Neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8							
D201	Back yoke depth :: from HPS	1/8	1/8	NA	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16							
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24							
Comments																			
** RAGLAN SLEEVE **																			

OPT 1.Raglan SLV - Measurement - Hoodie					All Measurements are in Inches		Version 1
	Article Code	M-0325-KT-5732			Product Group	TOP	
	Article Name	MUSKOKA RALGAN HOODIE			Product Sub-Category	SWEAT TOPS	
	Created On	07/10/24 12:40:10 PM	Material	UA BRUSHED FLEECE 100% COTTON 350GSM (FB-K1191)	Season	2025 Fall	
	Last Modified	07/12/24 5:12:06 PM	Description	PIGMENT DYE ACID WASH	Life Cycle Stage	DeveIopment	
REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width) 8/17/23 revisions for Q1 and onwards: - add self half moon facing for the new main label - add rib side panel - add rib dorito overlay							