



		Article Summary				Version 1	
Article Code	C-0425-KT-6313			Product Group	TOP		
Article Name	NFL LS T-SHIRT			Product Sub-Category	T-SHIRT		
Created On	12-04-2024 3:24:08 PM			Season	2025 Winter		
Last Modified	02-18-2025 3:35:13 PM			Life Cycle Stage	Development		
Gender Classification		Collaboration	Sub Class D	LS T-SHIRT	Fabrication	KNIT TOP	
Supplier		UN-AVAILABLE CO. LTD	Release Date	01 Dec 2025	Ex-Factory	05 Sep 2025	
						COLORS	
							WHITE (WT) WHITE
SIZES							
000, 001, 002, 003, 004, 005, 006, 007							

Bill of Materials										Version 1
	Article Code	C-0425-KT-6313		HEAVY JERSEY SOLID 100% COTTON CM 20'S/2 WITH ENZY (FB-K1197) as per proto sample	Product Group	TOP				
	Article Name	NFL LS T-SHIRT			Product Sub-Category	T-SHIRT				
	Created On	12-04-2024 3:24:08 PM	Material		2025 Winter					
	Last Modified	02-18-2025 3:35:13 PM	Description		Development					
Part	Material		Placement	Qty.	UOM.	Comments	Supplier	Supplier Ref.	WT WHITE	
Fabric										
	HEAVY JERSEY SOLID 100% COTTON CM 20"S/2 WITH ENZYME CUT, 300GSM (FB-K1197) as per proto sample		BODY/ SLV	0	Meter				None	
	1x1 RIB COTTON/ LYCRA (FB-K151) WEIGHT TBD		CUFFS/ NECK	0	Yards				None	
Trims										
SEE PLACEMENT FOR DETAILS	NFL TSHIRT MAIN LABEL (TR-LT210)			1	Each		Laven Industries Ltd.		None	
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB			1	Each		Reca Mainetti Asia Ltd.	OVOF21_217_T	None	
SEE PLACEMENT FOR DETAILS	OVO x NFL HANGTAG (TR-HG150) *includes string & pin			1	Each		Laven Industries Ltd.	OVOSP25_080_T	WHITE WT WHITE	
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT		HANGTAG ATTACHMENT	1	Each		Vendor Sourced		None	
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style.			1	Each		Vendor Sourced		None	
SEE PLACEMENT FOR DETAILS	UPC STICKER- 1" X 2.5" (TR-ST114) PLEASE PRINT WITH THERMAL PRINTER			2	Each				None	
	POLY BAG - GENERIC (PK101) Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.			0	Each		Vendor Sourced		None	
	NFL HOLOGRAPHIC HANGTAGS (TR-HG133)			0	Each				None	
Graphics										
	TBD - SEE ARTWORK FILE (HT-102)			0	Each				None	

Bill of Materials Material Image Sheet							Version 1
	Article Code	C-0425-KT-6313			Product Group	TOP	 
	Article Name	NFL LS T-SHIRT			Product Sub-Category	T-SHIRT	
	Created On	12-04-2024 3:24:08 PM			Season	2025 Winter	
	Last Modified	02-18-2025 3:35:13 PM			Life Cycle Stage	Development	
			Material Description	HEAVY JERSEY SOLID 100% COTTON CM 20'S/2 WITH ENZY (FB-K1197) as per proto sample			

Construction Details - LS tshirt - rev							Version 1
	Article Code	C-0425-KT-6313		Product Group		TOP	
	Article Name	NFL LS T-SHIRT		Product Sub-Category		T-SHIRT	
	Created On	12-04-2024 3:24:08 PM		Season		2025 Winter	
	Last Modified	02-18-2025 3:35:13 PM		Life Cycle Stage		Development	
			Material Description	HEAVY JERSEY SOLID 100% COTTON CM 20'S/2 WITH ENZY (FB-K1197) as per proto sample			



Comments

- 1 NECKBAND:
RIB COLLAR, DOUBLE FOLD, MOCK SAFETY SERGE, 512 TO NECK SEAM, S/N EDGE T/S TO FRONT NECK
- 2 NECK/SHOULDER TAPE:
JERSEY BINDING ALONG BACK NECK FROM SHOULDER TO SHOULDER, CHAINSTITCH (LOOPER SIDE EXPOSED ON EXERIOR) EDGESTITCH
- 3 SHOULDER SEAM
MOCK SAFETY SERGED, 512
- 4 ARMHOLE SEAM
MOCK SAFETY SERGED, 512
- 5 SLEEVE/ SIDE SEAM
JOIN IN ONE OPERATION, MOCK SAFETY SERGED, 512
- 6 CUFF 1X1 RIB, DOUBLE LAYER FOLD
MOCK SAFETY SERGE TO JOIN TO PANEL
2N COVERSTITCH STRADDLING SEAMS, 1/4" SPACING
- 7 BODY HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" SPACING

Measurement Sheet - LS Relax Tee - OVO												All Measurements are in Inches						Version 1	
	Article Code	C-0425-KT-6313										Product Group		TOP					
	Article Name	NFL LS T-SHIRT										Product Sub-		T-SHIRT					
	Created On	12-04-2024 3:24:08 PM				Material Description	HEAVY JERSEY SOLID 100% COTTON CM 20'S/2 WITH ENZY (FB-K1197) as per proto sample					Season		2025 Winter					
	Last Modified	02-18-2025 3:35:13 PM										Life Cycle Stage		Development					
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL							
! A101	Back body length from HPS : Top	1/2	1/2	NA	27 1/2	28	28 1/2	29	29 1/2	30 1/2	31 1/2	32 1/2							
! H101	Neck width :: SEAM TO SEAM	1/4	1/4	NA	6 1/2	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8							
! H201	Front neck drop from HPS : Crew	1/8	1/8	NA	4 1/8	4 1/8	4 3/16	4 1/4	4 5/16	4 7/16	4 9/16	4 11/16							
H301	Back neck drop from HPS Crew	1/8	1/8	NA	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16							
! H605	Neckband width	1/8	1/8	NA	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4							
! D102	Shoulder slope :: from HPS	1/4	1/4	NA	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16							
D103	Shoulder displacement to front	1/8	1/8	NA	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2							
! D101	Shoulder width :measured on CB body	3/8	3/8	NA	17	17 3/4	18 1/2	19 1/4	20	21	22	23							
! B301	Acrss: Chest : at mid. armhole	1/4	1/4	NA	15 1/4	16	16 3/4	17 1/2	18 1/4	19 1/4	20 1/4	21 1/4							
! B201	Across Back : at mid. armhole	1/4	1/4	NA	15 3/4	16 1/2	17 1/4	18	18 3/4	19 3/4	20 3/4	21 3/4							
! B101	Chest width :1" below armhole	1/2	1/2	NA	19 1/2	20 1/2	21 1/2	22 1/2	23 1/2	25	26 1/2	28							
! C101	Bottom width at band:inside fold edges of band/hem	1/2	1/2	NA	18 3/4	19 3/4	20 3/4	21 3/4	22 3/4	24 1/4	25 3/4	27 1/4							
! E101	Armhole Straight :: measured straight	1/4	1/4	NA	8 1/2	8 7/8	9 1/4	9 5/8	10	10 1/2	11	11 1/2							
! G101	Bicep width:1" below armhole	1/8	1/8	NA	7 1/2	7 3/4	8	8 1/4	8 1/2	8 13/16	9 1/8	9 7/16							
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1/2	NA	33 1/2	34 1/4	35	35 3/4	36 1/2	37 1/2	38 1/2	39 1/2							
! G103	L/Sleeve :: 1" above cuff seam	1/8	1/8	NA	4 3/16	4 3/8	4 9/16	4 3/4	4 15/16	5 3/16	5 7/16	5 11/16							
! G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/8	NA	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16							
H606	Neck binding width	1/8	1/8	NA	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8							
A701	Body hem depth	1/8	1/8	NA	1	1	1	1	1	1	1	1							
F701	Sleeve Cuff Band Height	1/8	1/8	NA	2	2	2	2	2	2	2	2							
! H404	Minimum Neck Stretch	1/2	0	NA	24	24	24	24	24	24	24	24							
Comments																			
REFERENCE: Q1 2021 UPDATED GRAPHIC TEE L=M - body length shorten to 29" 10/18/21 - increase neck width, front & back neck drops 11/17/21																			

CM Measurement Sheet - LS Relax Tee - OVO												All Measurements are in CMs						Version 1
	Article Code	C-0425-KT-6313						HEAVY JERSEY SOLID 100% COTTON CM 20'S/2 WITH ENZY (FB-K1197) as per proto sample	Product Group		TOP							
	Article Name	NFL LS T-SHIRT							Product Sub-		T-SHIRT							
	Created On	12-04-2024 3:24:08 PM				Material Description	Season		2025 Winter									
	Last Modified	02-18-2025 3:35:13 PM					Life Cycle Stage		Development									
POM	Description	+ Tol	- Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL						
! A101	Back body length from HPS : Top	1.27	1.27	0	69.85	71.12	72.39	73.66	74.93	77.47	80.01	82.55						
! H101	Neck width :: SEAM TO SEAM	0.635	0.635	0	16.51	16.51	17.145	17.78	18.415	19.05	19.685	20.32						
! H201	Front neck drop from HPS : Crew	0.3175	0.3175	0	10.4775	10.4775	10.6362	10.795	10.9538	11.2713	11.5887	11.9063						
H301	Back neck drop from HPS Crew	0.3175	0.3175	0	2.2225	2.2225	2.3812	2.54	2.6988	3.0163	3.3337	3.6513						
! H605	Neckband width	0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905						
! D102	Shoulder slope :: from HPS	0.635	0.635	0	4.7625	4.9212	5.08	5.08	5.08	5.2388	5.3975	5.5563						
D103	Shoulder displacement to front	0.3175	0.3175	0	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27						
! D101	Shoulder width :measured on CB body	0.9525	0.9525	0	43.180	45.085	46.990	48.895	50.800	53.340	55.880	58.420						
! B301	Acrss: Chest : at mid. armhole	0.635	0.635	0	38.735	40.64	42.545	44.45	46.355	48.895	51.435	53.975						
! B201	Across Back : at mid. armhole	0.635	0.635	0	40.005	41.91	43.815	45.72	47.625	50.165	52.705	55.245						
! B101	Chest width :1" below armhole	1.27	1.27	0	49.53	52.07	54.61	57.15	59.69	63.50	67.31	71.12						
! C101	Bottom width at band:inside fold edges of band/hem	1.27	1.27	0	47.625	50.165	52.705	55.245	57.785	61.595	65.405	69.215						
! E101	Armhole Straight :: measured straight	0.635	0.635	0	21.5900	22.5425	23.4950	24.4475	25.4000	26.6700	27.9400	29.2100						
! G101	Bicep width:1" below armhole	0.3175	0.3175	0	19.050	19.685	20.320	20.955	21.590	22.3837	23.1775	23.9713						
! F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1.27	1.27	0	85.090	86.995	88.900	90.805	92.710	95.250	97.790	100.330						
! G103	L/Sleeve :: 1" above cuff seam	0.3175	0.3175	0	10.6363	11.1125	11.5887	12.065	12.5413	13.1763	13.8113	14.4463						
! G104	L/Sleeve opening: inside fold edges of cuff/hem	0.3175	0.3175	0	8.0963	8.5725	9.0487	9.525	10.0013	10.6363	11.2713	11.9063						
H606	Neck binding width	0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525						
A701	Body hem depth	0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54						
F701	Sleeve Cuff Band Height	0.3175	0.3175	0	5.08	5.08	5.08	5.08	5.08	5.08	5.08	5.08						
! H404	Minimum Neck Stretch	1.27	0	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96						
Comments																		
REFERENCE: Q1 2021 UPDATED GRAPHIC TEE L=M - body length shorten to 29" 10/18/21 - increase neck width, front & back neck drops 11/17/21																		