



















| | | | | | | | | | | | |
|--|--|----------------------|--|--|--|----------------------|-----------|---|--------|-------------|--|
|  | | Article Summary | | | | | Version 1 | | | | |
| | | Article Code | | C-0425-KT-6308 | | Product Group | | TOP | | | |
| | | Article Name | | NFL WAFFLE LINED HOODIE | | Product Sub-Category | | HOODIE | | | |
| | | Created On | | 12-04-2024 3:09:03 PM | | Season | | 2025 Winter | | | |
| | | Last Modified | | 02-18-2025 2:46:19 PM | | Life Cycle Stage | | Development | | | |
| | | Material Description | | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm | | | |   | | | |
| Gender Classification | | Collaboration | | Sub Class D | | HOODIE | | Fabrication | | KNIT TOP | |
| Supplier | | UN-AVAILABLE CO. LTD | | Release Date | | 01 Dec 2025 | | Ex-Factory | | 05 Sep 2025 | |
|   | | | | | | | | | COLORS | | |
| | | | | | | | | | | | |
| SIZES | | | | | | | | | | | |
| 000, 001, 002, 003, 004, 005, 006, 007 | | | | | | | | | | | |

| Bill of Materials | | | | | | | | Version 1 | |
|---|--|-------------------------|-------------------|--|-------|--|----------------------|-------------------------|--|
|  | Article Code | C-0425-KT-6308 | | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm | | | Product Group | TOP |  |
| | Article Name | NFL WAFFLE LINED HOODIE | | | | | Product Sub-Category | HOODIE | |
| | Created On | 12-04-2024 3:09:03 PM | | | | | Season | 2025 Winter | |
| | Last Modified | 02-18-2025 2:46:19 PM | | | | | Life Cycle Stage | Development | |
| Part | Material | | Placement | Qty. | UOM. | Comments | | Supplier | Supplier Ref. |
| Fabric | | | | | | | | | |
| | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm | | hood/ body/ slv | 0 | Meter | | | | |
| | 2X1 RIB COTTON /LYCRA -WEIGHT TBD (FB-K1010) | | cuff, body band | 0 | Meter | | | | |
| | WAFFLE AS PER SAMPLE (FB-K948) HXUN201121-1 WAFFLE 100% COTTON, 295GSM WASHING. | | LINING BODY + SLV | 0 | Meter | DTM FLEECE | | | |
| | 100% Cotton Jersey, 180gsm (FB-K139) | | BACK NECK TAPE | 0 | Yards | | | | |
| Trims | | | | | | | | | |
| | ROUND DRAWCORD WITH AGLET (TR-DR188) | | | 1.00 | Each | DTM BODY. HEATHER DRAWCORD ON HEATHER BODY | | Vendor Sourced | |
| | CC LABEL - APPAREL (LT110) White Satin ground, Black text COO, Content, and Care Instructions may vary by style. | | | 1.00 | Each | | | Vendor Sourced | |
| | NFL WOVEN MAIN LABEL (TR-LT211) | | | 1.00 | Each | | | Laven Industries Ltd. | |
| | NFL SIZE TAB (TR-LT212) | | | 1.00 | Each | | | Laven Industries Ltd. | OVOP23_112_T |
| | TEAR-AWAY COO TAB: OVOF21_217_T (LT138) COUNTRY OF ORIGIN TAB | | | 1.00 | Each | | | Reca Mainetti Asia Ltd. | OVOF21_217_T |
| | 5mm GROSGRAIN RIBBON LOOP (TR-TV140) FOR HANGTAG ATTACHMENT | | | 1.00 | Each | | | Vendor Sourced | |
| | OVO x NFL HANGTAG (TR-HG150) *includes string & pin | | | 1.00 | Each | | | Laven Industries Ltd. | OVOSP25_080_T |
| | Zipper (TRZP10) | | CF | 1.00 | Each | 2WAY ZIP METAL SILVER GS - 5GG- DA8HL PULLER | | YKK Canada Inc. | |
| | BUTTON HOLE HIGH STITCH COUNT (BB105) | | | 2.00 | Each | | | Vendor Sourced | |
| | GROMMET (TR-TRIM-GMT2) 20L (INSIDE EDGE TO EDGE) GROMMETS | | | 2.00 | Each | 22L- SILVER FINISH | | Vendor Sourced | |
| | NFL HOLOGRAPHIC HANGTAGS (TR-HG133) | | | 0 | Each | | | | |
| Graphics | | | | | | | | | |

| Bill of Materials Material Image Sheet | | | | | | | Version 1 | | | | |
|---|---------------|---|--|---|----------------------|---|--|---|--|---|--|
|  | Article Code | C-0425-KT-6308 | | | Product Group | TOP |  | | | | |
| | Article Name | NFL WAFFLE LINED HOODIE | | | Product Sub-Category | HOODIE | | | | | |
| | Created On | 12-04-2024 3:09:03 PM | | | Season | 2025 Winter | | | | | |
| | Last Modified | 02-18-2025 2:46:19 PM | | | Life Cycle Stage | Development | | | | | |
|  | |  | |  | |  | |  | |  | |
| TR-DR188 ROUND DRAWCORD WITH AGLET | | LT110 CC LABEL - APPAREL | | TR-LT211 NFL WOVEN MAIN LABEL | | TR-LT212 NFL SIZE TAB | | LT138 TEAR-AWAY COO TAB: OVOF21_217_T | | TR-TV140 5mm GROSGRAIN RIBBON LOOP | |
|  | |  | |  | |  | | | | | |
| TR-HG150 OVO x NFL HANGTAG | | TRZP10 Zipper | | TR-TRIM-GMT2 GROMMET | | TR-HG133 NFL HOLOGRAPHIC HANGTAGS | | | | | |



| Construction details - Hoodie - rev relaxed fit | | | | | | Version 1 |
|---|---------------|-------------------------|----------------------|--|--|-------------|
|  | Article Code | C-0425-KT-6308 | | | Product Group | TOP |
| | Article Name | NFL WAFFLE LINED HOODIE | | | Product Sub-Category | HOODIE |
| | Created On | 12-04-2024 3:09:03 PM | | | Season | 2025 Winter |
| | Last Modified | 02-18-2025 2:46:19 PM | | | Life Cycle Stage | Development |
| | | | Material Description | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm |  | |



Comments

- 1 FULLY LINED
Garment is fully lined, quality refer to bom, all seams to be clean finished, JOINED AT SLEEVE CUFF AND BODY CUFF EDGE
- 2 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. CF hood overlapping 3/4", left over right.
SN T/S at front edge for drawcord channel.
Cord exit: grommet.
Self and lining tacked at CB seams.
- 3 NECK SEAM
Hood join to body with #512 mock safety stitch. 1/4" S/N T/S
Inside back neck cleanfinished into WAFFLE LINING
- 4 SHOULDER SEAM
forward seam, join with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 5 ARMHOLE SEAM
#512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 6 SLEEVE/ SIDE SEAM
Join in one operation. #512 mock safety stitch.
- 7 SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 1/4" 2N C/S straddling seam.
- 8 KANGA POCKET
Self pocket bag, lined with waffle. Opening edges turned in, 1/4" 2N C/S to form hem. Side and top edges serged and turned in. SN edge T/S to join pocket to body at top and sides. Bottom finished into the band seam. Bartacks at top and bottom of pkt openings.
- 9 BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. 1/4" 2N C/S straddling seam.

Self insert: 1/4" S/N T/S, do not Topstitch bottom opening
- 10 CF CLOSURE
2-way zipper, conceal zipper with self extension at CF. 1/4" SN T/S on each side. Inside seam allowances and zipper tape cleanfinished with jersey taping, SN edge T/S on taping. Ends of taping turned under and stitched to secure.

| Construction Details- Interior Waffle Lined Hoodie | | | | | | Version 1 |
|---|---------------|-------------------------|----------------------|--|--|-------------|
|  | Article Code | C-0425-KT-6308 | | | Product Group | TOP |
| | Article Name | NFL WAFFLE LINED HOODIE | | | Product Sub-Category | HOODIE |
| | Created On | 12-04-2024 3:09:03 PM | | | Season | 2025 Winter |
| | Last Modified | 02-18-2025 2:46:19 PM | | | Life Cycle Stage | Development |
| | | | Material Description | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm |  | |

1



Comments

1




INTERIOR VIEW




Fully lined with WAFFLE lining (BODY AND SLEEVES), cleanfinished.

All interior seams join with 3NDL coverstitch straddling seam

2

WAFFLE LINING CLEAN FINISHED INTO RIB CUFF AT NECK OPENING, BODY OPENING AND SLEEVE OPENING

| Measurement - Hoodie - Relaxed Fit ver2 | | | | | | | | | | All Measurements are in Inches | | | | | | Version 1 | |
|---|--|-------------------------|-------|-------|--------|---------|---------|--------|---------|--|---------|-------------|--|--|--|---|--|
|  | Article Code | C-0425-KT-6308 | | | | | | | | Product Group | | TOP | | | |   | |
| | Article Name | NFL WAFFLE LINED HOODIE | | | | | | | | Product Sub- | | HOODIE | | | | | |
| | Created On | 12-04-2024 3:09:03 PM | | | | | | | | Season | | 2025 Winter | | | | | |
| | Last Modified | 02-18-2025 2:46:19 PM | | | | | | | | Life Cycle Stage | | Development | | | | | |
| Material Description | | | | | | | | | | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm | | | | | | | |
| POM | Description | + Tol | - Tol | Grade | XXS | XS | S | M | L | XL | XXL | 3XL | | | | | |
| ! A201 | Front body length from HPS : Top | 1/2 | 1/2 | NA | 26 | 26 1/2 | 27 | 27 1/2 | 28 | 29 | 30 | 31 | | | | | |
| ! H101 | Neck width :: SEAM TO SEAM | 1/4 | 1/4 | NA | 9 | 9 | 9 1/4 | 9 1/2 | 9 3/4 | 10 | 10 1/4 | 10 1/2 | | | | | |
| ! H201 | Front neck drop from HPS : Crew | 1/8 | 1/8 | NA | 3 3/8 | 3 3/8 | 3 7/16 | 3 1/2 | 3 9/16 | 3 11/16 | 3 13/16 | 3 15/16 | | | | | |
| H301 | Back neck drop from HPS Crew | 0 | 0 | NA | 7/8 | 7/8 | 15/16 | 1 | 1 1/16 | 1 3/16 | 1 5/16 | 1 7/16 | | | | | |
| ! D102 | Shoulder slope :: from HPS | 1/8 | 1/8 | NA | 1 7/8 | 1 15/16 | 2 | 2 | 2 | 2 1/16 | 2 1/8 | 2 3/16 | | | | | |
| D103 | Shoulder displacement to front | 0 | 0 | NA | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | | | | | |
| ! D101 | Shoulder width :measured on CB body | 3/8 | 3/8 | NA | 18 3/4 | 19 1/2 | 20 1/4 | 21 | 21 3/4 | 22 3/4 | 23 3/4 | 24 3/4 | | | | | |
| B301 | Across: Chest : at mid. armhole | 1/4 | 1/4 | NA | 16 1/2 | 17 1/4 | 18 | 18 3/4 | 19 1/2 | 20 1/2 | 21 1/2 | 22 1/2 | | | | | |
| B201 | Across Back : at mid. armhole | 1/4 | 1/4 | NA | 16 3/4 | 17 1/2 | 18 1/4 | 19 | 19 3/4 | 20 3/4 | 21 3/4 | 22 3/4 | | | | | |
| ! B101 | Chest width :1" below armhole | 1/2 | 1/2 | NA | 20 | 21 | 22 | 23 | 24 | 25 1/2 | 27 | 28 1/2 | | | | | |
| C102 | Bottom width : 1" above band seam | 1/2 | 1/2 | NA | 18 3/4 | 19 3/4 | 20 3/4 | 21 3/4 | 22 3/4 | 24 1/4 | 25 3/4 | 27 1/4 | | | | | |
| ! C101 | Bottom width at band:inside fold edges of band/hem | 1/2 | 1/2 | NA | 15 1/2 | 16 1/2 | 17 1/2 | 18 1/2 | 19 1/2 | 21 | 22 1/2 | 24 | | | | | |
| ! E101 | Armhole Straight :: measured straight | 1/4 | 1/4 | NA | 9 7/8 | 10 1/4 | 10 5/8 | 11 | 11 3/8 | 11 7/8 | 12 3/8 | 12 7/8 | | | | | |
| ! G101 | Bicep width:1" below armhole | 1/4 | 1/4 | NA | 9 1/4 | 9 1/2 | 9 3/4 | 10 | 10 1/4 | 10 9/16 | 10 7/8 | 11 3/16 | | | | | |
| ! F101 | L:Sleeve overarm fr. CB neck :: 3 x point measure | 1/2 | 1/2 | NA | 34 1/2 | 35 1/4 | 36 | 36 3/4 | 37 1/2 | 38 1/2 | 39 1/2 | 40 1/2 | | | | | |
| ! G104 | L/Sleeve opening: inside fold edges of cuff/hem | 1/8 | 1/8 | NA | 3 3/16 | 3 3/8 | 3 9/16 | 3 3/4 | 3 15/16 | 4 3/16 | 4 7/16 | 4 11/16 | | | | | |
| G103 | L/Sleeve :: 1" above cuff seam | 1/8 | 1/8 | NA | 5 7/16 | 5 5/8 | 5 13/16 | 6 | 6 3/16 | 6 7/16 | 6 11/16 | 6 15/16 | | | | | |
| F701 | Sleeve Cuff Band Height | 1/8 | 1/8 | NA | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | | | | | |
| A703 | Body Band Height | 1/8 | 1/8 | NA | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 | | | | | |
| Q403 | CF Self bottom band Insert Width (each side) | 1/8 | 1/8 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | |
| H708 | Hood casing width :: at CF | 0 | 0 | NA | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| ! H703 | Hood width :: at 5" Below Top Edge | 1/4 | 1/4 | NA | 10 1/4 | 10 1/2 | 10 3/4 | 11 | 11 1/4 | 11 1/2 | 11 3/4 | 12 | | | | | |
| ! H701 | Hood height at CF | 1/4 | 1/4 | NA | 14 1/2 | 15 | 15 | 15 1/2 | 15 1/2 | 16 | 16 | 16 | | | | | |
| H702 | Hood height at HPS | 1/4 | 1/4 | NA | 13 | 13 1/2 | 13 1/2 | 14 | 14 | 14 1/2 | 14 1/2 | 14 1/2 | | | | | |
| H710 | Hood drawcord exit pos. fr neck | 1/8 | 1/8 | NA | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 | | | | | |
| ! N101 | Kanga pocket height at center | 1/4 | 1/4 | NA | 8 3/4 | 9 | 9 | 9 1/4 | 9 1/4 | 9 3/4 | 9 3/4 | 9 3/4 | | | | | |
| N102 | Kanga pocket width at top edge | 1/4 | 1/4 | NA | 9 1/2 | 9 3/4 | 9 3/4 | 10 | 10 | 10 1/2 | 10 1/2 | 10 1/2 | | | | | |
| ! N103 | Kanga pocket width at widest point | 1/4 | 1/4 | NA | 13 1/2 | 13 3/4 | 13 3/4 | 14 | 14 | 14 1/2 | 14 1/2 | 14 1/2 | | | | | |
| N104 | Kanga pocket width at band seam | 1/4 | 1/4 | NA | 10 1/2 | 10 3/4 | 10 3/4 | 11 | 11 | 11 1/2 | 11 1/2 | 11 1/2 | | | | | |
| N201 | Pocket opening hem height | 0 | 0 | NA | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | | | | | |
| ! H709 | drawcord length : Hood | 1/2 | 1/2 | NA | 40 | 41 | 41 | 42 | 42 | 43 | 43 | 43 | | | | | |
| Comments | | | | | | | | | | | | | | | | | |
| REFERENCE: M-0324-KT-4870 | | | | | | | | | | | | | | | | | |

| CM Measurement - Hoodie - Relaxed Fit ver2 | | | | | | | | | | All Measurements are in CMs | | | | | | Version 1 | |
|---|--|-------------------------|-------------------------|------------------|--|---------------|---------|---------|--------|---|---------|---------|---------|--|--|-----------|--|
|  | Article Code | C-0425-KT-6308 | | | FLEECE AS PER SAMPLE (FB-K949) 100% cotton fleece, 350gsm | Product Group | | TOP | |   | | | | | | | |
| | Article Name | NFL WAFFLE LINED HOODIE | | | | Product Sub- | | HOODIE | | | | | | | | | |
| | Created On | 12-04-2024 3:09:03 PM | Material Description | Season | | 2025 Winter | | | | | | | | | | | |
| | Last Modified | 02-18-2025 2:46:19 PM | | Life Cycle Stage | | Development | | | | | | | | | | | |
| POM | Description | | + Tol | - Tol | Grade | XXS | XS | S | M | L | XL | XXL | 3XL | | | | |
| ! A201 | Front body length from HPS : Top | | 1.27 | 1.27 | 0 | 66.04 | 67.31 | 68.58 | 69.85 | 71.12 | 73.66 | 76.20 | 78.74 | | | | |
| ! H101 | Neck width :: SEAM TO SEAM | | 0.635 | 0.635 | 0 | 22.86 | 22.86 | 23.495 | 24.13 | 24.765 | 25.40 | 26.035 | 26.67 | | | | |
| ! H201 | Front neck drop from HPS : Crew | | 0.3175 | 0.3175 | 0 | 8.5725 | 8.5725 | 8.7312 | 8.89 | 9.0488 | 9.3663 | 9.6837 | 10.0013 | | | | |
| H301 | Back neck drop from HPS Crew | | 0 | 0 | 0 | 2.2225 | 2.2225 | 2.3812 | 2.54 | 2.6988 | 3.0163 | 3.3337 | 3.6513 | | | | |
| ! D102 | Shoulder slope :: from HPS | | 0.3175 | 0.3175 | 0 | 4.7625 | 4.9212 | 5.08 | 5.08 | 5.08 | 5.2388 | 5.3975 | 5.5563 | | | | |
| D103 | Shoulder displacement to front | | 0 | 0 | 0 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | | | | |
| ! D101 | Shoulder width :measured on CB body | | 0.9525 | 0.9525 | 0 | 47.625 | 49.53 | 51.435 | 53.34 | 55.245 | 57.785 | 60.325 | 62.865 | | | | |
| B301 | Across: Chest : at mid. armhole | | 0.635 | 0.635 | 0 | 41.910 | 43.815 | 45.720 | 47.625 | 49.530 | 52.070 | 54.610 | 57.150 | | | | |
| B201 | Across Back : at mid. armhole | | 0.635 | 0.635 | 0 | 42.545 | 44.45 | 46.355 | 48.26 | 50.165 | 52.705 | 55.245 | 57.785 | | | | |
| ! B101 | Chest width :1" below armhole | | 1.27 | 1.27 | 0 | 50.80 | 53.34 | 55.88 | 58.42 | 60.96 | 64.77 | 68.58 | 72.39 | | | | |
| C102 | Bottom width : 1" above band seam | | 1.27 | 1.27 | 0 | 47.625 | 50.165 | 52.705 | 55.245 | 57.785 | 61.595 | 65.405 | 69.215 | | | | |
| ! C101 | Bottom width at band:inside fold edges of band/hem | | 1.27 | 1.27 | 0 | 39.37 | 41.91 | 44.45 | 46.99 | 49.53 | 53.34 | 57.15 | 60.96 | | | | |
| ! E101 | Armhole Straight :: measured straight | | 0.635 | 0.635 | 0 | 25.0825 | 26.035 | 26.9875 | 27.94 | 28.8925 | 30.1625 | 31.4325 | 32.7025 | | | | |
| ! G101 | Bicep width:1" below armhole | | 0.635 | 0.635 | 0 | 23.495 | 24.13 | 24.765 | 25.4 | 26.035 | 26.8287 | 27.6225 | 28.4163 | | | | |
| ! F101 | L:Sleeve overarm fr. CB neck :: 3 x point measure | | 1.27 | 1.27 | 0 | 87.630 | 89.535 | 91.440 | 93.345 | 95.250 | 97.790 | 100.330 | 102.870 | | | | |
| ! G104 | L/Sleeve opening: inside fold edges of cuff/hem | | 0.3175 | 0.3175 | 0 | 8.0963 | 8.5725 | 9.0487 | 9.525 | 10.0013 | 10.6363 | 11.2713 | 11.9063 | | | | |
| G103 | L/Sleeve :: 1" above cuff seam | | 0.3175 | 0.3175 | 0 | 13.8113 | 14.2875 | 14.7637 | 15.24 | 15.7163 | 16.3513 | 16.9863 | 17.6213 | | | | |
| F701 | Sleeve Cuff Band Height | | 0.3175 | 0.3175 | 0 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | | | | |
| A703 | Body Band Height | | 0.3175 | 0.3175 | 0 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | 6.985 | | | | |
| Q403 | CF Self bottom band Insert Width (each side) | | 0.3175 | 0.3175 | 0 | 7.62 | 7.62 | 7.62 | 7.62 | 7.62 | 7.62 | 7.62 | 7.62 | | | | |
| H708 | Hood casing width :: at CF | | 0 | 0 | 0 | 2.54 | 2.54 | 2.54 | 2.54 | 2.54 | 2.54 | 2.54 | 2.54 | | | | |
| ! H703 | Hood width :: at 5" Below Top Edge | | 0.635 | 0.635 | 0 | 26.035 | 26.67 | 27.305 | 27.94 | 28.575 | 29.21 | 29.845 | 30.48 | | | | |
| ! H701 | Hood height at CF | | 0.635 | 0.635 | 0 | 36.83 | 38.10 | 38.10 | 39.37 | 39.37 | 40.64 | 40.64 | 40.64 | | | | |
| H702 | Hood height at HPS | | 0.635 | 0.635 | 0 | 33.02 | 34.29 | 34.29 | 35.56 | 35.56 | 36.83 | 36.83 | 36.83 | | | | |
| H710 | Hood drawcord exit pos. fr neck | | 0.3175 | 0.3175 | 0 | 3.175 | 3.175 | 3.175 | 3.175 | 3.175 | 3.175 | 3.175 | 3.175 | | | | |
| ! N101 | Kanga pocket height at center | | 0.635 | 0.635 | 0 | 22.225 | 22.860 | 22.860 | 23.495 | 23.495 | 24.765 | 24.765 | 24.765 | | | | |
| N102 | Kanga pocket width at top edge | | 0.635 | 0.635 | 0 | 24.13 | 24.765 | 24.765 | 25.4 | 25.4 | 26.67 | 26.67 | 26.67 | | | | |
| ! N103 | Kanga pocket width at widest point | | 0.635 | 0.635 | 0 | 34.29 | 34.925 | 34.925 | 35.56 | 35.56 | 36.83 | 36.83 | 36.83 | | | | |
| N104 | Kanga pocket width at band seam | | 0.635 | 0.635 | 0 | 26.67 | 27.305 | 27.305 | 27.94 | 27.94 | 29.21 | 29.21 | 29.21 | | | | |
| N201 | Pocket opening hem height | | 0 | 0 | 0 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | 1.905 | | | | |
| ! H709 | drawcord length : Hood | | 1.27 | 1.27 | 0 | 101.60 | 104.14 | 104.14 | 106.68 | 106.68 | 109.22 | 109.22 | 109.22 | | | | |
| Comments | | | | | | | | | | | | | | | | | |
| REFERENCE: M-0324-KT-4870 | | | | | | | | | | | | | | | | | |