





Article Summary										Version 1	
	Item Code	C-0326-KT-7455			Product Group		TOP				
	Item Name	CAMPUS 26 HOODIE			Product Sub-Category		PULLOVER HOODIE				
	Created On	10-18-2025 2:10:00 PM			Season		Q3 2026				
	Last Modified	12-31-2025 4:14:00 PM			Life Cycle Stage						
Ex-Factory		29 Apr 2026		Fabrication		KNIT TOP		Gender Classification		Mens	
Release Date		28 Aug 2026		Sub Class D		Graphic		Supplier		UN-AVAILABLE CO. LTD	
										COLORS	
											DALHOUSIE BLACK (DAB) BLACK DALHOUSIE BLACK
											MC MASTER BLACK (MCB) BLACK MC MASTER BLACK
											UOFT BLACK (UTB) BLACK UOFT BLACK
											WATERLOO BLACK (WLB) BLACK WATERLOO BLACK
											WESTERN BLACK (WSB) BLACK WESTERN BLACK
											YORK BLACK (YRB) BLACK YORK BLACK
SIZES											
000, 001, 002, 003, 004, 005, 006, 007											

Bill of Materials - Production #1													Version 1	
	Item Code	C-0326-KT-7455								Product Group	TOP			
	Item Name	CAMPUS 26 HOODIE								Product Sub-Category	PULLOVER HOODIE			
	Created On	10-18-2025 2:10:00 PM			Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON				Season	Q3 2026			
	Last Modified	12-31-2025 4:14:00 PM								Life Cycle Stage				
Part	Material		Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	DAB DALHOUSIE BLACK	MCB MC MASTER BLACK	UTB UOFT BLACK	WLB WATERLOO BLACK	WSB WESTERN BLACK	YRB YORK BLACK
Fabric														
	BRUSHED FLEECE 420 GSM (FB-K1595) - Ver.#1 100% COTTON		BODY	0.00	Meter			KFA420S GZ	None	None	None	None	None	None
	RIB 1X1 (FB-K1596) - Ver.#1 99% COTTON 1% ELASTANE		CUFF/ BAND	0.00	Meter			FW25R00 04S-1	None	None	None	None	None	None
Trims														
SEE PLACEMENT FOR DETAILS	UPC STICKER SIZE 1.5 X 1.5 (TR-ST112) - Ver.#1			2	Each				None	None	None	None	None	None
	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.			1	Each		Vendor Sourced		None	None	None	None	None	None
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.			1	Each		Vendor Sourced		None	None	None	None	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB			1	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	None	None	None	None	None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT			1	Each		Vendor Sourced		None	None	None	None	None	None
	BUTTON HOLE HIGH STITCH COUNT (BB105) - Ver.#1		HOOD	0	Each				None	None	None	None	None	None

Bill of Materials - Production #1													Version 1	
	Item Code	C-0326-KT-7455			Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON				Product Group	TOP			
	Item Name	CAMPUS 26 HOODIE								Product Sub-Category	PULLOVER HOODIE			
	Created On	10-18-2025 2:10:00 PM								Season	Q3 2026			
	Last Modified	12-31-2025 4:14:00 PM								Life Cycle Stage				
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	DAB DALHOUSIE BLACK	MCB MC MASTER BLACK	UTB UOFT BLACK	WLB WATERLOO BLACK	WSB WESTERN BLACK	YRB YORK BLACK	
	ROUND 1/4" DRAWCORD WITH PLASTIC TIPS (TR-DR161) - Ver.#1		0	Each				None	None	None	None	None	None	
	OVO 2023 One Side Main Label (TR-LT247) - Ver.#1 RECA REF: LBOVO172		0	Each		Reca Mainetti Asia Ltd	LBOVO172	None	None	None	None	None	None	
	OVO 2023 Alpha Sizing Tab (TR-LT246) - Ver.#1 ARTICLE: OVOW23_181_T/ LBOV O175		0	Each		Reca Mainetti Asia Ltd	LBOVO175	None	None	None	None	None	None	
Graphics														
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1		0	Each				None	None	None	None	None	None	

Bill of Materials - Production #1 Material Image Sheet							Version 1		
	Item Code	C-0326-KT-7455			Product Group	TOP			
	Item Name	CAMPUS 26 HOODIE			Product Sub-Category	PULLOVER HOODIE			
	Created On	10-18-2025 2:10:00 PM			Material	BRUSHED FLEECE 420 GSM (FB-K1595)		Season	Q3 2026
	Last Modified	12-31-2025 4:14:00 PM			Description	100% COTTON		Life Cycle Stage	
 PK101 POLY BAG - GENERIC  LT110 CC LABEL - APPAREL  LT138 TEAR-AWAY COO TAB: OVOF21_217_T  TR-TV140 5mm GROSGRAIN RIBBON LOOP  TR-LT247 OVO 2023 One Side Main Label  TR-LT246 OVO 2023 Alpha Sizing Tab									

Construction details - Hoodie							Version 1
	Item Code	C-0326-KT-7455		BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group	TOP	
	Item Name	CAMPUS 26 HOODIE			Product Sub-Category	PULLOVER HOODIE	
	Created On	10-18-2025 2:10:00 PM	Material Description		Season	Q3 2026	
	Last Modified	12-31-2025 4:14:00 PM			Life Cycle Stage		



Comments



- 1 HOOD
1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Hood self and hood lining serged separately.
CF of hood overlapping at the neck 3/4", left over right.
SN topstitch at front edge to make channel for drawcord.
Buttonhole exits for drawcord.
Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference.
Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.
- 2 NECK SEAM
Hood join to body with #512 mock safety stitch. SN topstitch on front neck, 1/4" in on body.
Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck.
- 3 SHOULDER SEAM
Set forward on body. Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 4 ARMHOLE SEAM
Join with #512 mock safety stitch. 2N coverstitch straddling seam, 1/4" spacing.
- 5 SLEEVE/ SIDE SEAM
Join in one operation. #512 mock safety stitch.
- 6 SLEEVE OPENING
Folded rib cuff. Join to sleeve opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.
- 7 KANGA POCKET
Self pocket bag. Opening edges turned in, 2N coverstitch to form hem, 1/4" spacing.
Side and top edges serged and turned in. SN topstitched to body. Bottom of bag finished into the band seam.
Bartacks at top and bottom of pkt openings.

Triangular reinforcements at top and bottom of kanga opening with jersey fabric swatch at inner side of garment.
- 8 BOTTOM OPENING
Folded rib band. Join to bottom opening with #512 mock safety stitch. 2N coverstitch, straddling seam, 1/4" spacing.

Construction details - HOOD AND PKT DETAILS							Version 1
	Item Code	C-0326-KT-7455		Material Description	BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group	TOP
	Item Name	CAMPUS 26 HOODIE				Product Sub-Category	PULLOVER HOODIE
	Created On	10-18-2025 2:10:00 PM				Season	Q3 2026
	Last Modified	12-31-2025 4:14:00 PM				Life Cycle Stage	



hood and drawcord tacking reference



Reinforce kangaroo pocket corners with Jersey fabric


- Reinforce pocket opening corners(inner side of garment)
- Trim off fabric swatch neatly.



Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in Inch						Version 1		
	Item Code	C-0326-KT-7455			BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group	TOP								
	Item Name	CAMPUS 26 HOODIE				Product Sub-	PULLOVER HOODIE								
	Created On	10-18-2025 2:10:00 PM	Material Description			Season	Q3 2026								
	Last Modified	12-31-2025 4:14:00 PM				Life Cycle Stage									
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top			1/2	1/2	Mixed	26	26 1/2	27	27 1/2	28	29	30	31
	H101	Neck width :: SEAM TO SEAM			1/4	1/4	Mixed	9	9	9 1/4	9 1/2	9 3/4	10	10 1/4	10 1/2
	H201	Front neck drop from HPS : Crew			1/8	1/8	Mixed	3 3/8	3 3/8	3 7/16	3 1/2	3 9/16	3 11/16	3 13/16	3 15/16
	H301	Back neck drop from HPS Crew			1/8	1/8	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
	D102	Shoulder slope :: from HPS			1/8	1/8	Mixed	1 7/8	1 15/16	2	2	2	2 1/16	2 1/8	2 3/16
	D103	Shoulder displacement to front			1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	D101	Shoulder width :measured on CB body			3/8	3/8	Mixed	18 3/4	19 1/2	20 1/4	21	21 3/4	22 3/4	23 3/4	24 3/4
	B301	Across: Chest : at mid. armhole			1/4	1/4	Mixed	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2
	B201	Across Back : at mid. armhole			1/4	1/4	Mixed	16 3/4	17 1/2	18 1/4	19	19 3/4	20 3/4	21 3/4	22 3/4
!	B101	Chest width :1" below armhole			1/2	1/2	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	C102	Bottom width : 1" above band seam			1/2	1/2	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
!	C101	Bottom width at band:inside fold edges of band/he			1/2	1/2	Mixed	15 1/2	16 1/2	17 1/2	18 1/2	19 1/2	21	22 1/2	24
!	E101	Armhole Straight :: measured straight			1/4	1/4	Mixed	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8
!	G101	Bicep width:1" below armhole			1/4	1/4	Mixed	9 1/4	9 1/2	9 3/4	10	10 1/4	10 9/16	10 7/8	11 3/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/2	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
!	G104	L/Sleeve opening: inside fold edges of cuff/hem			1/8	1/8	Mixed	3 3/16	3 3/8	3 9/16	3 3/4	3 15/16	4 3/16	4 7/16	4 11/16
!	G103	L/Sleeve :: 1" above cuff seam			1/8	1/8	Mixed	5 7/16	5 5/8	5 13/16	6	6 3/16	6 7/16	6 11/16	6 15/16
	F701	Sleeve Cuff Band Height			1/8	1/8	0	3	3	3	3	3	3	3	3
	A703	Body Band Height			1/8	1/8	0	3	3	3	3	3	3	3	3
	H708	Hood casing width :: at CF			1/8	1/8	0	1	1	1	1	1	1	1	1
!	H703	Hood width :: at 5" Below Top Edge			1/4	1/4	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
!	H701	Hood height at CF			1/4	1/4	Mixed	14 1/2	15	15	15 1/2	15 1/2	16	16	16
	H702	Hood height at HPS			1/4	1/4	Mixed	13	13 1/2	13 1/2	14	14	14 1/2	14 1/2	14 1/2
!	N101	Kanga pocket height at center			1/4	1/4	Mixed	8 3/4	9	9	9 1/4	9 1/4	9 3/4	9 3/4	9 3/4
	N102	Kanga pocket width at top edge			1/4	1/4	Mixed	9 1/2	9 3/4	9 3/4	10	10	10 1/2	10 1/2	10 1/2
!	N103	Kanga pocket width at widest point			1/4	1/4	Mixed	13 1/2	13 3/4	13 3/4	14	14	14 1/2	14 1/2	14 1/2
	N104	Kanga pocket width at band seam			1/4	1/4	Mixed	10 1/2	10 3/4	10 3/4	11	11	11 1/2	11 1/2	11 1/2
	N201	Pocket opening hem height			1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
!	H709	drawcord length : Hood			1/2	1/2	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck			1/8	1/8	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	H606	Inside back neck binding width			1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8

Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in Inch							Version 1	
	Item Code	C-0326-KT-7455		BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group	TOP									
	Item Name	CAMPUS 26 HOODIE			Product Sub-	PULLOVER HOODIE									
	Created On	10-18-2025 2:10:00 PM	Material Description		Season	Q3 2026									
	Last Modified	12-31-2025 4:14:00 PM			Life Cycle Stage										
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
	H404	Minimum Neck Stretch			0	1/2	0	24	24	24	24	24	24	24	24

NOTES
same as 2024 but with smaller pockets 10.21.2024

CM Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in CM						Version 1		
	Item Code	C-0326-KT-7455			BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group		TOP							
	Item Name	CAMPUS 26 HOODIE				Product Sub-		PULLOVER HOODIE							
	Created On	10-18-2025 2:10:00 PM	Material Description	Season		Q3 2026									
	Last Modified	12-31-2025 4:14:00 PM		Life Cycle Stage											
	POM Code	POM Name			-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A201	Front body length from HPS : Top			1.27	1.27	Mixed	66.04	67.31	68.58	69.85	71.12	73.66	76.2	78.74
	H101	Neck width :: SEAM TO SEAM			0.635	0.635	Mixed	22.86	22.86	23.495	24.13	24.765	25.4	26.035	26.67
	H201	Front neck drop from HPS : Crew			0.3175	0.3175	Mixed	8.5725	8.5725	8.7312	8.89	9.0488	9.3663	9.6837	10.0013
	H301	Back neck drop from HPS Crew			0.3175	0.3175	Mixed	2.2225	2.2225	2.3813	2.54	2.6987	3.0162	3.3338	3.6513
	D102	Shoulder slope :: from HPS			0.3175	0.3175	Mixed	4.7625	4.9212	5.08	5.08	5.08	5.2387	5.3975	5.5563
	D103	Shoulder displacement to front			0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	D101	Shoulder width :measured on CB body			0.9525	0.9525	Mixed	47.625	49.53	51.435	53.34	55.245	57.785	60.325	62.865
	B301	Across: Chest : at mid. armhole			0.635	0.635	Mixed	41.91	43.815	45.72	47.625	49.53	52.07	54.61	57.15
	B201	Across Back : at mid. armhole			0.635	0.635	Mixed	42.545	44.45	46.355	48.26	50.165	52.705	55.245	57.785
!	B101	Chest width :1" below armhole			1.27	1.27	Mixed	50.8	53.34	55.88	58.42	60.96	64.77	68.58	72.39
!	C102	Bottom width : 1" above band seam			1.27	1.27	Mixed	45.72	48.26	50.8	53.34	55.88	59.69	63.5	67.31
!	C101	Bottom width at band:inside fold edges of band/he			1.27	1.27	Mixed	39.37	41.91	44.45	46.99	49.53	53.34	57.15	60.96
!	E101	Armhole Straight :: measured straight			0.635	0.635	Mixed	25.0825	26.035	26.9875	27.94	28.8925	30.1625	31.4325	32.7025
!	G101	Bicep width:1" below armhole			0.635	0.635	Mixed	23.495	24.13	24.765	25.4	26.035	26.8287	27.6225	28.4163
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure			1.27	1.27	Mixed	84.455	86.36	88.265	90.17	92.075	94.615	97.155	99.695
!	G104	L/Sleeve opening: inside fold edges of cuff/hem			0.3175	0.3175	Mixed	8.0962	8.5725	9.0488	9.525	10.0013	10.6363	11.2713	11.9063
!	G103	L/Sleeve :: 1" above cuff seam			0.3175	0.3175	Mixed	13.8112	14.2875	14.7637	15.24	15.7163	16.3513	16.9862	17.6212
	F701	Sleeve Cuff Band Height			0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	A703	Body Band Height			0.3175	0.3175	0	7.62	7.62	7.62	7.62	7.62	7.62	7.62	7.62
	H708	Hood casing width :: at CF			0.3175	0.3175	0	2.54	2.54	2.54	2.54	2.54	2.54	2.54	2.54
!	H703	Hood width :: at 5" Below Top Edge			0.635	0.635	0.635	26.035	26.67	27.305	27.94	28.575	29.21	29.845	30.48
!	H701	Hood height at CF			0.635	0.635	Mixed	36.83	38.1	38.1	39.37	39.37	40.64	40.64	40.64
	H702	Hood height at HPS			0.635	0.635	Mixed	33.02	34.29	34.29	35.56	35.56	36.83	36.83	36.83
!	N101	Kanga pocket height at center			0.635	0.635	Mixed	22.225	22.86	22.86	23.495	23.495	24.765	24.765	24.765
	N102	Kanga pocket width at top edge			0.635	0.635	Mixed	24.13	24.765	24.765	25.4	25.4	26.67	26.67	26.67
!	N103	Kanga pocket width at widest point			0.635	0.635	Mixed	34.29	34.925	34.925	35.56	35.56	36.83	36.83	36.83
	N104	Kanga pocket width at band seam			0.635	0.635	Mixed	26.67	27.305	27.305	27.94	27.94	29.21	29.21	29.21
	N201	Pocket opening hem height			0.3175	0.3175	0	1.905	1.905	1.905	1.905	1.905	1.905	1.905	1.905
!	H709	drawcord length : Hood			1.27	1.27	Mixed	101.6	104.14	104.14	106.68	106.68	109.22	109.22	109.22
	H710	Hood drawcord exit pos. fr neck			0.3175	0.3175	0	3.175	3.175	3.175	3.175	3.175	3.175	3.175	3.175
	H606	Inside back neck binding width			0.3175	0.3175	0	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525	0.9525

	CM Measurement - OFFICIAL 2025 GRAPHIC FIT							All measurements are in CM						Version 1			
	Item Code	C-0326-KT-7455			BRUSHED FLEECE 420 GSM (FB-K1595) 100% COTTON	Product Group		TOP									
	Item Name	CAMPUS 26 HOODIE				Product Sub-		PULLOVER HOODIE									
	Created On	10-18-2025 2:10:00 PM		Material Description		Season		Q3 2026									
	Last Modified	12-31-2025 4:14:00 PM				Life Cycle Stage											
	POM Code	POM Name					-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
	H404	Minimum Neck Stretch					0	1.27	0	60.96	60.96	60.96	60.96	60.96	60.96	60.96	60.96

NOTES
same as 2024 but with smaller pockets 10.21.2024