

CAMEO ROSE (CMR) 14-1310 TCX CLAY PINK

SIZES

000, 001, 002, 003, 004, 005, 006, 007

						Bill of M	aterials -	- #1					Version 2
	Article Code	M-0425-KT-6066				D 01 14	acci iais	77 =		Product Group	TOP		A A A A
	Article Name	MUSKOKA RALGAN SL	V HOODIE							Product Sub-Category		OTF	NAME OF THE PERSON OF THE PERS
1		06-24-2025 10:44:	00 ΔΜ	Material		100% COTTON 350 GSM FL	EECE (FB-k	(949)		Season	2025 Winter		
	Last Modified	11-27-2025 1:27:0		Description		100% Cotton Fleece, 35	Ogsm Garme	ent Dye + A	cid Wash	Life Cycle Stage	TOP Approved	İ	
Part		Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GRE	YB GARMENT DYED BLACK	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
Fabric	•							1	1	-	•	1	
	100% COTT FLEECE	ON 350 GSM	BODY, SLV, HOOD	0	Meter				None	None	None	None	None
		Ver.#1 n Fleece, 350gsm re + Acid Wash											
	2X1 RIB (FB-K511) - 95/5 COTTC		BODY BAND, PANELS, POCKET OPENING	0	Meter				None	None	None	None	None
Trims													
SEE PLACEMENT FOR DETAILS	White Satin COO, Conte		2" ABOVE HEM LEFT SIDE SEAM	1	Each	NATURAL COLOUR ON ALL COLOURWAYS**tbd	Vendor Sourced		None	None	None	None	None
	UPC STICKI (TR-ST114) PLEASE PRI THERMAL PI	- Ver.#1 NT WITH		2	Each				None	None	None	None	None
	warning on	er.#1 c, with suffocation back, UPC sticker on bottom right		1	Each		Vendor Sourced		None	None	None	None	None
		DLE HIGH STITCH	D/C EXITS	2	Each	DTM	Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 E (TR-HG142) Article code	Booklet Hangtag) - Ver.#1 : HTOVO141A	SAFETY PINNED TO UNDERSIDE OF MAIN LABEL	1	Each		Reca Mainetti Asia Ltd	41A	None	None	None	None	None
	Label (TR-LT247) RECA REF:	LBOVO172	see placement guide	1	Each		Reca Mainetti Asia Ltd	72	None	None	None	None	None
	(TR-LT246) ARTICLE:	Alpha Sizing Tab - Ver.#1 81_T/ LBOVO175	see placement guide	1	Each		Reca Mainetti Asia Ltd	OVOW23 _181_T	None	None	None	None	None

						Bill of	Materials -	#1						Version 2
	Article Code	м-0425-кт-6066								Product Group		TOP		0000
	Article Name	MUSKOKA RALGAN SL	V HOODIE							Product Sub-Cate	gory	PULLOVER HOOD	DIE	
	Created On	06-24-2025 10:44:	00 AM	Material		100% COTTON 350 GSM				Season	Season 2025 Winter			個でに「「「「「」」
	Last Modified	11-27-2025 1:27:0	0 PM	Description		100% Cotton Fleece, 350gsm Garment Dye + Acid Wash			Life Cycle Stage		TOP Approved		7	
Part		Material	Placement	Consumption	UOM	. Comments	Supplier	Supplier Ref.	FE FEATHER GRI	YB GARMENT D' BLACK	YED	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
	OVOF21_2 ² (LT138) - Ve	_		1	Each		Reca Mainetti Asia Ltd		None	None	1	None	None	None
	LOOP (TR-TV140)	GRAIN RIBBON - Ver.#1 FAG ATTACHMENT		0	Each		Vendor Sourced		None	None	ı	None	None	None
		MER HANG TAG) - Ver.#1	THROUGH THE 1/8" RIBBON LOOP ALONG WITH OVO HANGTAG	0	Each		Vendor Sourced		None	None	1	None	None	None
	HERRINGBO (TV126) - V 100% COTT	er.#1	BACK NECK TAPE	1	Meter	r	Vendor Sourced		None	None	ļ	None	None	None
DRAWCORD	ROUND DRA KNOTTED E (TR-DR174)	-		1	Each	DTM BODY			None	None		None	None	None
Graphics														
	TBD - SEE A (HT-102) - \	ARTWORK FILE /er.#1		0	Each				None	None	I	None	None	None

			Bill of Materials - #	1 Material Image Sheet				Version 2
Article Code	M-0425-KT-6066				Product Group	TOP		0000
Article Name	MUSKOKA RALGAN SLV HOODIE				Product Sub-Category	PULLOVER HOO	DIE	
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM F		Season	2025 Winter		
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 3	50gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approve	d	
CCTOBER'S VERY OWN. SEP, COTTOR LOTOR MINISTER OF LOCATION PROVIDED COLOMBROOM STANDARD TO SEP STANDARD	STILE # PRODUCT THE COLOR		The state of the s	The state of the s	OCTOBERS VERY LESS CASE WHITE COLCUMMAY WHITE COLCUM	OWN SEP CHOCKS	Com Sum Allowards Allowards Allowards WHITE COLOUIWAY WHITE GROUND	ACOMOGNAL SUZES XS S M L XL 2XL
LT110	TR-ST114		PK101	TR-HG142	TR-LT24	7	TR-LT	246
CC LABEL - APPARI	UPC STICKER- 1" X 2.	5" POLY	BAG - GENERIC	OVO 2023 Booklet Hangtag	OVO 2023 One S Label	ide Main	OVO 2023 Alph	na Sizing Tab
The state of the s	Cook. GAT 5min		The state of the s					
LT138	TR-TV140		TR-HG143	TR-DR174				
EAR-AWAY COO TA	.B: 5mm GROSGRAIN RIBB	ON GD DISC	CLAIMER HANG TAG	ROUND DRAWCORD WITH KNOTTED ENDS				

PHOTO EXAMPLES										
Article Code	M-0425-KT-6066			Product Group	TOP					
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE					
Created On	06-24-2025 10:44:00 AM		100% Cotton Fleece, 350gsm Garment Dve + Acid Wash	Season	2025 Winter	STATE OF THE PARTY				
Last Modified	11-27-2025 1:27:00 PM	Description		Life Cycle Stage	TOP Approved					




			PHOTO EXAMPLES			Version 2
Article Code	M-0425-KT-6066			Product Group	TOP	0000
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM		100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	




PHOTO EXAMPLES									
Article Code	M-0425-KT-6066			Product Group	TOP				
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE				
Created On	06-24-2025 10:44:00 AM	Material	100% Cotton Fleece. 350gsm Garment Dve + Acid Wash	Season	2025 Winter	MEN NAME			
Last Modified	11-27-2025 1:27:00 PM	Description		Life Cycle Stage	TOP Approved				






			PHOTO EXAMPLES - How to measure guide			Version 2
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	



	Opt 1. Raglan SLV - Construction details - Hoodie									
Article	e Code	M-0425-KT-6066			Product Group	TOP				
Article	e Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE				
Create	ed On	06-24-2025 10:44:00 AM		100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter				
Last M	Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved				



Comments

1 HOOD

1 piece hood with self lining. Fold at CF edge. Dart at CB, join with #512 mock safety stitch. Please ensure that the hood self and hood lining serged seperately. CF of hood overlapping at the neck 3/4", left over right.

3NDL coverstitch at front edge to make channel for drawcord. Buttonhole exits for drawcord.

Drawcord ends double fold and tacked with bartack. Drawcord tacked at CF of hood as per photo reference $\begin{tabular}{ll} \hline \end{tabular}$

Self and lining chain tacked at the top of the head at CB dart seams. Please tack 3/8" at hood crown together.

- 2 NECK SEAM Hood join to body with #512 mock safety stitch. Inside back neck cleanfinished with jersey taping. SN topstitch at taping edges. SN topstitch, 1/4" in, visible at back neck and front neck.
- 3 ARMHOLE SEAM
 Join with #512 mock safety stitch. 3N coverstitch straddling seam, 1/4" spacing.
- 4 SLEEVE INSEAM #512 mock safety stitch.
- 5 SIDE RIB PANEL, DOUBLE LAYER, NO SIDE SEAM FRONT AND BACK PANEL SEAM: MOCK SAFETY SERGE, 512 / 3NDL C/S, 605, STRADDLE SEAM
- SLEEVE OPENING
 Folded rib cuff. Join to sleeve opening with #512 mock safety
- stitch. 1/4" 3N coverstitch, straddling seam

 KANGA POCKET


Self pocket bag. Opening edges finished with rib binding, 3N C/S.

Set to body with 3NDL C/S top and side edges with C/S.

Set to body with 3NDL C/S top and side edges with C/S extension. Bottom of bag finished into the band seam. Bartacks at top and bottom of pkt openings.

- BOTTOM OPENING
 Folded rib band. Join to bottom opening with #512 mock safety
 stitch. 1/4" 3N coverstitch, straddling seam. ENSURE THE
 TWO RIB SEAMS ALIGN WITH RIB PANEL SEAM Set back on
 body
- 9 RIB "V" INSERT DOUBLE LAYER, MOCK SAFETY SERGED, 3 NDL C/S,

1 1 1 0 1 W 0/25 VT COCC	
Article Code M-0425-KT-6066 Product Group TOP	• • • •
Article Name MUSKOKA RALGAN SLV HOODIE PULLOVER H	HOODIE
Created On 06-24-2025 10:44:00 AM Material 100% COTTON 350 GSM FLEECE (FB-K949) Season 2025 Winter	er
Last Modified 11-27-2025 1:27:00 PM Description 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash Life Cycle Stage TOP Appro	oved



STRADDLE SEAM. COVERSTITCH EXTENSION LENGTH 3/4".

			MEASURING RAGLAN SLEEVE AH DEPTH			Version 2
Article Code	M-0425-KT-6066			Product Group	TOP	0000
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	

HOW TO MEASURE POM "E201 :Armhole Depth

:: from HPS Squared Down (Raglan)"




			MEASURING ACROSS CHEST RAGLAN SLEEVE			Version 2
Article Code	M-0425-KT-6066			Product Group	TOP	0000
Article Name	MUSKOKA RALGAN SLV HOODIE]		Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	TO THE
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	

HOW TO MEASURE POM "B301 : Across: Chest : at mid. armhole"



			MEASURING ACROSS BACK RAGLAN SLEEVE			Version 2
Article Code	M-0425-KT-6066			Product Group	TOP	
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	
Created On	06-24-2025 10:44:00 AM		100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	STATE OF THE PARTY
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	

HOW TO MEASURE POM "B201 : Across Back : at mid. armhole



MEASURING RAGLAN SLEEVE OVERARM											
Article Code	M-0425-KT-6066			Product Group	TOP						
Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE						
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	SECTION SECTION					
Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved						

HOW TO MEASURE POM "L:Sleeve overarm fr.

CB neck :: 3 x point measure



Page 14 of 22

		Raglan	SLV - Measure	ment - Hoodie F/W 202	25			·	Al	l measu	irements a	re in Inch		V	ersion 2
	Article Code	M-0425-KT-6066						Pr	oduct Group		TOP				2.0
	Article Name	MUSKOKA RALGAN SLV HOODIE						Pr	oduct Sub-Ca	ategory	PULLOVER H	OODIE			
	Created On 06-24-2025 10:44:00 AM		Material	sterial 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		Se	ason		2025 Winter	•			可圖		
	Last Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Freece, 330g	SIII Gariileri	t bye + A	CIU Wash	Lit	e Cycle Stag	е	TOP Appro	ved			
BOM Code	DOM N			•	Tol	·Tol	Crada	vve	ve		м		VI	VVI	271

							.,						
	POM Code	POM Name	-Tol	+Tol	Grade	xxs	xs	s	М	L	XL	XXL	3XL
ļ	A201	Front body length from HPS : Top	1/2	1	Mixed	25 1/2	26	26 1/2	27	27 1/2	28 1/2	29 1/2	30 1/2
!	H101	Neck width :: SEAM TO SEAM	1/4	1/2	Mixed	8 1/2	8 1/2	8 3/4	9	9 1/4	9 1/2	9 3/4	10
	H201	Front neck drop from HPS : Crew	1/8	1/4	Mixed	3 5/8	3 5/8	3 11/16	3 3/4	3 13/16	3 15/16	4 1/16	4 3/16
	H301	Back neck drop from HPS Crew	1/8	1/4	Mixed	1 1/8	1 1/8	1 3/16	1 1/4	1 5/16	1 7/16	1 9/16	1 11/16
	B301	Across: Chest : at mid. armhole	1/4	1/2	Mixed	11 1/4	12	12 3/4	13 1/2	14 1/4	15 1/4	16 1/4	17 1/4
	B201	Across Back : at mid. armhole	1/4	1/2	Mixed	12 1/8	12 7/8	13 5/8	14 3/8	15 1/8	16 1/8	17 1/8	18 1/8
!	B101	Chest width :1" below armhole	1/2	1	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	C102	Bottom width: 1" above band seam	1/2	1	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
!	C101	Bottom width at band:inside fold edges of band/he	1/2	1	Mixed	16 1/2	17 1/2	18 1/2	19 1/2	20 1/2	22	23 1/2	25
!	E201	Armhole Depth :: from HPS Squared Down (Raglan)	1/4	1/2	1/4	11 1/2	11 3/4	12	12 1/4	12 1/2	12 3/4	13	13 1/4
!	G101	Bicep width:1" below armhole	1/4	1/2	Mixed	10	10 1/4	10 1/2	10 3/4	11	11 5/16	11 5/8	11 15/16
!	F101	L:Sleeve overarm fr. CB neck :: 3 x point measure	1/2	1	Mixed	33 1/4	34	34 3/4	35 1/2	36 1/4	37 1/4	38 1/4	39 1/4
!	G104	L/Sleeve opening: inside fold edges of cuff/hem	1/8	1/4	Mixed	3 7/16	3 5/8	3 13/16	4	4 3/16	4 7/16	4 11/16	4 15/16
!	G103	L/Sleeve :: 1" above cuff seam	1/8	1/4	Mixed	5 13/16	6	6 3/16	6 3/8	6 9/16	6 13/16	7 1/16	7 5/16
	F701	Sleeve Cuff Band Height	1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
	A703	Body Band Height	1/8	1/8	0	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
	H703	Hood width :: at 5" Below Top Edge	1/4	1/2	1/4	10 1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12
!	H701	Hood height at CF	1/4	1/2	Mixed	15	15 1/2	15 1/2	16	16	16 1/2	16 1/2	16 1/2
	H702	Hood height at HPS	1/4	1/2	Mixed	13 1/2	14	14	14 1/2	14 1/2	15	15	15
	N101	Kanga pocket height at center	1/4	1/2	Mixed	8 1/4	8 1/2	8 1/2	8 3/4	8 3/4	9 1/4	9 1/4	9 1/4
	N102	Kanga pocket width at top edge	1/4	1/2	Mixed	9	9 1/4	9 1/4	9 1/2	9 1/2	10	10	10
	N103	Kanga pocket width at widest point	1/4	1/2	Mixed	13	13 1/4	13 1/4	13 1/2	13 1/2	14	14	14
	N104	Kanga pocket width at band seam	1/4	1/2	Mixed	10	10 1/4	10 1/4	10 1/2	10 1/2	11	11	11
	N201	Pocket opening trim height	1/8	1/8	0	1	1	1	1	1	1	1	1
!	H709	drawcord length: Hood	1/2	1	Mixed	40	41	41	42	42	43	43	43
	H710	Hood drawcord exit pos. fr neck	1/8	1/4	0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
	B401	Side Panel total width (front & back) below UAP	1/8	1/4	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
	C201	Side Panel total width (front & back) at hem edge	1/8	1/4	Mixed	4	4 1/2	5	5 1/2	6	6 3/4	7 1/2	8 1/4
	H606	Neck binding width	1/8	1/8	0	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
	N221	Dorito width: edge to edge	1/8	1/4	1/8	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3	3 1/8	3 1/4
	N222	Dorito height: CF NK seam to edge	1/8	1/4	1/8	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2

	,		Ragla	n SLV - Measure	ment - Hoodie F/W 202	25				All measurements are in Inch					V	ersion 2
		Article Code	M-0425-KT-6066						Proc	luct Group	Т	OP				
	Article Name MUSKOKA RALGAN SLV HOODIE								Proc	luct Sub-Ca	tegory P	ULLOVER HO	ODIE			
	Created On 06-24-2025 10:44:00 AM Last Modified 11-27-2025 1:27:00 PM		06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEEO			مأما يرمماء	Seas	on	2	025 Winter			A STATE OF	可圖
			11-27-2025 1:27:00 PM	Description 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash				Life	Cycle Stag	e T	OP Approv	ed				
	POM Code POM Name					-Tol	+Tol	Grade	xxs	xs	s	М	L	XL	XXL	3XL
!	H404 Minimum Neck Stretch					0	1	0	24	24	24	24	24	24	24	24

NOTES

** RAGLAN SLEEVE **

REFERENCE: UPDATED 2023 STUSSY hoodie fit (length, shoulder, bottom band width)

8/17/23 revisions for Q1 and onwards:

- add self half moon facing for the new main label
- add rib side panel
- add rib dorito overlay

2.12.2025 update: Remove rib trim from hoodie

12.06.2025 +TOL updated

	Article Code	M-0/	425-KT-6066	BLE CO. LID: FI	t Approvai-1 - PROTO fit Q4 2025 TOP [Sam	ihie T (M		duct Group	ТОР		1	version 2	
	Article Code Article Name		KOKA RALGAN SLV HOODIE					duct Group duct Sub-Category		R HOODIE		2888	
	Created On	1	24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)			son	2025 Wi			CECE	
	Last Modified		27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid	d Wash		Cycle Stage	TOP Ap	proved			
Group	POM	l		Des	cription	+ To	ol	- Tol	M	Sample	Diff	Revised	
	A201		Front body length from HPS : Top			1		1/2	27	26 3/4	-1/4		
	H101		Neck width :: SEAM TO SEAM			1/2		1/4	9	9 1/4	1/4		
	H201		Front neck drop from HPS : Crew			1/4		1/8	3 3/4	3 3/4	0		
	H301		Back neck drop from HPS Crew			1/4		1/8	1	1 1/4	1/4	1 1/4	
	B301		Across: Chest : at mid. armhole			1/2		1/4	13 1/2	14	1/2		
	B201		Across Back : at mid. armhole			1/2	!	1/4	14 3/8	14 1/2	1/8		
	B101		Chest width :1" below armhole			1		1/2	23	23 1/2	1/2		
	C102		Bottom width : 1" above band seam			1		1/2	21	21 1/2	1/2		
	C101		Bottom width at band:inside fold edges of	band/he		1		1/2	18 1/2	18 1/2	0	19 1/2	
	E201		Armhole Depth :: from HPS Squared Down	(Raglan)		1/2	!	1/4	11 1/2	11 3/4	1/4	12 1/4	
	G101		Bicep width:1" below armhole			1/2	!	1/4	10	10	0	10 3/4	
	F101		L:Sleeve overarm fr. CB neck :: 3 x point n	neasure		1		1/2	35 1/2	36	1/2		
	G104		L/Sleeve opening: inside fold edges of cul	f/hem		1/4		1/8	3 3/4	3 7/8	1/8	4	
	G103		L/Sleeve :: 1" above cuff seam			1/4		1/8	6	6	0	6 3/8	
	F701		Sleeve Cuff Band Height			1/8	}	1/8	2 3/4	2 5/8	-1/8		
	A703		Body Band Height			1/8	}	1/8	2 3/4	2 5/8	-1/8		
	H703		Hood width :: at 5" Below Top Edge			1/2	!	1/4	11	11 1/4	1/4		
	H701		Hood height at CF			1/2	!	1/4	16	15 3/4	-1/4		
	H702		Hood height at HPS			1/2	!	1/4	14 1/2	14 1/4	-1/4		
_	N101		Kanga pocket height at center			1/2		1/4	8 3/4	9	1/4		
	N102		Kanga pocket width at top edge			1/2	!	1/4	9 1/2	9 1/2	0		
	N103		Kanga pocket width at widest point			1/2	!	1/4	13 1/2	13 3/4	1/4		
	N104		Kanga pocket width at band seam			1/2	!	1/4	10 1/2	10 3/4	1/4		
	N201		Pocket opening trim height			1/8	1	1/8	1	1	0		
	H709		drawcord length : Hood			1		1/2	42	43	1		

UN-AVAILABLE CO. LTD: Fit Approval-1 - PROTO fit Q4 2025 TOP [Sample 1 (M)]

		U	N-AVAILABLE CO. LID:	FIT Approval-1 - PROTO fit Q4 2025 I	OP (Sample 1 (M)]					version 2
	Article Code	M-0425-KT-6066				Produc	t Group	TOP			0000
	Article Name	MUSKOKA RALGAN SLV HOO	DIE			Product Sub-Category		PULLOVER HOODIE			
	Created On	06-24-2025 10:44:00 AM	Material		00% COTTON 350 GSM FLEECE (FB-K949)		Season		2025 Winter		
	Last Modified	11-27-2025 1:27:00 PM	Description	Description 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		Life Cycle Stage		TOP Approved			
Group	POM			Pescription	+ T	ol	- Tol	M	Sample	Diff	Revised
	H710	Hood drawcord exit pos. fr	neck		1/4		1/8	1 1/4	1 1/8	-1/8	
	B401	Side Panel total width (fror	nt & back) below UAP		1/4		1/8	5 1/2	5 1/2	0	
	C201	C201 Side Panel total width (front & back) at hem ed		dge 1		1/8	5 1/2	5 1/2	0		
	H606	Neck binding width			1/8		1/8	3/8	3/8	0	
	N221	Dorito width: edge to edge			1/4		1/8	2 3/4	3	1/4	
	N222	Dorito height: CF NK seam	n to edge		1/4		1/8	2	1 7/8	-1/8	
	H404	Minimum Neck Stretch			1		0	24	24	0	
		,		COMMENT	· · · · · · · · · · · · · · · · · · ·	,					

IIN-AVATI ARI F CO. I TD: Fit Approval-1 - PPOTO fit 04 2025 TOP [Sample 1 (M)]

4-DEC-25

PROTO FIT: TOP sample of Q4 2025 production, fit as first sample for fit corrections being made for Q3 2026

STYLING COMMENTS:

1. Please maintain all styling as is.

FITTING COMMENTS:

- 1. Please keep the back neck depth as the sample-spec has been updated to match.
- 2. Increase the bottom opening band finished width- see revised spec.
- 3. Increase the armhole 1/2"- see revised spec.
- 4. Increase the sleeve width at the shoulder area, bicep and sleeve opening- see revised specs and photos.
- 5. Reduce the sleeve cap height slightly, 1/4"- see photos.
- 6. Ensure all garment measurements are within tolerance for the next sample

WORKMANSHIP COMMENTS:

- 1. Ensure the neck shaping is a smooth curve and symmetrical
- 2. Ensure the front neck dorito shape is symmetrical

SUBMIT A REVISED FIT SAMPLE WITH ALL CORRECTIONS

H301 - Back neck drop from HPS Crew: KEEP AS SAMPLE

UN-AVAILABLE CO. LTD: Fit Approval-1 - PROTO fit Q4 2025 TOP [Sample 1 (M)]										
Artic	ticle Code	M-0425-KT-6066			Product Group	ТОР	0000			
Artic	icle Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	2000			
Crea	eated On	06-24-2025 10:44:00 AM		100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	STATE OF THE PARTY			
Last	st Modified	11-27-2025 1:27:00 PM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved				

C101 - Bottom width at band:inside fold edges of band/he: REVISED

E201 - Armhole Depth :: from HPS Squared Down (Raglan) : REVISED

G101 - Bicep width: 1" below armhole: REVISED

G104 - L/Sleeve opening: inside fold edges of cuff/hem: REVISED

G103 - L/Sleeve :: 1" above cuff seam : REVISED

Sample Size:

Status: Rejected

Rejected By: SerenaCabatan (October's Very Own Merchandising)

Rejected On: 12-04-2025 10:41:00 AM

	UN-AVAILABLE CO. LTD: Fit Approval-1 - PROTO fit Q4 2025 TOP - Proto sample photos - Q4 2025 TOP: front, side, back										
[Article Code	M-0425-KT-6066			Product Group	TOP	0000				
[[Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE					
l [Created On	06-24-2025 10:44:00 AM		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash Life Cycle Si	Season	2025 Winter					
[Last Modified	11-27-2025 1:27:00 PM	Description		Life Cycle Stage	TOP Approved					



UN-AVAILABLE CO. LTD: Fit Approval-1 - PROTO fit Q4 2025 TOP - Proto sample photos - Armhole revisions										
	Article Code	M-0425-KT-6066			Product Group	ТОР				
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE				
	Created On	06-24-2025 10:44:00 AM	Material 100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wa		Season	2025 Winter				
	Last Modified	11-27-2025 1:27:00 PM		100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved				
	[l			



UN-AVAILABLE CO. LTD: Fit Approval-1 - PROTO fit Q4 2025 TOP - Proto sample photos - Sleeve revisions										
	Article Code	M-0425-KT-6066			Product Group	TOP				
	Article Name	MUSKOKA RALGAN SLV HOODIE			Product Sub-Category	PULLOVER HOODIE	200			
	Created On	06-24-2025 10:44:00 AM	Material	100% Cotton Fleece. 350gsm Garment Dve + Acid Wash	Season	2025 Winter	ST TIP			
	Last Modified	11-27-2025 1:27:00 PM	Description		Life Cycle Stage	TOP Approved				

