

Article Summary							Version 2			
	Article Code	M-0425-KT-6069		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP				
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS				
	Created On	06-24-2025 10:44:00 AM			Material	Season			2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM			Description	Life Cycle Stage			TOP Approved	
Gender Classification		Mens	Sub Class D		SS T-SHIRT	Fabrication		KNIT TOP		
Supplier		UN-AVAILABLE CO. LTD	Release Date			Ex-Factory				
								COLORS		
									FEATHER GREY (FE) 15-1305 TCX SANDSTONE	
									GARMENT DYED BLACK (YB) GARMENT DYED BLACK	
									KAMBABA (KAM) 19-0404 TCX DEEP OLIVE (.)	
									FUDGE (FDG) 19-1619 TCX EAGLE BROWN	
									CAMEO ROSE (CMR) 14-1310 TCX CLAY PINK	
SIZES										
000, 001, 002, 003, 004, 005, 006, 007										

Bill of Materials - #1												Version 2
	Article Code	M-0425-KT-6069						Product Group		TOP		
	Article Name	MUSKOKA SS TSHIRT						Product Sub-Category		T-SHIRT - SS		
	Created On	06-24-2025 10:44:00 AM	Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s				Season		2025 Winter		
	Last Modified	12-05-2025 12:29:00 PM						Life Cycle Stage		TOP Approved		
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
Fabric												
	UA - 100% COTTON JERSEY, 190GSM (FB-K508) - Ver.#1 REF# BDSS22P0921018T00D SINGLE JERSEY 20s	BODY/ BACK NECK TAPE/ DORITO	0	Meter	180-190GSM		REF# BDSS22P 0921018T 00D	AOP ALL OVER PRINT	AOP ALL OVER PRINT	AOP ALL OVER PRINT	AOP ALL OVER PRINT	None
	1x1 RIB COTTON/ LYCRA (FB-K151) - Ver.#1 WEIGHT TBD	NECK	0	Yards	DTM BODY			None	None	None	None	None
Trims												
	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.		1	Each		Vendor Sourced		None	None	None	None	None
	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB		0	Each		Reca Mainetti Asia Ltd	OVOF21_217_T	None	None	None	None	None
	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.		1	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	UPC BARCODE STICKER (ST101) - Ver.#1 PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS		2	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT		1	Each		Vendor Sourced		None	None	None	None	None
	TEE MAIN LABEL-LBOVO151 (TR-LT251) - Ver.#1 LBOVO151		1	Each		Reca Mainetti Asia Ltd		None	None	None	None	None
	OVO 2023 Alpha Sizing Tab (TR-LT246) - Ver.#1 ARTICLE: OVOW23_181_T/ LBOVO175		1	Each		Reca Mainetti Asia Ltd	OVOW23_181_T	None	None	None	None	None

Bill of Materials - #1												Version 2
	Article Code	M-0425-KT-6069		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s				Product Group	TOP			
	Article Name	MUSKOKA SS TSHIRT						Product Sub-Category	T-SHIRT - SS			
	Created On	06-24-2025 10:44:00 AM	Material					Season	2025 Winter			
	Last Modified	12-05-2025 12:29:00 PM	Description					Life Cycle Stage	TOP Approved			
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
	GD DISCLAIMER HANG TAG (TR-HG143) - Ver.#1 REF# OVOF22_060_T		1	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) - Ver.#1 Article code: HTOVO141A		1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None	None	None	None	None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1		0	Each				None	None	None	None	None




Bill of Materials - #1 Material Image Sheet						Version 2
	Article Code	M-0425-KT-6069		Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter
	Last Modified	12-05-2025 12:29:00 PM			Life Cycle Stage	TOP Approved
			Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		
						
FB-K508 UA - 100% COTTON JERSEY, 190GSM	LT110 CC LABEL - APPAREL	LT138 TEAR-AWAY COO TAB: OVOF21_217_T	PK101 POLY BAG - GENERIC	ST101 UPC BARCODE STICKER	TR-TV140 5mm GROSGRAIN RIBBON LOOP	
						
TR-LT251 TEE MAIN LABEL- LBOVO151	TR-LT246 OVO 2023 Alpha Sizing Tab	TR-HG143 GD DISCLAIMER HANG TAG	TR-HG142 OVO 2023 Booklet Hangtag			

PHOTO OF GD EXAMPLES							Version 2
	Article Code	M-0425-KT-6069		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM	Description		Life Cycle Stage	TOP Approved	




PHOTO OF GD EXAMPLES							Version 2
	Article Code	M-0425-KT-6069		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM	Description		Life Cycle Stage	TOP Approved	



PHOTO OF GD EXAMPLES							Version 2
	Article Code	M-0425-KT-6069		Material Description	Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	06-24-2025 10:44:00 AM	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s		Season	2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM			Life Cycle Stage	TOP Approved	



OPT 2 Construction- Crewneck w/ 2 PC Sleeve							Version 2
	Article Code	M-0425-KT-6069		Material Description	Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM			Life Cycle Stage	TOP Approved	
				UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s			



Comments

- 1 NECKBAND:
collarette, 1X1 RIB COLLAR, DOUBLE FOLD, MOCK SAFETY SERGE, 512 TO NECK SEAM, 2 NDL EDGE T/S TO FRONT NECK SEAM, 1/4" GAUGE
Join seam located on wearer's left side, 1" away from shoulder seam.
- 2 SHOULDER SEAM

3NDL C/S SEAM STRADDLING SEAM
- 3 ARMHOLE

3NDL C/S SEAM STRADDLING SEAM
- 4 SLEEVE HEM:
SELF TURNED WITH 2 NDL COVERSTITCH, 1/4" GAUGE
- 5 SLEEVE/ SIDE SEAM
MOCK SAFETY SERGED, 512
- 6 BODY HEM:
SELF TURNED WITH 2 NDL bottom COVERSTITCH, 1/4" GAUGE

Q3 2026 MEASUREMENT - OVO Fit							All measurements are in Inch						Version 2	
	Article Code	M-0425-KT-6069					Product Group		TOP					
	Article Name	MUSKOKA SS TSHIRT					Product Sub-Category		T-SHIRT - SS					
	Created On	06-24-2025 10:44:00 AM	Material Description	UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s			Season		2025 Winter					
	Last Modified	12-05-2025 12:29:00 PM					Life Cycle Stage		TOP Approved					
	POM Code	POM Name		-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	A101	Back body length from HPS : Top of neckband		1/2	1	Mixed	27 1/2	28	28 1/2	29	29 1/2	30 1/2	31 1/2	32 1/2
!	H101	Neck width :: SEAM TO SEAM at back		1/4	1/2	Mixed	6 1/2	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4	8
	H201	Front neck drop from HPS : top of trim to edge		1/8	1/4	Mixed	4 1/8	4 1/8	4 3/16	4 1/4	4 5/16	4 7/16	4 9/16	4 11/16
	H301	Back neck drop from HPS: top of trim to edge		1/8	1/4	Mixed	7/8	7/8	15/16	1	1 1/16	1 3/16	1 5/16	1 7/16
	H605	Neckband width: COLLARETTE		1/8	1/8	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
	D102	Shoulder slope :: from HPS at neck band seam		1/8	1/4	Mixed	2 3/8	2 7/16	2 1/2	2 1/2	2 1/2	2 9/16	2 5/8	2 11/16
	D103	Shoulder displacement to front		1/8	1/8	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
!	D101	Shoulder width :measured on CB body		3/8	3/4	Mixed	18	18 3/4	19 1/2	20 1/4	21	22	23	24
	B301	Across: Chest : at mid. armhole		1/4	1/2	Mixed	16	16 3/4	17 1/2	18 1/4	19	20	21	22
	B201	Across Back : at mid. armhole		1/4	1/2	Mixed	16 1/2	17 1/4	18	18 3/4	19 1/2	20 1/2	21 1/2	22 1/2
!	B101	Chest width :1" below armhole		1/2	1	Mixed	20	21	22	23	24	25 1/2	27	28 1/2
!	C101	Bottom width at band:inside fold edges of band/he		1/2	1	Mixed	19 1/4	20 1/4	21 1/4	22 1/4	23 1/4	24 3/4	26 1/4	27 3/4
!	E101	Armhole Straight :: measured straight		1/4	1/2	Mixed	8 3/8	8 3/4	9 1/8	9 1/2	9 7/8	10 3/8	10 7/8	11 3/8
!	F303	S:Sleeve overarm fr. CB neck :: 3 x point measure		1/4	1/2	Mixed	18	18 1/2	19	19 1/2	20	20 3/4	21 1/2	22 1/4
!	G101	Bicep width:1" below armhole		1/4	1/2	Mixed	7 1/4	7 1/2	7 3/4	8	8 1/4	8 9/16	8 7/8	9 3/16
!	G301	S/Sleeve opening:inside fold edges of cuff or hem		1/4	1/2	Mixed	6 3/4	7	7 1/4	7 1/2	7 3/4	8 1/16	8 3/8	8 11/16
	A701	Body hem depth		1/8	1/8	0	1	1	1	1	1	1	1	1
	F702	Sleeve Hem Height		1/8	1/8	0	1	1	1	1	1	1	1	1
!	H404	Minimum Neck Stretch		0	1	0	24	24	24	24	24	24	24	24

NOTES
JUNE 2024 UPDATED FIT FOR TSHIRT

12.06.2025
+TOL updated

UN-AVAILABLE CO. LTD: Fit Approval-1 - proto fit Q4 2025 TOP [Sample 1 (M)]										Version 2
	Article Code	M-0425-KT-6069		UA - 100% COTTON JERSEY, 190GSM (FB-K508) REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Product Group	TOP				
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS				
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter				
	Last Modified	12-05-2025 12:29:00 PM	Description		Life Cycle Stage	TOP Approved				
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised
	A101	Back body length from HPS : Top of neckband			1	1/2	29	28 1/2	-1/2	
	H101	Neck width :: SEAM TO SEAM at back*			1/2	1/4	7	7 1/4	1/4	
	H201	Front neck drop from HPS : top of trim to edge*			1/4	1/8	4 1/4	3 7/8	-3/8	
	H301	Back neck drop from HPS: top of trim to edge*			1/4	1/8	1	3/4	-1/4	
	H605	Neckband width: COLLARETTE			1/8	1/8	3/4	3/4	0	
	D102	Shoulder slope :: from HPS at neck band seam			1/4	1/8	2 1/2	2 3/4	1/4	
	D103	Shoulder displacement to front			1/8	1/8	1/2	3/8	-1/8	
	D101	Shoulder width :measured on CB body			3/4	3/8	19 3/4	19 1/2	-1/4	20 1/4
	B301	Across: Chest : at mid. armhole			1/2	1/4	17 3/4	17 3/4	0	18 1/4
	B201	Across Back : at mid. armhole			1/2	1/4	18 1/4	18 1/4	0	18 3/4
	B101	Chest width :1" below armhole			1	1/2	22 1/2	22 1/4	-1/4	23
	C101	Bottom width at band:inside fold edges of band/he			1	1/2	21 3/4	21 3/4	0	22 1/4
	E101	Armhole Straight :: measured straight			1/2	1/4	9	9	0	9 1/2
	F303	S:Sleeve overarm fr. CB neck :: 3 x point measure			1/2	1/4	19 1/4	19 1/4	0	19 1/2
	G101	Bicep width:1" below armhole			1/2	1/4	7 1/2	7 1/4	-1/4	8
	G301	S/Sleeve opening:inside fold edges of cuff or hem			1/2	1/4	7	6 3/4	-1/4	7 1/2
	A701	Body hem depth			1/8	1/8	1	1	0	
	F702	Sleeve Hem Height			1/8	1/8	1	1	0	
	H404	Minimum Neck Stretch			1	0	24	24	0	
Renamed Points of Measurement										
*H101 - Neck width :: SEAM TO SEAM Revised to H101 - Neck width :: SEAM TO SEAM at back										
*H201 - Front neck drop from HPS : Crew Revised to H201 - Front neck drop from HPS : top of trim to edge										
*H301 - Back neck drop from HPS Crew Revised to H301 - Back neck drop from HPS: top of trim to edge										
COMMENT										
5-DEC-25										
PROTO FIT: TOP sample of Q4 2025 production, fit as first sample for fit corrections being made for Q3 2026										
STYLING COMMENTS:										
1. Please maintain all styling as is.										

UN-AVAILABLE CO. LTD: Fit Approval-1 - proto fit Q4 2025 TOP [Sample 1 (M)]							Version 2
	Article Code	M-0425-KT-6069			Product Group	TOP	
	Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
	Last Modified	12-05-2025 12:29:00 PM			Life Cycle Stage	TOP Approved	
			Material	UA - 100% COTTON JERSEY, 190GSM (FB-K508)			
			Description	REF# BDSS22P0921018T00D SINGLE JERSEY 20s			

FITTING COMMENTS:

1. Please increase the overall width of the body and sleeve 1/2" from the spec all around. See revised specs.
2. Ensure the neck measurements are brought back to spec.
3. Ensure all garment measurements are within tolerance for the next sample.

WORKMANSHIP COMMENTS:

1. Ensure the neck shaping is a smooth curve and symmetrical
2. Ensure hems are evenly turned and the hem edges are straight.

SUBMIT A REVISED FIT SAMPLE WITH ALL CORRECTIONS

H201 - Front neck drop from HPS : Crew : BRING BACK TO SPEC
H301 - Back neck drop from HPS Crew : BRING BACK TO SPEC
D101 - Shoulder width :measured on CB body : REVISED
B301 - Across: Chest : at mid. armhole : REVISED
B201 - Across Back : at mid. armhole : REVISED
B101 - Chest width :1" below armhole : REVISED
C101 - Bottom width at band:inside fold edges of band/he : REVISED
E101 - Armhole Straight :: measured straight : REVISED
F303 - S:Sleeve overarm fr. CB neck :: 3 x point measure : REVISED
G101 - Bicep width:1" below armhole : REVISED
G301 - S/Sleeve opening:inside fold edges of cuff or hem : REVISED

Sample Size: M
Status: Rejected
Rejected By: SerenaCabatan (October's Very Own Merchandising)
Rejected On: 12-05-2025 1:03:00 PM

UN-AVAILABLE CO. LTD: Fit Approval-1 - proto fit Q4 2025 TOP - Proto sample photos - Q4 2025 TOP: front, side, back						Version 2
Article Code	M-0425-KT-6069			Product Group	TOP	
Article Name	MUSKOKA SS TSHIRT			Product Sub-Category	T-SHIRT - SS	
Created On	06-24-2025 10:44:00 AM	Material	UA - 100% COTTON JERSEY, 190GSM (FB-K508)	Season	2025 Winter	
Last Modified	12-05-2025 12:29:00 PM	Description	REF# BDSS22P0921018T00D SINGLE JERSEY 20s	Life Cycle Stage	TOP Approved	

