










Article Summary										Version 2		
	Item Code	M-0425-KB-6068			100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash			Product Group	BOTTOM			
	Item Name	MUSKOKA SWEATPANT						Product Sub-Category	PANT - SWEATPANT			
	Created On	06-24-2025 10:44:00 AM		Material				2025 Winter				
	Last Modified	01-19-2026 10:09:00 AM		Description				TOP Approved				
Gender Classification		Mens		Sub Class D		Sweatpant		Fabrication		KNIT BOTTOM		
Supplier		UN-AVAILABLE CO. LTD		Release Date				Ex-Factory				
										COLORS		
											FEATHER GREY (FE) 15-1305 TCX SANDSTONE	
											GARMENT DYED BLACK (YB) GARMENT DYED BLACK	
											KAMBABA (KAM) 19-0404 TCX DEEP OLIVE (.)	
											FUDGE (FDG) 19-1619 TCX EAGLE BROWN	
	CAMEO ROSE (CMR) 14-1310 TCX CLAY PINK											
SIZES												
000, 001, 002, 003, 004, 005, 006, 007												

Bill of Materials - Production #1												Version 2	
	Item Code	M-0425-KB-6068						Product Group	BOTTOM				
	Item Name	MUSKOKA SWEATPANT						Product Sub-Category	PANT - SWEATPANT				
	Created On	06-24-2025 10:44:00 AM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash				Season	2025 Winter				
	Last Modified	01-19-2026 10:09:00 AM						Life Cycle Stage	TOP Approved				
Part	Material		Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
Fabric													
	100% COTTON 350 GSM FLEECE (FB-K949) - Ver.#1 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash		BODY, POCKET BAG PALM SIDE, PATCH POCKET	0.00	Meter				None	None	None	None	None
	100% COMBED COTTON JERSEY, 190GSM (FB-K614) - Ver.#1 REF# OVOTRIP-TS01 SINGLE JERSEY		POCKET BAG KNUCKLE SIDE	0.00	Meter			REF# OVOTRIP- TS01	None	None	None	None	None
Trims													
	ELASTIC PRESHRUNK (EC116) - Ver.#1 PLS REFER TO MEASUREMENT CHARTS FOR WIDTH SIZE		WB, LEG OPENING	1	Each	ENCASED ELASTIC	Vendor Sourced		None	None	None	None	None
WAISTBAND	BUTTON HOLE HIGH STITCH COUNT (BB105) - Ver.#1		CF WB- INTERNAL	2	Each	DTM BODY	Vendor Sourced		None	None	None	None	None
DRAWCORD	ROUND DRAWCORD WITH KNOTTED ENDS (TR-DR174) - Ver.#1		WB- INTERNAL	1	Each	DTM BODY			None	None	None	None	None
SEE PLACEMENT FOR DETAILS	POLY BAG - GENERIC (PK101) - Ver.#1 Clear Plastic, with suffocation warning on back, UPC sticker placement on bottom right corner of bag.			1	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	CC LABEL - APPAREL (LT110) - Ver.#1 White Satin ground, Black text COO, Content, and Care Instructions may vary by style.			1	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	UPC BARCODE STICKER (ST101) - Ver.#1 PLS ADVISE IF YOU HAVE THE CAPABILITY OF PRINTING UPC STICKERS			2	Each		Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	TEAR-AWAY COO TAB: OVOF21_217_T (LT138) - Ver.#1 COUNTRY OF ORIGIN TAB			1	Each		Reca Mainetti Asia Ltd		None	None	None	None	None

Bill of Materials - Production #1												Version 2
	Item Code	M-0425-KB-6068							Product Group	BOTTOM		
	Item Name	MUSKOKA SWEATPANT							Product Sub-Category	PANT - SWEATPANT		
	Created On	06-24-2025 10:44:00 AM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash					Season	2025 Winter		
	Last Modified	01-19-2026 10:09:00 AM							Life Cycle Stage	TOP Approved		
Part	Material	Placement	Consumption	UOM.	Comments	Supplier	Supplier Ref.	FE FEATHER GREY	YB GARMENT DYED BLACK	KAM KAMBABA	FDG FUDGE	CMR CAMEO ROSE
SEE PLACEMENT FOR DETAILS	OVO 2023 Main Loop Label (TR-LT252) - Ver.#1		1	Each		Reca Mainetti Asia Ltd	LBOVO14 7	None	None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Alpha Sizing Tab (TR-LT246) - Ver.#1 ARTICLE: OVOW23_181_T/ LBOVO175		1	Each		Reca Mainetti Asia Ltd	OVOW23 _181_T	None	None	None	None	None
SEE PLACEMENT FOR DETAILS	5mm GROSGRAIN RIBBON LOOP (TR-TV140) - Ver.#1 FOR HANGTAG ATTACHMENT		1	Each	DTM	Vendor Sourced		None	None	None	None	None
SEE PLACEMENT FOR DETAILS	OVO 2023 Booklet Hangtag (TR-HG142) - Ver.#1 Article code: HTOVO141A		1	Each		Reca Mainetti Asia Ltd	HTOVO14 1A	None	None	None	None	None
SEE PLACEMENT FOR DETAILS	GD DISCLAIMER HANG TAG (TR-HG143) - Ver.#1 REF# OVOW22_060_T		1	Each		Vendor Sourced		None	None	None	None	None
Graphics												
	TBD - SEE ARTWORK FILE (HT-102) - Ver.#1		0	Each				None	None	None	None	None












Bill of Materials - Production #1 Material Image Sheet							Version 2
	Item Code	M-0425-KB-6068			Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM			Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM			Life Cycle Stage	TOP Approved	
			Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid Wash			
		TR-DR174			PK101		
ROUND DRAWCORD WITH KNOTTED ENDS			POLY BAG - GENERIC			CC LABEL - APPAREL	
		ST101			LT138		
UPC BARCODE STICKER			TEAR-AWAY COO TAB: OVOF21_217_T			TR-LT252	
		TR-LT246			TR-TV140		
OVO 2023 Alpha Sizing Tab			5mm GROSGRAIN RIBBON LOOP			OVO 2023 Booklet Hangtag	
		TR-HG143					
GD DISCLAIMER HANG TAG							


PHOTO EXAMPLES							Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material Description		Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM			Life Cycle Stage	TOP Approved	








PHOTO EXAMPLES							Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM	Description		Life Cycle Stage	TOP Approved	



PHOTO EXAMPLES							Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM	Description		Life Cycle Stage	TOP Approved	




Construction details - Knit bottoms gusset sweat							Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material Description		Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM			Life Cycle Stage	TOP Approved	



Comments


- 1** **WAISTBAND**
Self folded waistband with elastic encased. Join all layers (catching elastic) with #512 mock safety stitch. 2N edge coverstitch, straddling WB seam, 1/4" spacing. Two rows of SN chain topstitch forming drawcord casing at centre of WB. Buttonhole drawcord exits at external CF of WB, 2" spacing.
- 2** **DRAWCORD**
Drawcord ends: knotted
- 3** **FRONT POCKETS**
On-seam pockets. Front edge folded in to form facing. SN topstitch, 1/4" in at pocket opening. Bartacks at top and bottom of opening.
Top pocket bag (knuckle side) in jersey, bottom pocket bag (palm side) in self. Bag seams join with #512 mock safety stitch. Bag finished into the WB and side seams.
- 4** **FRONT/ BACK RISES**
Join with #512 mock safety stitch. 1/4" 3N coverstitch, straddling seam.
- 5** **OUTSEAM**
Join with #512 mock safety stitch. 3NDL C/S on back.
- 6** **INSEAM**
Join with #512 mock safety stitch
- 7** **LEG OPENINGS**
Self turn up with elastic encased. Elastic join to leg opening edge with #512 mock safety stitch. 2N coverstitch, 1/4" spacing, forming hem.
- 8** **BACK POCKET**
Self patch pocket. Opening edges finished with rib binding, 3N C/S. 2NDL TOP STITCH ON RIB
Set pocket bag to body with 3NDL C/S with extension as per sketch.
- 9** **GUSSET**
Rib cut & sew gusset panel, join with #512 mock safety stitch. 1/4" 3N coverstitch, straddle all gusset seams.

Q3 2026 Measurement - Sweatpant gusset					All measurements are in Inch		Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material		2025 Winter		
	Last Modified	01-19-2026 10:09:00 AM	Description		TOP Approved		

	POM Code	POM Name	-Tol	+Tol	Grade	XXS	XS	S	M	L	XL	XXL	3XL
!	J101	Waist measurement relaxed :: 1/2 body	1/2	1	Mixed	12 1/2	13 1/2	14 1/2	15 1/2	16 1/2	18	19 1/2	21
!	J104	Waistband height	1/8	1/8	0	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
	J502	Drawcord buttonhole distance: RELAXED	1/8	1/4	0	2	2	2	2	2	2	2	2
!	K101	Hip at 1" below WB seam: waist pattern mmt.	1/2	1	Mixed	18	19	20	21	22	23 1/2	25	26 1/2
!	K102	Full Hip width: 3 1/2" above crotch point, 3 xpt.Measur	1/2	1	Mixed	20 1/2	21 1/2	22 1/2	23 1/2	24 1/2	26	27 1/2	29
	M101	Thigh width: 1" below crotch seam	1/4	1/2	Mixed	12 3/8	13	13 5/8	14 1/4	14 7/8	15 3/4	16 3/4	17 5/8
	M106	Knee position from crotch pt @ inseam	1/4	1/2	Mixed	11 3/4	11 3/4	12	12	12	12 1/4	12 1/4	12 1/4
	M103	Knee Width	1/4	1/2	Mixed	9 7/8	10 1/4	10 5/8	11	11 3/8	11 7/8	12 3/8	12 7/8
!	I101	Inseam length :: long pant	1/2	1	Mixed	28 1/2	28 1/2	29	29	29	29 1/2	29 1/2	29 1/2
	M202	Leg opening:Long, 1" above casing / rib seam	1/4	1/2	1/4	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2	8 3/4	9
	M201	Leg opening: Long, inside fold edges of opening	1/4	1/2	1/4	6	6 1/4	6 1/2	6 3/4	7	7 1/4	7 1/2	7 3/4
	I702	Leg cuff height	1/8	1/8	0	1	1	1	1	1	1	1	1
!	L103	Front rise : Incl WB: EXCL. GUSSET	1/4	1/2	Mixed	11 7/8	12 1/4	12 5/8	13	13 3/8	13 3/4	14 1/4	14 5/8
!	L203	Back rise: Incl WB: EXCL. GUSSET	1/4	1/2	Mixed	14 1/8	14 1/2	14 7/8	15 1/4	15 5/8	16	16 1/2	16 7/8
	L402	Gusset width	1/4	1/2	Mixed	1 1/8	1 1/4	1 1/4	1 1/2	1 1/2	1 3/4	1 3/4	1 7/8
	L404	Gusset length	1/4	1/2	Mixed	11 1/8	11 1/4	11 1/4	11 1/2	11 1/2	11 3/4	11 3/4	11 7/8
	C202	Side seam,INSEAM forward position, fr fold	1/8	1/4	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
	N201	Front pocket opening length	1/4	1/2	Mixed	5 1/2	5 3/4	5 3/4	6	6	6 1/4	6 1/2	6 1/2
	N202	Front pocket stitch width	0	0	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
	N205	Front pocket position from waist band seam	1/8	1/4	1/8	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4
	N211	Front pocket bag height :: at center	1/4	1/2	Mixed	11	11	11 1/2	11 1/2	11 3/4	11 3/4	12	12
	N212	Front pocket bag width:: at widest pt.	1/4	1/2	Mixed	6 1/2	6 3/4	6 3/4	7	7	7 1/4	7 1/2	7 1/2
	N601C	Back pocket height at center	1/4	1/2	Mixed	5 1/4	5 1/2	5 1/2	5 3/4	5 3/4	6	6 1/4	6 1/4
	N701	Back pocket width	1/4	1/2	Mixed	4 1/2	4 3/4	4 3/4	5	5	5 1/4	5 1/2	5 1/2
	N703	Back pocket from WB seam	1/8	1/4	1/8	1 5/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 3/8	2 1/2
	N508	Back pocket position from CB seam	1/8	1/4	1/8	2 1/8	2 1/4	2 3/8	2 1/2	2 5/8	2 3/4	2 7/8	3
!	J501	Drawcord length : waist	1	1	Mixed	46	48	49	52	54	55	60	63

NOTES

REFERENCE: M-0323-KB-3656 (updated 2023 STUSSY sweat pant)
- d/cord button hole external


Q3 2026 Measurement - Sweatpant gusset					All measurements are in Inch		Version 2	
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM		
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT		
	Created On	06-24-2025 10:44:00 AM	Material Description		Season	2025 Winter		
	Last Modified	01-19-2026 10:09:00 AM			Life Cycle Stage	TOP Approved		


01.24.2025


- Grade crotch width -1/4" for size each size - XXS/XS/S.
- Grade crotch width +1/4" for size each size - L/XL.
- Grade crotch width +3/8" for each size - XXL/3XL.
- Grade rules at thigh, front and back rise have been revised accordingly.

12.06.2025

+TOL updated

UN-AVAILABLE CO. LTD: Fit Approval-2 [Sample 1 (M)]									Version 2	
	Item Code	M-0425-KB-6068			Product Group	BOTTOM				
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT				
	Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter				
	Last Modified	01-19-2026 10:09:00 AM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved				
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised
	J101	Waist measurement relaxed :: 1/2 body			1	1/2	15 1/2	15 5/8	1/8	
	J104	Waistband height			1/8	1/8	1 3/4	1 7/8	1/8	
	J502	Drawcord buttonhole distance: RELAXED			1/4	1/8	2	2	0	
	K101	Hip at 1" below WB seam: waist pattern mmt.			1	1/2	21	20 3/4	-1/4	
	K102	Full Hip width: 3 1/2" above crotch point, 3 xpt.Measur			1	1/2	23 1/2	23 1/2	0	
	M101	Thigh width: 1" below crotch seam			1/2	1/4	14 1/4	14 1/4	0	
	M106	Knee position from crotch pt @ inseam			1/2	1/4	12	12	0	
	M103	Knee Width			1/2	1/4	11	11	0	
	I101	Inseam length :: long pant			1	1/2	29	29 1/4	1/4	
	M202	Leg opening:Long, 1\'' above casing / rib seam			1/2	1/4	8 1/2	8	-1/2	8
	M201	Leg opening: Long, inside fold edges of opening			1/2	1/4	6 3/4	6 3/8	-3/8	
	I702	Leg cuff height			1/8	1/8	1	1	0	
	L103	Front rise : Incl WB: EXCL. GUSSET			1/2	1/4	13 1/4	13 3/8	1/8	13
	L203	Back rise: Incl WB: EXCL. GUSSET			1/2	1/4	15 1/4	15 1/2	1/4	
	L402	Gusset width			1/2	1/4	1 1/2	1 1/2	0	
	L404	Gusset length			1/2	1/4	11 1/2	11 1/2	0	
	C202	Side seam,INSEAM forward position, fr fold			1/4	1/8	1/2	3/8	-1/8	
	N201	Front pocket opening length			1/2	1/4	6	6 1/8	1/8	
	N202	Front pocket stitch width			0	0	1/4	1/4	0	
	N205	Front pocket position from waist band seam			1/4	1/8	1 1/4	1 3/8	1/8	
	N211	Front pocket bag height :: at center			1/2	1/4	11 1/2	11 1/4	-1/4	
	N212	Front pocket bag width:: at widest pt.			1/2	1/4	7	6 7/8	-1/8	
	N601C	Back pocket height at center			1/2	1/4	5 3/4	5 3/4	0	
	N701	Back pocket width			1/2	1/4	5	4 3/4	-1/4	
	N703	Back pocket from WB seam			1/4	1/8	2	2	0	

UN-AVAILABLE CO. LTD: Fit Approval-2 [Sample 1 (M)]										Version 2	
	Item Code	M-0425-KB-6068			Product Group	BOTTOM					
	Item Name	MUSKOKA SWEATPANT				Product Sub-Category	PANT - SWEATPANT				
	Created On	06-24-2025 10:44:00 AM					Season	2025 Winter			
	Last Modified	01-19-2026 10:09:00 AM						Life Cycle Stage	TOP Approved		
Material		100% COTTON 350 GSM FLEECE (FB-K949)									
Description		100% Cotton Fleece, 350gsm Garment Dye + Acid wash									
Group	POM	Description			+ Tol	- Tol	M	Sample	Diff	Revised	
	N508	Back pocket position from CB seam			1/4	1/8	2 1/2	2 3/8	-1/8		
	J501	Drawcord length : waist			1	1	52	54	2		
COMMENTS											
19-JAN-26											
2nd fit/ PP: 100% cotton fleece, CLAY PINK colour											
FITTING COMMENTS:											
1. There is some excess fabric at the front rise causing bubbling. Please reduce the front rise length 3/8"- see photos and revised spec.											
2. Bring back the back rise length to spec by removing from the back crotch tip- see photos.											
3. Keep the leg opening width above the cuff (extended) as the sample- spec has been revised to match. Bring back the leg opening width at edge to spec, increasing the elastic length slightly.											
4. Ensure the drawcord length is brought back to spec.											
5. Ensure all garment measurements are within tolerance for bulk.											
WORKMANSHIP COMMENTS:											
1. Please sew the gusset to the back panel first and then sew the front and back panels along the inseam together- see photos.											
2. Ensure the pockets are evenly set from the WB seam											
3. Please ensure there is no excessive puckering on seams.											
4. Ensure the elastic is evenly gathered into the WB and leg opening cuffs											
DICH TRANG SAU											
2ND FIT/ PP IS APPROVED FOR FIT AND CONSTRUCTION, PLEASE PROCEED TO PRODUCTION WITH CORRECTIONS											
M202 - Leg opening:Long, 1" above casing / rib seam : KEEP AS SAMPLE											
M201 - Leg opening: Long, inside fold edges of opening : BRING BACK TO SPEC											
L103 - Front rise : Incl WB: EXCL. GUSSET : REVISED											
L203 - Back rise: Incl WB: EXCL. GUSSET : BRING BACK TO SPEC											
J501 - Drawcord length : waist : BRING BACK TO SPEC											
Sample Size:		M									
Status:		Approved									
Approved By:		SerenaCabatan (October's Very Own Merchandising)									


UN-AVAILABLE CO. LTD: Fit Approval-2 [Sample 1 (M)]								Version 2
	Item Code	M-0425-KB-6068			Product Group	BOTTOM		
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT		
	Created On	06-24-2025 10:44:00 AM	Material Description	100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Season	2025 Winter		
	Last Modified	01-19-2026 10:09:00 AM			Life Cycle Stage	TOP Approved		
Approved On: 01-19-2026 1:56:00 PM								

FITTING COMMENTS

- 1. Phần đũng trước bị dư vải gây ra tình trạng đùn vải. Vui lòng giảm chiều dài đũng trước xuống 3/8" - xem ảnh chụp và thông số đã chỉnh sửa.
- 2. Điều chỉnh chiều dài đũng sau về lại đúng thông số bằng cách cắt bớt phần đầu nhọn đáy sau - xem ảnh chụp.
- 3. Giữ nguyên độ rộng ống quần phần trên bo (khi kéo giãn) theo như mẫu gốc - thông số đã được chỉnh sửa lại cho khớp. Điều chỉnh độ rộng của ống tại mép về đúng thông số bằng cách tăng nhẹ chiều dài dây thun.
- 4. Đảm bảo chiều dài dây luồn được làm đúng theo bảng thông số.
- 5. Đảm bảo tất cả thông số đo của thành phẩm phải nằm trong mức độ sai số cho phép khi sản xuất đại trà

WORKMANSHIP COMMENTS

- 1. Vui lòng may miếng đắp đáy vào thân sau trước, sau đó mới may ráp thân trước và thân sau dọc theo đường sườn trong - xem ảnh chụp.
- 2. Đảm bảo các túi được đặt cân đối tính từ đường may lưng
- 3. Vui lòng đảm bảo các đường may không bị nhăn quá mức.
- 4. Đảm bảo thun được phân bố độ dún đều ở phần lưng và bo của ống chân.

UN-AVAILABLE CO. LTD: Fit Approval-2 - 2nd fit/PP sample photos - 2nd fit/PP: front, side, back							Version 2
	Item Code	M-0425-KB-6068		100% COTTON 350 GSM FLEECE (FB-K949) 100% Cotton Fleece, 350gsm Garment Dye + Acid wash	Product Group	BOTTOM	
	Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
	Created On	06-24-2025 10:44:00 AM	Material		Season	2025 Winter	
	Last Modified	01-19-2026 10:09:00 AM	Description		Life Cycle Stage	TOP Approved	



Item Code	M-0425-KB-6068			Product Group	BOTTOM
Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter
Last Modified	01-19-2026 10:09:00 AM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved





Reduce the front rise length from the top

Giảm dài đáy trước từ đỉnh

Fill in the front crotch tip curve slightly (1/16")

Đánh đầy đường cong đầu đáy trước một chút

UN-AVAILABLE CO. LTD: Fit Approval-2 - 2nd fit/PP sample photos - Gusset sewing application						Version 2
Item Code	M-0425-KB-6068			Product Group	BOTTOM	
Item Name	MUSKOKA SWEATPANT			Product Sub-Category	PANT - SWEATPANT	
Created On	06-24-2025 10:44:00 AM	Material	100% COTTON 350 GSM FLEECE (FB-K949)	Season	2025 Winter	
Last Modified	01-19-2026 10:09:00 AM	Description	100% Cotton Fleece, 350gsm Garment Dye + Acid Wash	Life Cycle Stage	TOP Approved	



Vui lòng may miếng
đáp vào thân sau
trước, sau đó mới
may ráp thân trước
và thân sau lại với
nhau dọc theo
đường sườn trong

Please sew
the gusset to
the back panel
first. Sew the
front and back
panels together
second.